Tennessee State Library and Archives

Digital Tennessee

Bulletin Health

1962

Annual Bulletin of Vital Statistics For The Year 1962

Tennessee. Department of Health

Follow this and additional works at: https://digitaltennessee.tnsos.gov/health_bulletin

Recommended Citation

Tennessee. Department of Health, "Annual Bulletin of Vital Statistics For The Year 1962" (1962). *Bulletin*. 16.

https://digitaltennessee.tnsos.gov/health_bulletin/16

This Report is brought to you for free and open access by the State of Tennessee and Tennessee State Library & Archives. It has been accepted for inclusion by an authorized administrator of Digital Tennessee. For more information, please contact renee.register@tn.gov.

STATE OF TENNESSEE DEPARTMENT OF PUBLIC HEALTH NASHVILLE

Annual Bulletin

of

VITAL STATISTICS

FOR THE YEAR

1962

TABLE OF CONTENTS

PA	AGE
Introduction	5
Interpretation	5
Description of the State of Tennessee	6
Discussion of Vital Statistics, 1962	
Table I. Population, Births and Deaths with Rates per 1,000 Population and Fetal Deaths, Infant and Neonatal Deaths with Rates per 1,000 Live Births, by Race, Recorded and Resident Data, Tennessee, 1943-1962	23
Table II. Deaths from Important Causes with Rates per 100,000 Population by Race, Resident Data, Tennessee, 1943–1962 (Using Comparability Ratios, 1943–1948)	24

Tennessee Department of Public Health

Nashville, Tennessee

ERRATA

Tennessee Vital Statistics, 1962

Below are corrected figures for Table X, Rutherford County, page 65, Total Deaths:

352

Rutherford White No. Rate

Total Deaths

nnessee Inclusive of Cities, Resident Data, 1962 47	by Race,
s, Deaths and Deaths from Important Causes with Rates, s of Tennessee Exclusive of Cities Over 100,000 Popula-	by Race,
Data Regarding Births, Fetal Deaths and Deaths for ion, for Counties Inclusive of Cities and for Four Country 100,000 Population, Tennessec, 1962	Cities Ov
ns in Hospitals with Percentages for Cities Over 10,000 clusive of Cities and for Four Counties Exclusive of Cities Resident and Recorded Data, Tennessee, 1962	Populatio
vorces According to County, and Marriages According to to, with Persons Married and Divorced per 1,000 Popula-	Residence

TABLE IX—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR CITIES OF TENNESSEE OVER 10,000 POPULATION, RESIDENT DATA, 1962

BY RACE, FOR (CITI	ES	OF I	EN	NE	SSE	E O	VEI	₹ 10	,000	PO	PUI	LATI	ON,			EN	TI	AT.					
	(1)		ATHE		waor	bito	Tor		BRIST		Nonwl	blfe	Тотл		TTAN		onwl	htte -	Тот		VRKSV Whi		Nonw	hi
Estimated Population, July 1, 1962	Tor 12, No.	186	Wии 11,5 No.	69	91	7	19,58 No.	7	18.8	11	746 No. <i>I</i>	- 11	130.0	90	86.86	30	43.23	30 H	22,9 No.	94	17.08		5,9	10
LIVE BIRTHS*	235	18.8	221	10.1	14	15.8	448	22.9	425	22.6	23 8	30.8	2,867	22.0 1,	624	18.7 12	13 £	88.8	567	24.7	401	23.5	166	23.1
In hospitalsAttended by physicians not in hospitals	235		221		14				425		23			1,		12			15				114 12	
Attended by midwivesAttended by others or unspecified													3						41		1		40	
FETAL DEATHS†		34.0		27.1		12.9	3	6.7	3	7.1	• • • •		59	20.6	30	18.5	29 .	23.3	11	19.4	ថ	15.0	5	30, 1
In hospitals	8		6		2				3						29 1	- 1					6		4	
Attended by midwives																			·					
TOTAL DEATHS*	91		75	6.5		17.3	175	8.9	160	8.6	15	20.1	1,566	13.0	983	11.3	583	13.5	187	8.1	116	6.8	71	13.0
Under 28 days of aget Under one year of aget CAUSE OF DEATH	8 9	34.6 38.3	6 7	27.1 31.7	$\frac{2}{2}$	(43.9 (43.9	5	8.9 11.2	1 5	9.4 11.8				26.9 35.2	36 46	23.2 28.3		33.0 44.2		31.2 37.0		15.0 27.4		36. 1 69. 2
Tuberculosis, all forms (001-019)													16	12.3 12.3			11	25.4 25.4	1	4.3	1	5.9		
Syphilis and its sequelae (020-029)													1	0.8			1	2.3						
Undulant fever (044)													i	0.8			i	2.3						
of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throa' (050, 051).																								
(050, 051). Diphtheria (055). Whooping cough (056). Meningococcal infections (057).													 ī	0.8			<u>ī</u>	2.3						
Meningococcal infections (057)	-													0.0				2.0						
Tularemia (050) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (055) Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic disease)						0.8			1	2.3						
Measles (085)Rables (094)	-																							
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)	-																							
Malaria (110-117) Other infective and parasitic disease (036-039, 041, 042, 049, 052-054, 061-074	s																							
081, 083, 086-093, 095, 096, 120-138)	-		1										4			1.2	3	6,9	2	8.7	18	93.7		33.8 118.4
Malignant neoplasms (140-205) Benign and unspect neoplasms (210-239)		128.	!	129.7	1		1	122.5 5.1 15.3	22	116.8 8.8			223 5 17	173.0 3.8 13.1	1	192.3 1.2 11.5	4 7	134.2 9.3 16.2		4.3				18.9
Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency state	1			8.6			<u>"</u>	19.0					i				1	2.3						
(280, 282-286)													2	1.5	i	1.2	ī	2.3	1	4.3	1	5.9		
Vascular lesions affecting central nervou system (330-334) Nonmeningococcal meningitis (340)	S		1 10	86.4	1		. 21	107.2	20	106.	1		216 2	166.0 1.5	140	101.2	76 2	175.8 4.6		152.2	21	122.9	11	236.9
Nonmeningococcal meningitis (340) Rheumatic fever (400-402)			-																					
Diseases of the heart (410-443)	27	216. 8.		198.8	1			357.4 15.3	6	339. 3 15.	6			369.0 7.7		371.9 5.8		363.2 11.6	50	217.4 4.3	38			203.0
Arteriosclerotic and degenerative hear disease (420–422)	rti	2 176.		173.0				308.3 5.1		3 297. 1 5.	al .		11 00	293.7 15.4		325.8 12.7		233.3 20.8		195,7 8.7		199.0 5.5		186.1 16.9
Other diseases of heart (430-434)	3) ;	1 8. 3 24.	3	25.0				30.6		4 21.	2			49.2	24	27.6	40	93.5		8.7	2	11.1	r	
(444-447) General arteriosclerosis (450)		1 8. 1 8.	0		. 1		. 4	20.4	١ .	4 21.	8		.]] 30	23.1	23	26.5	. 7	11.0 16.2	3	13.0	2	11.	7 1	16.9 16.9 16.9
Other dis. of circulatory system (451-468))- :	1 8.	0 1	8.6	3		- 3	3 15.5	3] :	3 15.	9		19	14.6 3.8	1	15.0 4.6	1	13.5 2.5	li .	4.3				. 10,9 3 59,8
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–592)		2 16. 1 8.			3					5 26.	5		62	47.7	45	51.8	17 1	39.5	() a					50.8
All other respiratory diseases (470-47	5,		İ					1 29		1 21.	2		. 25	19.2	11	16.1	11							
Ulcer of stomach and duodenum (540, 54 Appendicitis (550-553)			-					3 15.6		3 16.	9		- 14	19.8	12	13.8	2	4.6		4.6		l ö.	-	
Hernia and intestinal obstruction (56 561, 570)		ĩ 8.	δ $$	8.6			.						. 8				2 1			4.8	;	ĩ - <u>5</u> .	ğ	
Cirrhosis of liver (581)							il.	1 20.	1	4 21.	2		_ 2			16.1	10	23.	1				-	
Other diseases of digestive system (53) 539, 542, 544, 545, 573-580, 582-587)			-		-		-	1 5.	1	1 ő.	3		_ 18	3 10.6	7	8.1	6	13.1	9	4.8	3		- 1	1 16.9
Acute nephritis, nephritis with edem incl. nephrosis (590,591)			-	-	-		-						- :				1	3.	11				-	
renal sclerosis (592-594)							-		-				1	2 9.3 7 5.						17				4 67.7
Other diseases of genito-urinary syste (600-600, 611-637)	m	1 8.	0 1	s.	a			1 <i>5</i> .	1	1 5.	3		- 1	7 13.	1 9) 10.4	6	18.	5	1 4.	3		-	1 10.5
Complications of pregnancy, childbir and the puerperium (640-689)†	th													1 0.	3	1 0.6			.					
Congenital malformations (750-759) Birth injuries, postnatal asphyxia ar	īā	1 8.			ā			3 15.	8	2 10	. Ø		- 1	6 12.	3 (3 6. 5	10		II:	5 21.			3	
atelectasis (760-762) Infections of the newborn (763-768)		2 16. 1 8.		2 17. 1 8.	3		-		-				- 2	6 <i>20.</i> 0 1 0.0		15.0	13			5 <i>31</i> .		2 11.		3 50.3
Other diseases peculiar to early infanc and immaturity unqualified (769-776)	У,	4 32	.0	2 17.	3 2	2		2 10.	8	2 10	.6		4	5 34.	6 2	3 30.5	2:	2 50.		5 21.	7	3 17.	6	2 33,
Senility, fil-defined and unknown caus	es	2 16	.0	1 δ.	<i>ti</i> 1	۱		4 30.		3 15						3 49.6		3 134.		5 <i>31.</i>] ?]	1 5.	9	4 87.
Motor vehicle accidents (810-835) All other accidents (800-802, 840-962)		3 24 4 32	0	3 25. 3 25.	$\begin{vmatrix} g \\ g \end{vmatrix} = -\frac{1}{2}$		1	5 25. 1 50.	5 2	5 36 7 37	$\begin{vmatrix} \tilde{a} \\ 2 \end{vmatrix} = 4$		2 5	1 18. 6 43.	$\left. egin{array}{c c} I & 13 \\ 0 & 36 \end{array} \right.$	2 13.8 0 34.4	20] 30. } 00.	8 1 1	7 39. 3 36.	1	7 41. 5 39.	3	§ 135.
Suicide (963, 970-979) Homicide and operations of war (964, 96	35,	3 24	}	3 25.			1	1 5.	1	1 5	.3				1	9 10 4 4.6		2 4.) 44.	- İl	6 <i>20.</i> 1 3.	3	5 29.	ł	1 16.8 1 16.8
980-999)		2 16 6 48		ā 34.		2		1 20.	4	4 27	.3			1 26.		33.6		1 33.		1 17.	4	3 17.	6	i 18.8

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Hates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE IX (Continued)—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR CITIES OF TENNESSEE OVER 10,000 POPULATION, RESIDENT DATA, 1962

WITH RATES, BY RACI	E, F	OR	CIT	IES	OF	TE	NNF	SS	EE C	VE	R 1	0,00	0 PO	PU	LAT	ION	۱, R	ESI	DEN	1T]	DAT	'A, 1	L962	I
			CLEVEI						COLU						OYERS	BURG			1		EAST I	RIDGE		
Estimated Population, July 1, 1962	To 17,7 No.		Wн 16,2 No.	87	1,4	white 118 Rate	To: 17,9 No.		13,5	598	4.3	white 188 Rate	12.	TAL 499 Rate	Wн 9,8 No.	00	2.6	white 399 Rate	To, 20, No.	FAL 658 Rate	20,	ITE 637 Rate	1 2	white !1 Rate
LIVE BIRTHS*	415	23.4	376	23.1	39	27.5	445	24.7	312	23.9	133	30.3	279	22.3	203	20.7	78	28.2	327	15.8	327	15.8		
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	405 3 7		373 3		32 		367 52 25		203 2 2		59 50 23		266 5 8		202 1		61 4 8		327		327			
FETAL DEATHS†	8	19.3	6	18.0	2	51.3	· -	18.0	5	18.0	3	23.0	5	17.9	3	14.8	2	20.8	1	3.1	1	3.1		
In hospitals. Attended by physicians not in hospitals. Attended by midwives.	8		6		2		7		5		2		5		3		2		1		1			
Attended by others or unspecified																								
TOTAL DEATHS*	200	11.3		10.7	1	17.0	198	11.0		10,5	55	12.5	189	15.1	124	12.7	65	24.1	116	ő.6	116	5.6		••••
Under 28 days of aget Under one year of aget	11	19.3 26.5	3 5	8.0 13.3	5 6	128.2 153.8	9	11.2 20.2	4 5	12.8 16.0	1 4	7.5 30.1		14.3	<u>-</u> 2	-ō.ō	2	26.8	4 5	12.2 15.3	4 5	12.£ 15.3		
CAUSE OF DEATH •• Tuberculosis, all forms (001-019)	4	23.6	2	12.5	2		4	22.2	2	14.7	2		1	8.0			1		2	9.7	2	9.7		
of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035).			2	12.3	2		1	22.2 5.6	2 1	14.7 7.4	2			8.0			1		2	9.7	2	9.7		
Typhoid fever (040) Undulant fever (044) Dysentery, all forms (045-648)																								
(050, 051)																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularamia (ara)	1																							
Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (035)														8.0										
Typhus fever (101, 162, 107)																								
Malaria (110-117). Other infective and parasitie diseases																								
081, 083, 086-093, 095, 096, 120-138)	1	11.3	2	13.3			1	5.6	1	7.4														
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (230)	Į	152.5 5.6	1				1	144.6 5.6		154.4	5 1		1	108.0	1	142.9 10.2	7			82.5	17	82.4		
Avitaminosis and other deficiency states		28.2		24.6	1		1	5.6	1	7.4			2	16.0	I 	10.2			2	9.7	2	9.7		
Anemias (290-293) Vascular lesions affecting control																								
Nonmeningococcal meningitis (340)		158.1	25 	153.6	3		25	139.0	19	139.7	6		39	312.0	24	244.9	15		17 1	82.3 4.8	17 1	82.4 4.8		
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416)	61	361.5 16.9		374.5			70	389.2		345.6				504.0		489.8	₁₅			227.6		227.7		
disease (420-422)	52	293.7		18.4 313.1	ļ		52	5.6 280.1	ļ	7.4 286.8	13		52	8.0 416.0	1 43	10.2 438.8	9			4.8 198.5	1 41	4. E 198. 7		
Other diseases of heart (430-434) Hypertension with heart dis. (440-443) Hypertonsion without mention of heart	3 6	16.9 33.9	2 5	12.8 30.7	1		16	5.6 89.0	1	7.4 44.1			1 9	8.0 73.0	1 3	10.2 30.6	6			4.8 19.4	1 4	4.8 19.4		
General arterlosclarocis (150)	<u>2</u>	11.3	2	12.3			1 9	5.6 50.0	9	7.4 66.2			2 8	16.0 64.0		51.0	2		3 3	14.5	3	14.6		
Influenza (480–483)	1	5.6 5.6	1	0.1 0.1	[3	16.7	1	7.4	2		3	24.0 8.0	2	20.4	1		3	14.5	3	14.6		
Pneumonia (190-493) Bronchitis (500-502) All other respiratory diseases (470-475,	5	28.2		18.4			11	61.2 5.6	7	51.5	4		7	53.0 8.0	i 1	40.8 10.£	3		5	24.2	5	24.2		
Ulcer of stomach and divide	4	$\substack{22.6\\\tilde{o}.6}$	‡ 1	24.6 6.1			2 1	11.1 5.6	2	14.7.			3 2	24.0 16.0	$\frac{3}{2}$	30.6 20.4			<u>i</u>	4.8	<u>î</u>	4.8		
Hernia and intestinal obstruction (580, 561, 570)	1	5.6 5.6	1	6.1	1		1	5.6	1	7.4			3	24.0	 2	20.4	1				••••			
Cirrhosis of liver (501)		2.2, 6		21.0			1	ő, G	1	7.4														
539, 542, 544, 545, 873, 590, 593, 593, 593, 593, 593, 593, 593, 593		16.9		24.6 18.4			1	5.0 5.0			1		1	16.0 8.0		20.4			1	4.8	1	4.8		
incl. nephrosis (590,591). Chronic and unerge perhitts and the							1	5.0	1	7.4			1	8.0			1							
Il vperplasia of prograta (410)	1	5.6	1	0, 1			2 1	11.1 5.6			2		6	48.0			6		2	9.7	2	9.7		
(600-609, 611-637)	3	16.9	3	18.4			4	22.2	4	29.4			1	8.0	1	10.2			2	9.7	2	9.7	-	
Complications of pregnancy, childbirth and the puerperium (640-689)† Congenital malformations (750-759)	1 2	2.4	····- <u>2</u>	10 0	1		₁				;			27.0		70.1	;					$\tilde{g}, \tilde{\tilde{q}}$	-	
atelectasis (780 780)		11.3 22.6	1	12.3 6.1	3			11.1	1	7.4	1		3	24.0	2	20.4	1		2	0.7				
Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).			•••••				3	16.7	3	33.1									2	9.7	2	9.7		
Senility, ill-defined and unknown correct		110	4.0	700										2					_					
(780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-982)	7	118.6 39.5 5.6		79.8 43.0 6.1	8		4	38.9 33.3	7 3	7.4 51.5 23.1			1 1 10	32.0 8.0 80.0		91.8	1 1		$\frac{2}{2}$	19.4 9.7 9.7	1 2 2	9.7 9.7 9.7		
Homicide and operations of war (964, 965,							2	11.1	2	14.7									ĩ	4.8	ī	4.8		
All other diseases	4	11.3 22.6		12.3 34.6				11.1 38.9	Ĝ	44.1	2 1		1	8.0		10.3	ī							

^{*}Rate per 1,009 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 109,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE IX (Continued)—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE FOR CITIES OF TENNESSEE OVER 10,000 POPULATION, RESIDENT DATA, 1962

WITH RATES, BY RACI	BIK E FO	RC	S, F.	ES ()F !	$\Gamma E N$	INE	5, D. 3SE:	E O	VEF	10,	000	POI	UL	ATI	OMI ON,	RE	SID	EN'	TD	ATA	, 19	$\tilde{6}2$	
1			ZABET			1			EENEV	ILLE				j	ACKS	N		-		Joi	NOSNI	CITY		=== ::::::::::::::::::::::::::::::::::
Estimated Population, July 1, 1962	Tor. 10,8 No.	396 l	Wиі 10,4 No.	74	Nonw 322 No.	: 11	Tor. 11,7 No.	750	₩ні 11,02 √о.		Nonw 733 No. 1		Тот/ 33,8 No.	19 Rate N	WHIT 22,31 lo. 1	N 32 Pate N	onw 11,49 o. <i>1</i>	hite 37 Zate	Tor. 31,0 No.	AL 105 Rate 1	WHI1 28,8 No.	re 15 Rate N	lonwl 2,190 lo. <i>1</i>	lite late
LIVE BIRTHS*	190		183			21.7	266	22.6	241	21.0	25	S4. 1	710	21.0	419	18.7 2	91	25.3	686	22.1	600	21.1	77 8	35.2
In hospitals	190		183		7		265 1		240				$^{600}_{5}$		417 1		13		681 5		$\frac{605}{4}$		76 ·	
Attended by midwives.													44				44	:						
FETAL DEATHS		10.5		10.9		- 1		18.8		18.6	1	10.0		18.1		14.5	7 .	24.1	7	19.2	5	8.2	2 :	20,0
		l					5		4		1												2	
In hospitals. Attended by physicians not in hospitals. Attended by inidwives													·											
Attended by others or unspecified						10.6	110	0.5	104	9.4	 u	10.9	4 17	13 8	289	13.9	158	13.8	356	11.6	321	11.1	35	16.0
TOTAL DEATHS*		8.2	83	10.0		18.6	112	26.3	6	24.9		- II		20.8		21.5	10	Ш		20.4		21.3		13.0
Under 28 days of aget	2	10. õ 10. 5	2	10.9				37.6		37.3	î	40.0 40.0	25	35.3	11	25.3	14	48.1		24.8		23.8	1	13.0
Tuberculosis, all forms (001-019) of respiratory system (001-003)							4	34.0 34.0	4	35.3 30.3				29.7	3	13.4 13.4	2	34.8 17.4		16.1 16.1		17.4		
of respiratory system (001-003) Syphilis and its sequelae (020-029) Gonococcal infection (030-035)	1	9.2	1	9.5																				
Typinia lever (040) Undulant fever (014) Dysentery, all forms (045-013) Scarlet fever and streptococcal sore throat (050, 051)																								
(050, 051)																								
Meningococcal infections (057)																	•••							
Tularemia (059). Acute poliomyelitis (080). Acute infectious encephalitis (082). Measles (085). Rabies (094). Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104). Malaria (110–117).																								
Acute infectious encephantus (082)																								
Typhus fever (101, 102, 107)																								
Malaria (110-117) Other infective and parasitic disease:	S																							
Malaria (110-117) Other infective and parasitic disease (336-039, 041, 042, 049, 052-054, 061-074 081, 083, 086-093, 095, 096, 120-138)	,						2	17.0	2	18.1			1	3.0			1	8.7	2	6.5	2	6.9		
Malignant neoplasms (140-205)		91.8	10	94.6			12	10.3.0	12	108.8				180.2 3.0	$\frac{42}{1}$	187.8	19	165.4	53	170.9		159.6	7	
Diabetes mellitus (260)	- 1	9.2 9.2		9.5			1	8.5	ī	9.1				17.7	4	17.9	2	17.4	2	6.5	2	6.9		
Avitaminosis and other deficiency state (280, 282-286)	S														*****	====			1	3. ₹	1	3.5		
Anemias (290-293) Vascular lesions affecting central nervou	ŝ	~ ~ ~ ~	1										3			13.4 223.6	21	269.9	an.	212.0	60	208.2	6	****
Nonmeningococcal meningitis (240)	.] 13	165.	1	160.8	1		8	68.0		63.5				239.3				200.0						
Rheumatic fever (400-402)		275.	57	255.5	3		53	450.7	50	453.6	3		154	455.0		523.2	37	323.1	132	425.7		409.5		
Chronic rheumatic heart dis. (410-416)	_ 2	18.	2										2			8.8		2400 0	ll	12.0	İ .	10.4 360.9		
Arteriosclerotic and degenerative hear disease (420-422)	25	229. 18.	1 2	208.1 18.5				363.7		390.0			125	369.3 5.9 73.9	100	447.2 8.9 58.1		217.6°	4	391.2 12.6 38.7	4	13.9 24.3		
Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of hear) 1 t						8	68.5	ή '	63.8	1		H	17.7		8.9		34.8	Н	, ,,,,,				
(444-447) General arteriosclerosis (450) Other dis. of circulatory system(151-468)	_ 2		# 2		5		3			18.			6	17.7 14.8	6	29.8 17.9		8.7	1 1	3.2 35.8	2 1 8 8	3. i 27. 8		
Influenza (480-483)	_ 1	9.	2 1	9.0	5								1							3.3		3.5 27.8		
Pneumonia (490-493)	2	18.	4 2	18.5	9		-	25.		3 27.			11	41.4		44.7	1							
All other respiratory diseases (470-473 510-527) Ulcer of stomach and duodenum (540, 54)	2	2 18. 2 18.		1 9.4 2 18.4			. 1	8.	i :	1 9.	1		. 8	23.0	6	26.8	2	17.4		3 19. 2 6.				
Appendicitis (550-553) Hernia and Intestinal obstruction (50)			-		-		-		-		-										-			
561, 570)			-					17.	0	ž 13.	ī			8.0			3	23.1		2 <i>6</i> .				
Cirrhosis of liver (581)					-		-				-		.						. 1	3.	1	3.6		
Other diseases of digestive system (530 539, 542, 544, 545, 573-580, 592-587)			-						-				- 1	3.0		••••	1	8.7	╢ :	1 12.	9 3	10.4	1	
Acute nephritis, nephritis with edemindle nephrosis (590,591)			-						-		-		- :		.i		1		IJ		1			
renal sclerosis (592-594)					-		-	8.	5	1 9.	1		-	1 3.6 1 3.6			1			4 13. 3 9.		1 13.1		
Other diseases of genito-urinary system (600-609, 611-637)	m		-	.	-		-				-		-∥ ;	3 8.3	9 1	}. 5	2	17.	í					
Complications of pregnancy, childbird	h												_	1 1	\$		1	3.	;					
and the puerperfum (640-689)† Congenital malformations (750-759)		ī <i>9</i> .	2	ī <i>ÿ</i> .	5		-	3 25.	ő	2 18.	1 1			1 11.	8	17.8	'		-	1 J.				
atelectasis (760-762)		î - j.	2	i ΰ.	ā		-	3 25.		3 27.	2			6 <i>17.</i> : 1 3.:		4.4		43.		4 12. 1 3.		1 13. 1 3.	υ [
Other diseases peculiar to early infanc and immaturity unqualified (769-776)	у,	1 9.	1	1 9.	.1		-	3 25.	5	2 18.	1 1	٠	.	9 20.	6 4	33.4	1	1 34.	8	6 19.	4	6 2).	8	
Senility, ill-defined and unknown caus	es	2 18.		2 /8.	,			2 17.	0	2 18.	1] ,	1 6₹.	0 .	17.	12	7 148.	0 1	1 35.		9 31.		
(780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 819-962)		$egin{array}{cccccccccccccccccccccccccccccccccccc$	ñ	3 28.	9			2 17.	ŭ	1 θ.		i	-∥ .	6 <i>17.</i> 5 4).	7	3 - 26, t 3 - 40, s	2	52.	$\frac{1}{2}$	0 32. 8 25.	. 3 . 8	9 31. 8 27.	8	
Suicide (963, 970-979) Homicide and operations of war (964, 96		2 18.	4	2 18.	9			6 51.	1	6 54.				4 <i>ii.</i>		3 13.	1	8.	7	2 6.		2 6.		
980-999) All other diseases		ā 27.		ā 28.	4			1 8. 1 8.	5 5	1 0. 1 9.	1		1	ĩ 33.	ā	5 23.	3	ā <i>ā</i> ₹.		3 9. 4 13.		3 10. 4 13.	4	
			<u> </u>				il		<u> </u>		_!		11		1		1		_!!		1			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Hates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5.000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE IX (Continued)—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR CITIES OF TENNESSEE OVER 10,000 POPULATION, RESIDENT DATA, 1962

WITH RATES, BY RACE,	FO	R C	ITI	ES ·	OF	TE	NNE				R 1	0,00	0 P(OPU	LAT	CIO	N, I	RES	IDE	NT	DA	TA,	196	62_
***************************************	- (1)		KINGS I Wh		· Non	white	777		KNOXV Wrt		Mon				LEBA				Ī		MARYV			
Estimated Population, July 1, 1962		TAL 936 Rate	25,	353	1,	white 583 Rate	132,		111.	032	21.	white 185 Rate	To 10, No.	TAL ,799 Rate	Wn 9, No.	109	1.	white 699 Rate	10,	343	W11 9,8 No.	75	3	white 373 Rate
LIVE BIRTHS*	527	19.6	496	19.6	31	19.6	2,933	22.2	2,422	21.8	511	24.1	282	26.1	231	25.4	51	30.2	196	18.9	186	18.6	10	26.8
In hospitals Attended by physicians not in hospitals									2,403 8 8		$^{495}_{13}$		267 8 7		1		37 7 7				186		10	
Attended by midwivesAttended by others or unspecified							5		3		2													
In hospitals	1	17.1	l	16.1		33.3	56 52	19.1		14.0	22 19	43.1		10.6		13.0			3 2	15.3	2	10.8	1	100.0
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.							2		<u>ī</u>										1		î			
TOTAL DEATHS*		6,5	!	6.3	15	9.5	1	10.4	ĺ	10.0	263	12.4	118	10.9	93	10.5	22	13.0	97	9.4	92	9.2	5	13.4
Under 28 days of aget Under one year of aget	7 9	13.8 17.1	7 9	14.1 18.1			48 67	16.4 22.8		12.8 17.3	17 25	33.3 48.9	7 11	34.8 39.0		21.6 30.3		39.2 78.4		30.4 20.4		21.5 21.5		
CAUSE OF DEATH** Tuberculosis, all forms (001-019)		11.1	1 0				15	11.3		11.7	2	9.3												
of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal Infection (030-035)		11.1					13	9.8 9.8		10.8	1	4.7	ī	9.3	ĩ	11.0								
Syphilis and its sequelae (020–029). Gonococcal Infection (030–035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045–048). Scarlet fever and streptococcal sore throat																								
Scarlet fover and streptococcal sore throat (050, 051). Diphtheria (055).																								
Whooping cough (056)																								
Tularemia (050) Acute pollomyelitis (080) Acute infectious encephalitis (082)																								
Measles (085) Rables (091)																								
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)																								
Malaria (110-117) Other infective and parasitic diseases (936-939, 941, 942, 949, 952-954, 961-974, 981, 983, 986-993, 995, 999, 120-138)	.]			***			1	3.0	4	2 /														~~~
		118.8	26	103.0	6		193	146.0	159	143.2	31	190.5		9.3 111.1	10	11.0 100.8			14	135.3	12	139.3	2	
Malignant neoplasms (140–205) Benign and unspec. neoplasms (210–229) Diabetes mellitus (260) Pellagra (281)							$\frac{2}{25}$	1.5		1.8 18.0	5	23.0	1	9.3	ı		1							
Pellagra (281) A vitaminosis and other deficiency state: (280, 282–285) Anemias (200–293)	-1 1	3.7	1	3.9			$\frac{2}{3}$	1.5 2.3		1.5														
Vascular lesions affecting central nervous system (330-331) Nonmeningococcal meningitis (340)	s 19	70.5		67, 1	2		11	2.0 152.8 3.0	161	2.7 145.9 0.9		193.6	21	194.5	19	308.6	2		17	164.3	15	150.4	2	
Rheumatic fever (400–402)	55	204.2	51	251.3			1 461	0.8 348.7	1 392	0.9 353.1		325.7	39	361.1		J84.2	·		39	399.2	32	320.8		
Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative hear disease (420-422).	t	178.2	45	177.5	3	• • • •	398	3.0 299.5	(3.6 313.5		231.3		287.1		307.4								
Other diseases of heart (139-434). Hypertension with heart dis. (440-443). Hypertension without mention of hear	- 6	22.8	5	19.7	1		12 49		10	9.0 27.9	2	9.4	5	27.8 46.3	3					280.2 20.0		200.7 30.1		
(441-447) General arteriosclerosis (450)	1	3.7	1	3.9	/			9.1 15.9		6.3 14.4	5 5	33.6 33.6		37.0		33.9	<u>i</u>		$\begin{vmatrix} 2\\2 \end{vmatrix}$	19.3 19.3	2	20.1 20.1		
Other dis. of circulatory system (451–168) Influenza (480–483)		11.1		11.8			6	13.6	6	13.5 5.4		14.2	2			11.0			1	9.7 2.7	1	10.0 10.0		
Pneumonia (190-493) Bronchitis (500-592) All other respiratory diseases (470-475		40.8		45.4			39	39.5 4.5		27.0 5.4		43.5	2	18.5	2	32,0			3	39.0		39.1 19.0		
510-527) Ulcer of stomach and duodenum (510, 541) Appendicitis (550-553)	5 2	7.3	1	3.5	1		16 22 2	18.6 13.1 1.5	15		2 1 2	9.4 4.7 9.4		40,3	2	32.0	3		3	20.0	3	30.1		
Hernia and intestinal obstruction (560 561, 570)	2		2				3 2	2.3	3	2.7			1	9.3	!	11.0			;			12.72		
Cirrhosis of liver (581)							11	1.5 10.6		0.9 10.8	2	4.7 9.4	1	9.3		11.0			1	9.7		10.0		
Other diseases of digestive system (530- 539, 542, 544, 545, 573-530, 582-587) Acute nephritis, nephritis with edema	_ 3	11.1	2	7.5	1		11	8.3	9	8.1	2	9.4							2	19.3	2	20.1		
incl. nephrosis (500,501)		7.4	2	7.8			3 13	\$.3 5.8		1.8 9.0	1 3	1.7		· · · ·		11.0						10.0		
Hyperplasia of prostate (610) Other diseases of genito-urinary system	1						4	3.0	- 1	3.8		14.2		9,3		11.0			1			10.0		
(600-609, 611-637)	ı	14.9	*	15.8	`		9	6.8	6	5.4	3	14.2	1	9,3			1	- -	2	19.3	2	20.1		
and the puerperlum (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxia and	i 6	33,3	6	23.7			11	8.3	11	\tilde{g}, \tilde{g}														
atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy	2	7.4	2	7.9			13 3	9.8 2.3		4.5 1.8	8 1		2 1			$\frac{11.0}{11.0}$			1	9.7	1	10.0		
and immaturity unqualified (769-776)	1	3.7	1	3.9		••••	24	18.2	16	14.4	8	37.8	3	27.8	2	23.0	1		3	29.0	3	30.1		
Scality, ill-defined and unknown causes (780-795)	. 2	7.4 29.7		7.9 31.6			19	69.6 14.4	61	57.8 14.4	28	133.2 14.2	4 3			11.0 32.9			4 2	33.7 19.3	4 2	49.1		
All other accidents (800–802, 810–962) Suicide (963, 970–979)	4 3	14.9	4	15.8	3		27 15	39.4	23	$\frac{14.4}{20.7}$ 13.5	-}	13.9		83.3	7	76.8 11.0	2		1 2	9.7	1			
Homicide and operations of war (964, 965 980–999) All other diseases	. 1	3.7 29.7		3.9 27.0			12 39	9.1 39.5	4 30	3.6 37.0	8 9	37.8 43.5	1 2	9.3 18.5	$\frac{1}{2}$	11.0 23.0			1 1	9.7		10.0	1	
	1		<u> </u>				H		1			, , ,	1		آ ا		1		ıl - ^ -	5.1	1 1	. / . 9	1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE IX (Continued)—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR CITIES OF TENNESSEE OVER 10,000 POPULATION, RESIDENT DATA, 196:

WITH RATES, BY RACE	, FC	RO	CITI	ES (OF	TE1	INE	SSE	ΕO	VE	R 10	,000	PO	PUI	AT	ION	, R	ESI	DEN	T I	OAT	A, 1	962	1
	Тот	AT. 1	MEMPI Whi		Nonw	hlte	Тот		ORRIS Whi		Nonw	hite	Тот		RFREE		Nonw	hite	Tot		VIISAI Witt		Nonw	hite
Estimated Population, July 1, 1962	517,	793 Rate	325.4		192,	287	23, 15		21.3		1,78	3	19,65		16.6	72	2.99		253,5	102 Rate	184,	339 Rate	69,1	163
LIVE BIRTHS*		.	3,363	19.0	6180	93.1	449	19.4	420	19.6		10.3	502	28.6	449	1			5,818	ì				29.5
In hospitals	12503 33 6 1				6164 9 6 1		3		417		29		3				2						22	
FETAL DEATHS†	¶264	21.0	77	12.1	186	30.1	11	24.5	10	23.8	1	34.5	8	14.2	7	15.6	1	8.8		10.4		13.7	50	24.5
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	247 11 2 11		75 2		172 12 2				9		1		8		7		1						1	
TOTAL DEATHS*	5,078	9.8	2,820	8,7	2258	11.7	162	7.0	141	6.6	21	11.8	178	9.1	139	8.3	39	13.1	2,794	11.0		9.9	966	14.0
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	304 406	24.2 32.4	133 153	20.9 24.0	171 253	27.7 40.9	7 13	15.6 29.0	6 12	14.8 28.6	1	34.5		14.2 19.6		15.6 20.6		8.8	186	33.3 31.8	102	29.5 36.8	84	28. 4
Tuberculosis, all forms (001-019) of respiratory system (001-003) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040)	28 13 1	5.8 5.4 2.5 0.2	13 13 3 1	4.9 4.0 0.9 0.3	17 15 10	8.8 7.8 5.2		17.3		18.7			1	5.1			1		26 23 4	10.3 9.1 1.6	13	7.1		18.8 17.4 5.8
Undulant fever (044)	2	0.4	1	0.3	ī	0.5													1	0.4			i	1.4
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)	1 1 1 1	0.2 0.2 0.3 0.2	1	0.3	1 1 1	0.5 0.5 0.5							1	5.1	1	6.0			1	0.4	i	0.5		
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085)	1	0.4 0.2	 I I	0.3 0.3	î	0.5													i	0.4			ĩ	1.4
Rables (694)————————————————————————————————————																								
Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 096, 120-138)		5.0	15	4.6	11	5.7													4	1,6	3	1.6	1	1.4
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239). Diabetes mellitus (260)	7	152.0 1.4 14.0	4	149.9 1.2 9.2	3	157.1 1.6 22.9	23	99.8 8.6	23 1	107.6 -4.7				137.4 20.4		138.0 24.0			6	145.6 2.4 13.8	260 3 16	141.0 1.6 8.7		157.6 4.3 27.5
Avitaminosis and other deficiency states (280, 282-286). Abemias (290-293). Vascular lesions affecting central nervous	8	1.0 1.5		0.9 0.3	2 7	1,0 3.6	î	4.3	1	4.7									2 6	0.8 3.4	1 2	0.5	1 4	1.4 5.8
Nonmeningococcal meningitis (340)	810 12	156.4 2.3		185.2 0.9		193.4 4.7	16	69.1	13	60.8	3		30	153.7	23	138.0	7		385	151,9 1,2	227	133.1	153	228.4 4.3
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative heart	36	0.2 311.3 7.0	23		13	0.5 324.0 6.8	62	267.7	53	271.3	4		51 2	259,5 10.2	1		<u>ş</u> 1		1.073 17	6.7	15		2	425.1 2.9
disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of heart	159 223	230.6 30.7 48.1 20.3	66 57	259.0 20.3 17.5 5.8	93 166		55 2 5	237.5 8.6 21.6	51 2 5	238.6 9.4 23.4	4		1	223.9 5.1 20.4 10.2	1	221.9 6.0 24.0 6.0			40	329.4 15.8 71.4 6.7		353.7 16.3 44.5 1.6	10 99	204.6 14.5 143.1 20.2
(444-447)	93	18.0 14.1	64	19.7 10.8	29	34.7 15.1 19.8	1 2	4.8 8.6	2	9.4	1		3 2	15.3	3	18.0			15	17.8 13.4	37 24		8	$\frac{11.6}{14.5}$
Influenza (480-483) Pneumonia (490-493) Bronchitis (509-502) All other respiratory diseases (470-475,	29 178 16	õ. 6 34. 4 8. 1	83	0.9 25.5 2.5	95	13.5 49.4 4.2	9	4.3 38.9	1 4	4.7 18.7	<u>-</u> 5		3 7	15.3 35.6	3 6	18.0 36.0	ī 		18 111 8	7.1 43.8 3.2	59 6		52	20.3 75.2 2.9
510-527) Ulcer of stomach and duodenum (510, 511) Appendicitis (550-553) Hernia and intestinal obstruction (550,	74 25 2	14.3 4.8 0.4	57 11 1	17.5 4.3 0.3		8.8 5.7 0.5	2	8.6	2	9.4			3	15.3	2	12.0	1		45 16 3	17.8 6.3 1.2	34 9	18.4	11 7 3	10.1
561, 570)	17 21	3.3 4.1	9 7	2.8 2.2	11	$\frac{4.2}{7.3}$	i	4.3	î	4.7			1 2	ñ.1 19.2	1	6.0 6.0	<u>i</u>		13 16	$\frac{5.1}{6.3}$	7 10	3.8 5.4	6	8.7 8.7
Cirrhosis of liver (581) Other diseases of digestive system (530-	30	5.8		5.5	1	6.3	1	4.3	ł		1		1	5.1	1	6.9			17	6.7	13	7.1 10.3	l 9	5.8
539, 542, 544, 515, 573-580, 582-587)	43 11	8.3 2.1	27	8.3 0.6	16	8.3 4.7	2	8.6	2	9,4		***							28	11.0	13		2	13.0 2.9
Chronic and unspec, nephritis and other renal sclerosis (592-594)	28	5.4	11	8.4	17	8.8	4	17.3	3	14.0	1		3	15.3			3		19	7.5	-1	2.2	15	21.7
Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	67	2.5 12.9	1		38	5.7 19.8	1	4.3			1		3	10.8 15.3	1	6.0	2		38	2.8 15.0	1 15			8.7 33.3
Complications of pregnancy, childbirth and the puerperlum (640-689)†	. 6			0.3	.1	9.6													7	1.2	3	0.8	4	2.0
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762)	73 56		1	12.9 14.4		16.1 4.7	3	13.0 17.3	i	9.4 18.7			3	19.3 15.3	2 2	12.0 12.0	1		11	12.2 18.1		13.9 14.6	ł	10.1 27.5
Infections of the newborn (763-768). Other diseases peculiar to early infancy and immaturity unqualified (769-776).	. 12	2.3	2	19.4	10	70.7	1	3.3 8.6	1	4.7			1	5.1 10.2	1				1		1		3	
Senility, ill-defined and unknown causes (780-795)	. 104	20.1		12.0				13.0	3	14.0				£0.70		21.0			16 46				2 8	2.9 11.6
Motor vehicle accidents (810-835). All other accidents (800-802, 840-952) Suicide (963, 970-979) Homicide and operations of war (964, 995 980-999).	130 46	8.0	73 41	20.3 23.4 12.6	57 5		8		7 2		1				9 4 2				97 28 40	38,3 11,0	61 25	33.1 13.6	35	52.1
All other diseases		17.5	58	17.8	31	16.1		8.6	i	4.7	1			15.3	3	18.0				20.5		19.5		23.1

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

¶Includes one fetal death with race not stated.

WITH RATES, BY RAC	E, F(OR	CIT	IES	OF	TE							00 P	OPU	LA	rio	N, I	RES	IDE	NT	DA	ΓА,	1962	2
			OAK RI		Non				ANK-						HELBY			7.74			LLAHO			
Estimated Population, July 1, 1962	Тот 27, No.		25.7	TTE 82 Rate	1 1.	white 387 Rate	Ton 10, No.	777		11TE ,706 Rate	7	white 71 Rate		TAL ,466 Rate	No.	022	1.	white 544 Rale	13.	rat 111 Rate	12,	381	Nonv No.	27
LIVE BIRTHS*	579	21.3	533	20.7	46	33.2	241	22.4	241	22.5			255	24.4	217	24.3	38	24.6	325	24.8	295	23.8	30	41.5
In hospitals	570 8		525 8		45		240 1		240 1				250 4		216 1		34 3		321 1		295		29 1	
Attended by inidwivesAttended by others or unspecified	i				ī																			
FETAL DEATHS †	4	6. 9	4	7.5				12.4	3	12.			8		7	33.3	1	26.8		18.5	1	20.3		
In hospitals Attended by physicians not in hospitals. Attended by midwives							3		3				8		7				6		6			
Attended by midwives Attended by others or unspecified	1			3.4	10	7.2	74	6.9	74	G. 8			190	13.0	98									
Under 28 days of aget	6	10.4	4	7.5		43.5 65.2		16.6	4	16.6			1	8.9	1	11.0 4.6		18.1	83	6.7 18.5		6.5 20.3	7	9.6
Under one year of aget	8	13.8	5	9.4	3	65.2	7	29.0	7	29.0				15.7	3	13.8	1	36.5	8	24.6	8	27.1		
Tuberculosis, all forms (001-019)	. 2		2 2	7.8 7.8			1	9.8 9.3		9.3 9.3			1		- 1	11.2 11.2								
Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040)													1	9.G		11.2								
Undulant lever (044)																								
Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051).																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059)																								
Acute poliomyélitis (080) Acute infectious encephalitis (082) Measics (085)																								
Rables (094) Typhus fever (101, 102, 107)																								
Rocky Mountain spotted fever (104)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)	1	3.7	1	3.9			1	9.3	1	9.3			1	9.6	1	11.2								
Malignant neoplasms (140-205)		81.0	20	77.6	2		7	65.0	7	65.4			15	143.3 9.6	12	134.5	3		11	83.9 7.6		88.8 8.1		
Diabetes mellitus (260) Pellagra (281)	1	3.7	I	3.9									2	19.1	2	22.4			î	7.6	1	8.1		
Avitaminosis and other deficiency states (280, 282–286) Anemias (290–293)	2	7.4	2	7.8									1	9.6	1	11.2			3	22.9	2	16.1		
Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)		36.8		27.2			10	93.8	10	03.4			16	152.9	12	134.5	4		-	76.3	_	72.7	1	••••
Nonmeningococcal meningitis (340) Rheumatic fever (400-402)							1	9.3	1	p.3														
Diseases of the heart (410-443)	1	95.7 3.7	24 1	93.1 3.9				269.1 9.3	29 1	270.0			60	573.3	47	526.8	13			228.8 7.6	29 1	234.2	i	
Arteriosclerotic and degenerative heart disease (420-422)Other diseases of heart (420-434)	22 1	81.0 3.7	21 1	\$1.5 \$.9			27 1	250.5 9.3	27 1	253.2 9.3			49	468.2	38	425.9	11		27 .	e05.s	27	218.0		
Hypertension with heart dis. (440-443) Hypertension without mention of heart	2	7.4	î	3.9									11	105.1	9	100.9	2		2	15.3	î	8.1	ī	
(444-447)	1 1	14.7 3.7		15.5	<u>i</u>								2 1	19. 1 9. 6		22.4	<u>î</u>			15.8 7.6	1	8.1	ī	
Influenza (480-483)	;		;					37 °		00.0			1	9. c	1	11.2						37-3	-	
Procumonia (490-493) Bronchitis (500-502) All other respiratory diseases (470-475,	1	3.7		3.9			3	27.8	3	28.0			1	19.1 9.6	2	22.4	ī			30.5	3	24.2		
Ulcer of stomach and duodenum (510, 541)	2	7.4	2	7.8			4	37.1	4	37.4														
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)							1	9.3	1	9.3			2	19.1	1	11.2	1						-	
Gastritis, enteritis, etc. (543, 571, 572)																			ī	7.6	Í	8.1		
Cirrhosis of liver (581)		7.4 3.7	2	7.8 3.9			1	9.3	1	9.3			1	9.6			1		1	7.6 7.6	1	8.1	1	
Acute nephritis, nephritis with edema, incl. nephrosis (590, 591)																			1	7.6	1	8.1		
Chronic and unspec. nephritis and other renal sclerosis (502-594)	1	3.7	1	3.9					••				1	9.6	. 1	11.2								
Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	1	3.7	1	3.9			1	9.3	1	2.3			2	19.1	2	23.4			1	7.6	1	8.1		
Complications of pregnancy, childbirth and the puerperlum (640-689)†	1	1.7	1	1.9																				
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and	1	3.7	î	3.9				18.6		18.7			1	9.6	1	11.2				15.3	1	8.1	ī	
atelectasis (760-762)	5	18.4	4	15.5	1		3	27.8	3	28.0									1 1	7.6 7.6	1	8.1		
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	ŀ																		3	22.9	3	24.2		
Senility, ill-defined and unknown causes (780-795)	4	14.7 7.4	4 2	15.5 7.8			4	37.1 37.1	4	37.4 37.4			2 4	19.1 38.2	2	22.4 44.8	••••			15.3 15.3		10.1 18.1		-
All other accidents (800-802, 840-962) Suicide (963, 970-979)	.4	14.7 11.0	3	11.6 11.6	1		i	9.3	1				2 2	19.1	ī	44.0 11.2 29.4	ī			32.5		32.3 8.1		
Homicide and operations of war (984, 965, 980-999)					~ ~ ~ ~				;	7,773			1 2	9.6			1		1	7.6	1	8.1		
All other diseases	1	3.7	1	υ. θ			I	9.3	1	9.3			3	28.7	2	22.4	1		3	22.9	3	34.2		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, F	OR	COT	JNT	IES	OÉ	TE	NNI	ESS:	EE :	INC	LUS	SIV	E OF	CI	TIE	S, R	ES	IDE	NT	DA'	ΓA,	196:	2	
			ANDER	SON	**********	1			BEDFO	ORD		1			BENT	ON		hite	Тот		BLEDS	OÉ		
Estimated Population, July 1, 1982	Tor 60, No.		Wии 57,5 No.	915	Nonv 2, No.	110 Rate	Тот. 23,1 No.		Wні 20,3 No.	387 Rete	Nonw 2,7 No.	63	Тотд 10, 5 No.		10.1	195	31		7.8		7.33	56	Noaw 455 No. 1	
LIVE BIRTHS*	1,341	ī		Ī		20.9		20.6	*	20.3		23.5		17.4	164	1		59.6	Ī	21.3		21.9		11.0
In hospitals Attended by physicians not in hospitals	1,121 215		1,062 212		5 9		466 11		$\begin{array}{c} 411 \\ 2 \end{array}$				141 33		132 31		9		151 12 2		147 12		4	••••
Attended by physicians and Attended by midwivesAttended by others or unspecified	1				<u>ī</u>		1				1		9		1		8		i		1			
FETAL DEATHS†	14	10.4	13	10.2	1	15.9	11	23.0	9	21.8	2	80.8	7	\$8.3	6	36.6	1	52.6	3	18.1	3	18.6		
In hospitals. Attended by physicians not in hospitals.	10		9 4		1		10 1		9		1		7		6				3		3			
Attended by midwivesAttended by others or unspecified																							•	
TOTAL DEATHS*	361	6.1	344	5.9	20	9.5	284	12.3	236	11.6	48	17.4	138	13.1	134	13.1	4	13.5	79	10.1	77	10.5	2	4.4
Under 28 days of agetUnder one year of aget	20 30	14.9 22.4	17 26	13.5 20.3	3 4	$\frac{47.6}{63.5}$		10.5 27.2	3 10	7.8 24.2		\$0.8 46.2		33.8 38.5		38.6 43.7			5 12	30.1 73.3	$^{5}_{12}$	31.1 74.5		
CAUSE OF DEATH**		3.3	,	8.0			,	13.0	3	14.7			2	19.0	,	9.8	,							
Tuberculosis, all forms (601-019)of respiratory system (601-008)		3.3	2	8.0				13.0 8.6	3 1	14.7	<u>î</u>		$\tilde{2}$	19.0	i	9.8	i							
Gonococcal infection (030-035)							<u>ī</u>	4.8	<u>î</u>	4.9														
Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat																								
(050, 051)																								
Whooping cough (056) Meningococcal infections (057)	ĩ	1.7	ī	1.7			<u>î</u>	4.3	<u>-</u> ī	4.9														
	1																							
Tularemia (059). Acute poltomyelitis (089). Acute infectious encephalitis (082). Measlos (088).													2	19.0	<u>2</u>	19.6								
Rables (004)																								****
Malaria (110-117) and paragific diseases																								
(036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)		1.7	1	1.7			1	4.3	1	4.9			1	9.5	1	9.8								
Malignant neoplasms (140-205)	65	108.8	61 1	105.3			27 1	116.6 4.3	22	107.9	5 1		19	180.7	18	176.6	1		15	192.0	15	203.9		
Diabetes mellitus (200)		5.0		3.5				17.3	4	19.6									1	13.8	ì	13.6		• • • •
Avitaminosis and other deficiency states		3.3		-5-5		***	1	4.3	1	4.9												•		
Anemias (290-293) Vascular lesions affecting central nervous	3	81.6		3.5 77.7			37	4.3 159.8	1 27	133.4	10		14	133.2	11	137.5			9	115.2	9	122.3		****
system (330-334). Nonmeningococcai meningitis (340)								****																****
Rheumatic fever (400-402)	115	191.6	112	193.4			135	583.2	117	573.9	<u>ī</u> š			637.2 28.5		037.6 20.4	2		23	294.5	23	31.3.7		
Arteriosclerotic and degenerative near	99	164.9	97	167.5			109	470.8	94	461.1	15			504.1	52	510.1	1		22	281.7	22	200.1		
Other diseases of heart (430-434)	11	3.3 18.3		3.5 17.5			24	8.6 103.7	[2	9.8 103.0				9.5 $95,1$		9.8 88.3	ĩ		i	13.8	ī	13.6		
Hypertension without mention of hear (441–447) General arteriosclerosis (450)	1 3	6.7 15.0	2 9	3.5 15.5			2 6	8.6 25.9	1 6	4.9 29.4			1 2	9.5	1 2	9.8 19.6				25.6	2	27.2		
Other dis. of circulatory system (451-103).		8.3	4	6.9	1		3	13.0	2	9,8	1								-					
Influenza (480-483)	7		7	3.5 12.1			10 10 2		10	$\frac{4.9}{49.1}$			5	47.6	5	49.0			5	64.0	5	88.0 18.6		
Bronchitis (500-502) All other respiratory diseases (470-475 510-527)	. 0	18.3	8	13.8			1	4.5		4.9			1	9.5	1	9,8			1		1		1	
Ulcer of stomach and duodenum (540, 541,													<u>î</u>	0.5	<u>î</u>	9.8			1	12.8	1	18.6		
Hernia and intestinal obstruction (560 581, 570) Gastritis, enteritis, etc. (543, 571, 572)	1	1.7		1.7			2	8.6	1	4.9	1													
Clarkenia of liver (881)	3						2	8.6	1	4.8	1													
Other diseases of digestive system (550		5.0	3	5.2									1	9.5	1	9.8								
Acute nephritis, nephritis with edema incl. nephrosis (590, 591) Chronic and unspec. nephritis and othe																								
renal scierosis (592–594)	i						5	21.6	4	10.6	1													
Other diseases of genito-urinary system (600-609, 611-637)	5	8.6	5	8.6	;		3	13.6	3	14.7			1	9.5	1	9.8	 							-
Complications of pregnancy, childbirth and the puerperlum (640-689)	_] [0.7		0.8	3					• • • •														
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and	ā 4		1				1	4.5	1	4.8			2	19.0	2	19.6			11 .	25.6				
atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy	12	20.6	- 10	17.8	3 2			4.5	····i	4.6										51.2		54.4		
and immaturity unqualified (709-770).	- 0	8.3	5	8.6	3		2	8.6	1	4.6	1		5	47.6	5	49.0								
Senility, ill-defined and unknown cause (780-795)	_] 18	30.0		31.1				13.0					3	28.0 28.0	3					76.8 12.8				
Motor vehicle accidents (810-835)	13	21.	7 11	19.0			8 6 4	25.5) 4	39.2 19.6 19.6	2		7							25.6	1	13.6	1	
Homicide and operations of war (964, 965	5,	1.1	/		. 1		1	4.8	,		1								.∥ ,	12.8			. 1	
All other diseases	- 3	5.0	3	6.1			6	25.6	5	24.1	1		.]] 1	9.5	1	9.8			1 3	38.	3	40.8	1	

[•]Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
••Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, F	OR	COT	T NT	1177	OI	TI	enn	ESS	EE	11/1	CLU	ISIV	E O	F C	ROM ITII	i in Es,	APC RES	ORT SID:	ANT ENT	` CA ' DA	LUSI LTA	ES 1 , 19	WIT 62	H
	To	TAL	BLOU	INT		white	l	TAL	BRAL	LEY		white			AMPBE				1		CAN	NON		
Estimated Population, July 1, 1962	No. 58	,020 Rate	No. 55,	250 Rate	No.	770 Rate	No. 39,	573 Rate	37.	528	1 2.0		27,	936 Rate	27.	672	1 9	white 264 Rate		TAL 391 Rate	Wн 8,2 No.		1	white 82 Rate
LIVE BIRTHS*	1,158	20.0	1,098	19.8	62	22.4	957	24.2	894	23.8	63	30.8	600	21.5	590	21.3	10	37.9	150	17.9	147	17.9	3	16.5
In hospitals Attended by physicians not in hospitals. Attended by midwives Attended by others or unspecified.	1,154 1 3		1,093 1 2		61 1		942 4 11		886 4 4		56 		584 13		574 13		10		150		147		3	
FETAL DEATHS†	12	10.4	11	10.0	1	16.1	13	13.6	10	11.2	.3	47.6	9	15.0	9	15.3			.1	26.7	4	27.2	~	
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified			10 1		1		13		10		3		9		9				4		4			
TOTAL DEATHS*	429	7.4	396	7.2	33	11.9	339	8.6	306	8.2	33	16.1	286	10.2	282	10.2		15.2	90	40.0		40.0		
Under 28 days of aget Under one year of aget	19 25	16.4 21.6	19 24	17.3 21.9	<u>ī</u>	16.1	17 22	17.8 23.0	12 16	13.4 17.9	5	79.4 95.2	15 21	25.0	15 23	25.4			4	10.7 26.7	4	27.2		16.5
CAUSE OF DEATH**							_					00.2	-	70.0	20	39.0	1	100,0	6	40.0	6	40.8		
Tuberculosis, all forms (001–019) of respiratory system (001–003) Syphilis and its sequelae (020–029)								12.6 12.6	3	8.0	2 2		3		3	10.8 10.8								
Gonococcal infection (030-035) Typhoid fever (040)													1	3.6		3.6								
Undulant fever (044) Dysentery, all forms (045-048)																								
Scarlet fever and streptococcal sore throat (050, 051)	2	3.4	2	3.6																				
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (050)																					*****			
Acute pollomyelitis (080) Acute infectious encephalitis (082)																								
Measles (085) Rabies (094) Typhus fever (101, 102, 107)																								
Rocky Mountain spotted fever (104) Malaria (110–117)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)	2	,	2	3.6			3	7.6	3	8.0									1	11.0	1	12.2		
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239)	1	106.9 1.7	1	101.4 1.8	6		1	198.7 2.5	1	109.3 2.7	2		46	164.7	45	162.6	1		9	107.2	8	97.4	1	
Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states		6.9	3	5.4	1		8	20.2	7	18.7	1								1	11.9	1	12.2		
(280, 282-286) Anemias (290-293)	2	3.4	2	3.6			2	5.1	₂	5.3			<u>i</u>	3.6	;									
Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	52	89.6	47	85.1	5			123.8		117.2	5		20	71.6	20	3.6 72.3			9	107.2	8	97.4	1	
Rheumatic fever (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative heart	2	1.7 237.8 3.4	$12\frac{1}{2}$.	1.8 233.5 3.6			112	283.0 7.6	107 3	285.1 8.0	5		119	426.0	118	430.4	i		38	\$52.7	38	463.7		
disease (420-422) Other diseases of heart (430-434)	123	213.0		206.3	9		94 4	237.5 10.1	91 3	242.5 8.0	3			309.7 59.1	83 14	299.9 50.6	1		32 -	381.2 23.8		389.7 24.4		
Hypertension with heart dis. (440-443). Hypertension without mention of heart (444-447). General arterlosclerosis (450)	8	22.4 13.8 24.1	8	23.5 14.5 23.5	<u>i</u>		;	27.8 7.6	10	26.6 8.0	1		21	75.2	21	75.9			1	47.7 11.9	4	48.7 12.2 69.9		
Other dis. of circulatory system (451-468). Influenza (480-483)	1 5	6.9 8.6	4	7.2			3	7.6 2.5	2	5.3 2.7	ī		1	3.6	1	3.6			1 1	59.6 11.9	5 1 1	12.2 12.2		
Pneumonia (490-493) Bronchitis (500-502) All other respiratory diseases (470-475.	22 1	37.9 1.7	20 1	36.2 1.8	2			20.2	ŝ	13.3	3		19		18	65.0 3.6	1			35.7		36.6		
510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553)	8 2	13.8	8 2	14.5 3.6			5 2 1	12.6 5.1 2.5	5 2 1	13.3 5.3 2.7			1 1 2	14.3 3.6 7.2	4 1 2	14.5 3.6 7.3			1	11.9 11.9	i	13.2	1	
Herma and intestinal obstruction (560, 561, 570). Gastritis, enteritis, etc. (543, 571, 572)	1 3	1.7 5.2	$\frac{1}{2}$	1.8 3.6	<u>i</u>		2 2	5.1 5.1	1 2	2.7 5.3	1		2 1	7.2 3.6	2 1	7.2 3.6								
Cirrhosis of liver (581) Other diseases of digestive system (530-	1	1.7	1	1.8			5	13.6	5	13.3			2	7.2	2	7.2								
539, 542, 544, 545, 573-580, 582-587)	5	8.6	5	9.0	-		5	12.6	5	13.3			2	7.2	2	7.2			1	11.9	1	12.2		
Incl. nephrosis (590,591) Chronic and unspec. nephritis and other		0.0		~ .									1	8.6	1	3.6								
renal sclerosis (592-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system	5 1	8.6 1.7	1	7.2 1.8			1	2.5	1	2.7			2	7.2	2	7.2			2	23.8	2	24.4		
(600-609, 611-637)	2	3.4	2	3.6			4	10.1	4	10.7		•	1	$\mathfrak{J}.\mathfrak{G}$	1	3.6			1	11.9	1	12.2		
Complications of pregnancy, childbirth and the puerperium (640-689)†				10.0			1	1.0		- : - :	1			1171						33.0		57-7		
Congenital malformations (750–759) Birth injuries, postnatal asphyxia and atolectasis (760–762)	6 5	10.3 8.6	6 5	9.0			9	23.7	3 6	8.0 16.0	3		6 5	21.5 17.9	6 5	21.7 18.1			2 2	23.8		24.4		
Other diseases peculiar to early infancy.	1	1.7	1	1.8						••			1	3.6	1	3.6			ĩ	11.9	ĩ	13.2		
and immaturity unqualified (769-776) Senility, ill-defined and unknown causes	12	20.7	12	21.7			4	10.1	4	19.7			5	17.9	5	18.1								
(780-795) Motor vehicle accidents (810-835)	17 9	29.3 15.5	1 <u>1</u> 9	25.3 16.3	3		27 14	68.2 35.4	19 13	50.6 34.6	8 1	•	12 9	43.0 32.2	12	43.4 32.5			2	23.8 47.7	2 4	24.4 48.7		
All other accidents (800-802, 840-962)	15 7		13	23.5 12.7	2		7 2	17.7 5.1	7 2	18.7			6	21.5	6	21.7 14.5			1 2	11.9 23.8	1	12.2		
Homicide and operations of war (964, 965, 980-999)	2 9	3.4	1	1.8	1		2 5	5.1	2	5.3			1	3.6	1	3.6				;;-;	;	75-5		
All other diseases	9	15.5	Ŋ	14.5	1		5	12.6	ð	13.3			7	25.1	6	21.7	1		1	11.9	1	12.2		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	OR CÓI	JNT.	IES	OF	TE	NNE	SSI	EE 1	NC	LUS	SIVI	E OF	CI	TIE	S, R	ESI	DE	NTD	ΑΊ	l'A, 1	962		
	TOTAL	CARR	CLL	Nonv	·· bito	Тот		CAR	TER	Non	white		TAL	CHEAT						CHEST			
Estimated Population, July 1, 1962	23,476		. 313	3, 10 No.	63	41,	78 Rate	41	. 133	No.	5	11 9.	A64 Rate	8.8	360	60	white 1 Rate	9,56	9	Wiii 8,2 No.	274 Rate	1.3	white 295 Rate
LIVE BIRTHS*	405 17.	333	16.4	72	22.8	770	18.5	1	18.5	1	22.5	213	22.5	203	22.9	10	16.6	193	20.2	154	18.6	39	30.1
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives_ Attended by others or unspecified				16 30 26		755 4 9 2		746 3 0 2		9 1 		213		203		10		185 7 1		149		36 2 1	
FETAL DEATHS†	3 7.	1 .	6.0	1	13.9		13.0		13.2			5			24.6			3	15.5	3	19.5		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	2 1	1				1		9 1 				5		5				3		3			
TOTAL DEATHS*	295 12.	248	12.2	i	14.9	323	7.8	317	7.7	6	13.5	114	12.0	99	11.2	15	24.8	106	11.1	92	11.1	14	10.8
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	7 17 11 27	5 5	15.0 15.0	6 6	27.8 83.3		13.0 20.8		13.2 21.1			6 8	28.2 37.6	8					20.7 25.9	4 5	20.0 32.5		
Tuberculosis, all forms (001-019)	5 ×1.	8 4	19.7	1		1 1	2.4 2.4 2.4	1 1	2.4 2.4 2.4			3 3	31.7 31.7	2 2	22.6	1			10.5 10.5	1	12.1		
Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat																							
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																							
Tularomia (659). Acute pollomyelitis (680). Acute Infectious encephalitis (682). Measles (685). Rables (694).																		1	10.5	i	12.1		
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110-117). Other infective and parasitic diseases																							
081, 083, 083-093, 095, 096, 120-138) Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239). Diabetes melitus (260)	34 144.8 1 4.8 4 17.6	1	152.6 4.9 19.7			2 48 1 4 1	4.8 15.4 9.6 2.4	48 3 1	4.9 116.7 7.3 2.4	<u>i</u>			158.5 10.6		158.0 11.3	1		18 18	53.8		69.2	4	
Pellagra (281) A vitaminosis and other deficiency states (280, 282-286) A pomisa (200-293)							2.4		2.4														
Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	42 178.5	35	172.5	7		61 1	40.7	60	145.9	1		11	116.2	8	90.8	3	••••	19 18	98.G	17 2	205.5	2	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arterlosclerotic and degenerative heart disease (420-422)	114 485.6 3 12.8 94 400.4	2	482.4 9.8 308.8	1		99 2 4 80 1	9.6	4	233.4 9.7			1	412.1 10.0 338.1	1	406.3 11.3	<u>3</u> 2		35 36		30 s		5	
Other diseases of heart (430-434) Hypertension with heart dis. (440-443) Hypertension without mention of heart	4 17.6 13 55.4 10 42.6	11 9	19.7 54.2 44.3	$\overline{2}$		- 11	36.5 9.6 9.6		20.7	3		4	42.3 21.1 10.6	-3	338.6 45.1 11.3	<u>î</u>			0.5		12.1		
General arteriosclerosis (450) Other dis. of circulatory system (451-468) Influenza (480-483)	23 98.6 4 17.6 1 4.3	17 3	83.7 14.8 4.9	6		10 2 2	24.1 4.8 4.8	10 2 2	24.8			2	74.0 31.1	6 2	67.7 23.6	1 1		10 16 3 5	14.5	9 1	08.8 24.2	1 1	
Pneumonia (490-493) Bronchitis (500-502) All other respiratory diseases (470-475, 510-527)	12 51.1 1 4.3	1	39.4	4		3	7.2	8 2	19.4	1			83.4 31.7	3	33.9	Î		1 1	0.5	1	13.1		
Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560,	2 8.5 4 17.0	4	9.8	;		 1	2.4	5 1	2.4			2	21.1	2	22.6			1 1	0.5		12.1		
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530-530, 542, 544, 545, 573-580, 582-587)	1 4.3			1		1	2.4		2.4				10.6										
incl. nephrosis (590, 591)	1 4.3	1	4.0			3	7.2		7.8	****			10.6		11.3								
renal sclerosis (592-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-600, 611-637)	3 12.8		14.8			1 2	2.4	1 2	2.4 4.9														
Complications of pregnancy, childbirth and the puerperium (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxla and	1 4.3	i	4.9			1 7	1.3 16.8	1 7	1.3 17.0	****		ĩ	10.6	ī	11.3			1 <i>i</i>	ö.5	i .	13.1		
Birth injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	3 12.8 1 4.3		4.9			4 1 2	9.6 2.4 4.8	1 1 2	9.7 2.4 4.9				42.3		11.3 45.1			3 3	1.4	3 ;	36.3		
Senility, ill-defined and unknown causes (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962). Suicide (963, 970-979). Homicide and operations of war (961, 965, 100-100).	4 17.0 8 34.1 5 21.3 3 12.8	6 4	9.8 29.5 19.7 14.8	$\frac{2}{1}$		11 10 4	24.1 9.6	10 4	36.5 26.7 24.3 9.7			6	63.4 21.1 63.4	5	45.1 22.6 56.4			1 1 1 1 3 3 1 1	0.5	1 2	24.2	ĩ	
080-999)All other diseases	8 34.1	6	29.5	<u>2</u>		6	4.8	6	14.6			1	10.6	1	11.8			i i	ō. ō	i	12.1		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Discases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	OR C	ou.	NT	ES	OF	TE	INN.	ESS	EE	INC	LU	SIV	E O	F C	ITII	ES,	RE	SID	ENT	D	ATA	1, 19	962	
	Тот	AL		ITE		white		TAL	Ct.	ITE	Non	white	-To	TAL	COC		Non	white	To	ral	COF WH		Nonw	hite
Estimated Population, July 1, 1962	19.0	067		.757	1	310		.971	6.	822	1 1	149		422	22.	694	7	728	1 29.	779	28.	,759	1,02 No.	20
LIVE BIRTHS*	1	23.7	438	23.4	13	41.9	120	17.2	118	17.5	2	13.4	568	24.5	549	24.2	19	26.1	721	24.2	683	23.7	38	37.3
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	434 3 12 2		422 3 11 2				107 13				2		493 6 62 7		477 6 61 5		16 1 2		3		680 2 		37 1	
FETAL DEATHS†	9	20.0	9	20.			4	33. 3	4	33.8			12	21.1	12	21.9			11	15.3	11	16.1		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified			8				3 1		3				10		10 <u>2</u>				11		11			
TOTAL DEATHS*		9.8	184	9.8	3	9.7	82	11.8	82	12.0			256	10.0	243	10.7	13	17.9	234	7.9	222	7.7	12	11.8
Under 28 days of aget	15 23	33.3 51.0	15 22	54.2 50.2		76.9	2 2	16.7 16.7	2 2	16.9 16.9				17.6 26.4	10 14	18.2 25.5	<u>i</u>	52.6		25.0 33.3				
CAUSE OF DEATH •• Tuberculosis, all forms (001-019). of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat				5.5					3 3	44.0			3 3	12.8		18.2 13.2 4.4								
(050, 051). Diphtheria (055). Whooping cough (056). Meningococcal infections (057).		, ,																						
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Hables (004)	i	5.2	1	5.5																				
Rocky Mountain spotted fever (101)													1	4.3	1	4.4								
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Dlabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states (280, 282-286)	3	25.9 15.7		5.3				172.1 28.7		175.9 20.3				153.7 12.8		154.2 15.2	1		27 1 2	90.7 3.4 6.7	27 1 2	93.9 3.5 7.0		
Anemias (290-293) Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)			21	112.0			6	86.1	6	88.0			34	4.3 145.2	30	4.4 132.2	4			13.4 97.4	27	93.9	1 2	
Rheumatic fever (400–402) Diseases of the heart (410–443) Chronic rheumatic heart dis, (410–416) Arterlosclerotic and degenerative heart	60 3 2 50 26	10.5	2	319.9 10.7 266.6			1	444.7 14.8 301.2	1	454.4 14.7			2	324.5 8.5	2	8.8 8.8	2		2	872.0 6.7	2	271.2 7.0 250.4	<u>-</u> 3	
Arterioscierotic and degenerative heart discase (420-422). Other discases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of heart (444-447). General arterioscierosis (450). Other disc of significant ways and the service of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control	2	26.2 15.7 10.5 10.5	5 3 2	26.7			1 8 1	14.3 114.8 114.8 71.7	i	117.3 14.7			2 23 2	209.2 8.5 98.2 8.5 21.3	22 2	211.5 8.8 96.9 8.8 22.0	1		2 3 3	248.5 6.7 10.1 10.1 10.1	2 2	7.0 7.0 10.4 7.0		
Influenza (480–483) Pneumonia (490–493)	1	5.2 5.2 09.6	1	5.3 5.3 96.0			1 ₃	14.3		14.7			3	8.5 12.8 34.2	2 3	8.8 13.2 30.8	ī		1	3.4 3.4 30.2	1 1 8	3.5 27.8		
All other respiratory diseases (470-475, 510-527)		5.2	1	5.3			1	14.3		14.7			3 2	12.8	2 2 2	8.8	1							
Appendicitis (550-553) Hernia and intestinal obstruction (560, 501, 570) Gastritis, etc. (543, 571, 572)		5.2 10.5	1 2	5.3 10.7									2	8.5 4.3	2 1	8.8			1 1	3.4 3.4	1 1	3.õ 3.õ		
Cirrhosis of liver (581) Other diseases of digestive system (530-539, 542, 544, 515, 573-580, 582-587) Acute penhritis, penhritis, with adams	1	5.2	1	5.8															2	6.7 10.1	1 3	3.5 10.4	1 .	
incl. nephrosis (500, 591). Chronic and unspec. nephritis and other ronal scierosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).		10.5	2 1	10.7			3	43.0	3	44.0			3 1	12.8 4.5 4.3	3 1	13.2 4.4 4.4			1 1	3.4 3.4 3.4	1 1 1	3.5 3.5 3.5		
Complications of pregnancy, childbirth and the puerperlum (640-689)† Congenital malformations (760-769) Birth injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy,		5.7	3	10.7 16.0 5.3									1 1 1	4.3 4.3 4.3	<u>i</u>	4.4 4.4 4.4			<u>8</u>	26.9 23.5 3.4	7 1		i	
and immaturity unqualified (769-776). Senllity, ill-defined and unknown causes (780-705). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962).	7 3 14 7 3 1	3.4	14 3	74.6 16.0			1 4	28.7 14.5 57.4	1 4	29.3 14.7 58.6			26 11	21.3 111.0 47.0	24 1 10	22.0 05.8 44.1	4		6 13	20.1 20.1 43.7	5 13		1 .	
Suicide (963, 970-979) Homicide and operations of war (964, 905, 930-999) All other diseases	5 2	5.2	5 1	21.3 26.7 5.3 21.3			2	57.4 28.7 14.3	2	58.6 29.3 14.7			9 3 4	38.4 12.8 17.1 29.9	9 3 3		1		4	30.2 13.4 10.1 20.1	4	7.0	1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BII RATES, BY RACE, F	CTH	cot	JNT JNT	AL IES	DE.	ATE FT]	IS, I ENN	ESS ESS	TH: SEE	S A. IN	CLT ND	JSIV	VEC	S F F (CITI	мı. ŒS,	MP RI	OR'I ESII	CAN' DEN	$egin{array}{ccc} \mathbf{T} & \mathbf{C} \\ \mathbf{T} & \mathbf{I} \end{array}$	AUS OAT.	ES A, 1	W1 .962	TH
	(F)	TAL	CROC		Mon	white	-To		UMBE		Nony	-tita	Ton		DAVID Wii		Man	vhite			DECA		Nonw	vhlfa
Estimated Population, July 1, 1962		,286 Rate	10.	724	3.	562 Rate	19.	146		141		5	416,	262 Rate	336.	844	79.		8.1		7.5	85		21
LIVE BIRTHS*	306	21.4	194	18.1	112	31.4	468	24.4	468	24.3	2.	400.0	9,406	22.6	7,139	21.2	2,267	28.5	164	20.2	151	19.9	13	25.0
In hospitals	239 40 27		183 10 1		56 30 26		445 8 15		443 8 15		2		9,313 89 2 2		$7,074 \\ 62 \\ 1 \\ 2$		2,239 27 1		154 3 5 2		144 2 3 2		10 1 2	
FETAL DEATHS†	7	22.9	3	15.5	4	35.7	10	21.4	10	21.5			143	15.2	87	12.2	56	24.7	3	18.3	2	13.2	1	76.9
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.			3		3 1 		9 1		9 1 				141 2		86 1		55 1		3		2		1	
TOTAL DEATHS*	153	10.7	126	11.7	27	7.6	174	9.1	174	9.1			3,746	0.0	2,700	8.0	1,046	13.2	83	10.2	78	10.8	5	9.6
Under 28 days of aget	7	6.5 22.9	6	10.3 30.9	<u>ī</u>	8.9	13 18	27.8 38.5	13 18	27.9 38.6				21.3 28.8	138 182	19.8 25.5	62 89	27.3 39.3	2 5	12.2 30.5	2 5	13.2 33.1		
CAUSE OF DEATH** Tuberculosis, all forms (001-010) of respiratory system (001-008). Syphilis and its sequelae (020-029) Gonococcal infection (030-055) Typhold fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat							1	5.2	1	5.2 5.2			36 32 6	8.6 7.7 1.4 0.2	22 19 2	6.5 5.6 0.6		17.6 16.4 5.0						
(050, 051) Diphtherla (055) Whooping cough (056) Meningococcal infections (057)	1				ī								2	0.5	<u>2</u>	0.6								
Tularemia (059)													1 1	0.2	1	0.3	1	1.8						
Malaria (110-117) Other Infective and parasitic diseases (030-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)	_	7.0		105 6	1			101 5	20	101.5			4	1.0 126.4	3	0.0	1	1.3		12.3 160.4		13.2 158.2	1	
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states (280, 282-280)			21	195.8	3			104.5 10.4 5.2		104.5			7	1.7 11.8 0.5	28 1	121.4 0.9 8.3 	19 1	147.3 5.0 23.9		100.4				
Anomias (290-293) Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	33	231.0	ŀ	214.5	10		31	161.0	31	162.0			483 5	1.7 116.0 1.2	3 316 1	0.9 93.8 0.3	4	5.0 210.3 5.0	14	172.7	13	171.4	1	
Rheumatic fever (400-402). Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416). Arterlosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434).	51	434.0 357.0 77.0	45	503.5 419.6 83.9	6 		45 1	276.8 10.4 235.0 5.2 23.1	2 45	276.9 10.4 235.1 5.2 26.1			1,144	5.0	938	\$30.1 5.6 278.5 11.9 34.1	2 206 10	3.8 403.9 2.5 259.4 12.6 128.4	1 15 1	222.1 12.8 185.0 13.3 12.3	1 14 1	210.9 18.2 184.6 13.2	1 1	
Hypertension with heart dis. (440-443) Hypertension without mention of heart (444-447). General arteriosclerosis (450). Other dis. of significant system (451-468)			<u>î</u>	9.3			1	5.2 26.1 5.2	1	5.2	•		25 66 48	6.0 15.9 11.5	10	3.0 16.9 10.4	15	18.9 11.3 16.4		13.5		13.2		
Other dis. of circulatory system (451–468). Influenza (480–483). Pneumonia (490–493). Bronchitis (500–502).	7	49.0	<u>5</u> 1		<u>-</u> 2		2 11	10.4 57.5	2 11	10.4 57.5			21	5.0 31.7 2.2	6	1.8 22.9 2.1	15	18.9 69.3 2.5	2	24.7	<u>2</u>	26.4		
All other respiratory diseases (470-475, 510-527). Ulcer of stomach and duodenum (510, 541) Appendicitis (550-553).	1	7.0	1	9.3			5	26.1	5	26.1			58 20 4	13.9 4.8 1.0	47 10 1	14.0 3.0 0.3				24.7	2	26.4		
Hernia and intestinal obstruction (560, 561, 570)	1	7.0	1	9.3									18 20	4.3 4.8			6		1	12.8 12.3		13.2 13.2		
Cirrhosis of liver (581) Other diseases of digestive system (530– 539, 542, 544, 545, 573-580, 582-587) Acuto nephritis, nephritis with edema	2	14.0	2	18.6			3	15.7	3	15.7			23 33	7.9	19 24		9	11.3	2	24.7	2	26.4		
incl. nephrosis (500-591) Chronic and unspec. nephritis and other renal sclerosis (592-591) Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637)	1	7.0	1	9.8			3	15.7	3	15.7			3 22 9 46	0.7 5.3 2.2 11.1		2.1 0.0	15 6	7.6	1	13.8		13.2		
Complications of pregnancy, childbirth and the puerperlium (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762) Infections of the newborn (763-768)	2	7.0		9.8 18.6			<u>2</u> 5	10.4 26.1 15.7		20.1			7 51 67 6	0.7 12.3 16.1 1.4		0.2 13.1 14.2 0.0	7	8.8 23.9	1	6.1 24.7 12.3	2			
and immaturity unqualified (769-776) Senility, ill-defined and unknown causes	1	7.0	1	9.5				10.4		10.4	1		99	23.		19.0		41.6		24.7		26.4		
(780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962) Suicide (963, 970-979). Homicide and operations of war (964, 965, 980-999).	1 4 4	28.0	4 4	37.3			5 2	10.4 26.1 10.4	2 5 2	10.4 26.1 10.4			23 81 126 45	5.5 19.5 30.3 10.8	72 81 42 15	21.4 24.0 12.0	9 45 3 34	11.3 56.7 3.8 42.8	6 3 1		5 3 1	13.2	1	
All other diseases	3	21.0	1	9.3	2		5	26.1	5	26.1			72	17.3	53	15.7	10	23.9		***			1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	R COU	NTIES OF T	HS, DEA	EE INC	LUSIV	E OF C	ROM IMPOR ITIES, RESII	DENT DATA, 1962
Desirant A Year Later Y Later 1999	TOTAL	DE KALB White Nonwh		DICKSON WHITE	Nonwhite	TOTAL	DYER White Nonwhite	
	19,570 No. Rate	No. Rate No. 270	18,801 No. Rate	No. Rate	Ī	28,931 No. Rate	24,653 4,278 No. Rate No. Rate	23,931 7,568 16,363 No. Rate No. Rate
LIVE BIRTHS*	223 21.1	214 20.8 9 33 182 7		1				1 1 .
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	189 29 4 1		3	359	48 1	30 18 1	478 81 19 11 1 18	
FETAL DEATHS†		1	8 19.	5 13.8	3 61.2	9 14.8	7 14.1 2 18.2	17 24.7 2 11.9 15 28.8
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives_ Attended by others or unspecified	5	5	11	5	3	9	7 2	11 2 9 2 4
TOTAL DEATHS*			- li	183 10.4	21 15.6	350 12.1	270 11.0 80 18.1	213 8.9 74 9.8 139 8.5
Under 28 days of aget Under one year of aget	6 26.9 8 35.9	5 23.4 1 7 33.7 1	6 14.6 10 24.3	4 11.0 6 16.0		4 6.6 13 21.4	4 8.0 11 22.1 2 18.2	19 27.6 8 47.6 11 21.1 30 43.5 8 47.6 22 42.2
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhold fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat				2 11.8		4 13.8		1 4.3 1 6.1
Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)	1 0.5	1 9.7						
Tularemia (059) Acute poliomyelitis (080) Acute infectious encaphalitis (082)								
Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117)						1 3.5		1 4.2 1 6.1
Other infective and parasitle diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)	1 9.5		1 5.8	1 5.7				
Malignant neoplasms (140-205). Benign and unspec. neoplasms (210-239). Diabetes mellitus (260). Pollagra (231). Aytaminosis and other deficiency states	3 28.4		21 111.0			43 148.6 1 3.5 3 10.4	1 4 1	18 75.2 7 92.5 11 67.2
(280, 282-236) Anemias (290-223) Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	16 151.4	16 155.3				57 197.0	40 162.3 17	31 142.1 12 158.6 22 134.4 1 4.2 1 6.1
Rheumatic fever (409-402) Diseases of the heart (410-443)	35 305.0			89 509.0		117 404.4	98 897.6 19	21 /00 6 10 112 1
Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart disease (420–422). Other diseases of heart (430–424). Hypertension with heart dis. (440–443). Hypertension without mention of heart (444–447).	31 293.3 2 18.9 6 56.8	28 271.8 3 2 19.4 6 58.8	70 372.5	65 372.4 2 11.6	5	100 345.6 5 17.3 10 34.6	87 353.9 13 5 20.3	43 179.7 4 16.7 27 356.8 16 97.8 1 6.1
(444-447) General arterloselerosis (450) Other dis. of circulatory system (451-468)	3 28.4 5 47.3 1 9.5	3 29.1 5 48.5	1 5.3	1 5.7 2 11.5		4 13.8	2 8.1 2	6 25.1 1 13.2 5 30.6
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502) All other respiratory diseases (470–475,	3 28.4	3 29.1	6 31.8	6 34.4		1 3.5 11 38.0 1 3.5	7 28.4 4	1 4.2 1 6.1 8 33.4 3 80.6 5 30.6
510-527). Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553). Hernia and intestinal obstruction (560	1 9.5 1 9.5	1 9.7	3 16.6			6 20.7 2 6.9 1 3.5	6 24.8 2 8.1 1 4.1	2 8.4 2 26.4
561, 570)	3 28.4	3 20.1	$egin{array}{c cccc} & 2 & 10.6 \ 1 & 5.5 \end{array}$		1	4 13.8	3 12.2 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cirrhosis of liver (531) Other diseases of digestive system (530– 539, 542, 544, 515, 673–580, 522–587) Acuty rephritis, rephritis with edema,		1 9.7	2 10.6	2 11.5		6 20.7 3 10.4	5 20.3 1 3 12.2	
incl. nephrosis (590, 591) Chronic and unspec. nephritis and other renal scierosis (592-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system	: 1	1 9.7 2 19.4	1 5.3		1	1 3.5 7 24.2 2 6.9	1 7 1 4.1 1	
Complications of pregnancy childbirth	3 28.4	3 29.1	1 5.3	1 5.7		1 3.5	1 4.1	
and the puerperium (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectacy (750-769)	2 18.9	2 19.4	1 5.5	i ő.?		3 10.4 1 3.5	2 8.1 1	3 12.5 3 18.8 6 25.1 4 52.9 2 13.2
Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	4 37.8	3 29.1 1	1 5.3 4 21.5	1	2	1 3.5	2 8.1	5 20.0 4 53.9 1 6.1
Senlity, ill-defined and unknown causes (780–705). Motor vehiclo accidents (810–835). All other accidents (800–802, 810–062)	3 28.4 5 47.3	5 48.6	6 31.0	4 23.9 5 28.0		11 33.0 15 51.8 20 69.1	7 28.4 4 12 48.7 3 19 77.1 1	35 146.3 1 13.2 31 207.8 10 41.8 2 26.4 8 48.9 9 37.6 2 26.4 7 12.8
Suicide (963, 970-979) Homicide and operations of war (964, 995, 980-999) All other diseases	4 37.8 2 18.9 1 9.5	4 38.8	1 5.5	2 11.5 1 5.7		1 3.5 1 3.5	1 4.1	2 8.4 1 13.3 1 6.1 3 12.5 3 18.3 3 12.5 1 13.2 2 13.3
		,	**	1	·	·		1 1

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RÁCE, F	OR	CO	UNT	TIES	OI	TI	ZŃN	ESS	EE	INC	CLU	SIV	E O	F C	TIE	IS, I	RES	IDI	INT	DA	TA,	196	2	
Market 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	-		FENT		NT				FRANI				-		GIBS			<u> </u>			GILE		7	
Estimated Population, July 1, 1962		TAL ,288 Rate	Wи 13, No.	286 Rate	Nony No.		To ₁ 25, No.	AL 487 Rata	Wiii 23, No.	238	Nonw 2,2: No.	19 }	Tor 44,0 No.	Rate	Wiii 35,0 No.	070	9.6	hite 29 Rate	Tor 21,0 No.	Rate	Witi 17,9 No.	Rate I	Nonw 3,6	73
LIVE BIRTHS*	354	20.C	354	26.6			513	30.1	465	20.0	48	21.3	913	20.4	611	18.3	272	28.2		17.9	290	16.1	98	20.7
In hospitals Attended by physicians not in hospitals Attended by midwives. Attended by others or unspecified.	182 167 4 1		182 167 4 1				471 40 1 1		432 32 1		8		112		593 48		64		34		278 8 4		26	
FETAL DEATHS†	8	23.6	8	23.6			7	13.6	6	1.2.9	1	20.8	28	39.7	14	21.8	14	51.0	8	29.6	5	17.3	3	30,6
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	6 2		6 2				6		5 1		1		26 2		11		12 2		7 1		5		2	
TOTAL DEATHS*			118	8.9			271	10.6	246	10.6	25	11.1	517	12.2	429	12.2	118	12.3	257	11.9	203	11.5	51	13.9
Under 29 days of aget Under one year of aget CAUSE OF DEATH**	5	11.3 14.1	4 5	11.3 14.1			11 15	21.4 29.2		21.5 30.1		20.8 29.8		16.4 29.6		13.5 21.8	7 13	25.7 47.8		18.0 33.5	7 9	24.1 31.0	ī	49.8
Tuberculosis, all forms (601-019) of respiratory system (601-009). Syphilis and its sequelae (620-029). Gonococcal infection (630-035). Typhoid fever (640). Undulant fover (644).	1	7.5		7.5 7.5			2 2	7.8 7.8	2 2	8.6 8.6			5 4	11.2	3 3	8.6	2 1	29.8						
Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055)													i	2.2	ī	2.9								
Whooping cough (058)																								
Tularemta (659). Acute poliomyelitis (630). Acute infectious encephalitis (682). Measles (695). Rabies (604).																			2	9.2	ī	5.6	ī	
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104). Malaria (110-117). Other infective and parasitic diseases (030-039, 041, 042, 049, 052-054, 061-074, 081, 033, 080-093, 095, 096, 120-139)																			1	4.6	1	5.6		
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260)	1	7.5		158.1 7.5			36 7	141.2 27.5		129.1 39.1	6		67 2 2	149.9 4.5 4.5	58 1 1	165.4 2.9 2.9	9 1 1	93.5 19.4 10.4		166.3 46.2 4.6	29 7	161.4 35.0	7 3 1	
Avitaminosis and other deficiency states (230, 282–286) Anomias (290–293) Vascular lesions affecting central nervous system (330–331)	19	143.0	19	143.0				180.5		189.3	2		3 110	6.7 246.1	<u>2</u> 92	-5.7 202.3	<u>î</u> 18	10.4 186.9	37	171.0	31	172.5	6	
Nonmeningococcal meningitis (340)————————————————————————————————————	30	225.8 15.1	30	235.8 15.1				3.9 337.4 3.9	76 1	337.1	<u>î</u> ō		202	451.0 6.7	169	481.0 2.9		342.7	91	430.5	79	,39. g	12	
Arterlosclerotic and degenerative heart disease (420-422)	$\frac{24}{4}$	180.6 30.1		180.6 30.1			70 9 6	274.6 35.3 23.5	63 7 5	271.1 30.1 21.5	2		175 4 20	391.5 8.9 44.7	152 3 13		23 1 7	238.9 10.4 72.7	15	340.5 4.6 69.3	13	72.3		
(441-447) General arterlosclerosis (450) Other dis. of circulatory system (451-468).	i	7.5	i	7.5			7 4	27.5 15.7	7	30.1 17.2			14 4		12 4	14.3 34.2 11.4	2	41.5 39.8	8 6 2	37.0 27.7 9.2	6 1	33.4	<u>-</u> 1	
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502)	-1	75.3	10	75.3			8	31.4	6	25.8	2		18	\$0.3 2.2	12 1	34.2		62.3	3 9 1	13.9 41.6 4.6	6			
All other respiratory diseases (470-475 510-527). Ulcer of stomach and duodenum (540, 511 Appondictits (550-553) Hernia and intestinal obstruction (560) <u>î</u>			7.5 7.6			2 2 1	7.8 7.8 3.9	2 2 1	8.6 8.6 4.3			7 5		7 3	20.0 8.6		20.8	1 1 3	4.6 4.6 13.9		5.6 13.7	1	
561, 570)	. 1	7.5	1	7.5			1	7.8 3.9	1 1	4.3 4.3			1 3	2.2 6.7	1 3	2.9 8.6			i	4.6	١.		ĩ	
Cirrhosis of liver (531) Other diseases of digestive system (530- 539, 512, 514, 515, 573-580, 522-587) Acuto nephritis, nephritis with edoma	$\left \frac{2}{1} \right ^2$						5	19.6	4	17.3	1		4	8.9	3	8.6	1	10.4	4	9.8 18.5	3		1	
incl. nephrosis (590, 591). Chronic and unspec. nephritis and othe renal sclerosis (592-594). Hyperplasia of prostate (610).	r -		1	7.0			2	7.8 3.9	2	8.6 4.5			3 5	6.7	4	11.4		31.2	1	4.6	1	5, 6		
Other diseases of genito-urinary system (600-609, 611-637)	n -		-				4	15.7		17.2	i		6	13.4	4	11.4	2	20.8	4	18,5	4	23.3		
Complications of pregnancy, childbirth and the puerperlum (640-689)†————————————————————————————————————	āī	7.8	1	7.6			2	7.8 23.5	1				1 7 5		7			3.7 10.4	1 1		1			
atclectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776)	- ',	3 23.6	3	22.6			1	3.5 3.5 15.7		25.8 	1		2			11.4 5.7	2	20.8 41.5	1		1	5.6		
Senllity, ill-defined and unknown cause (780-705) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962)	- 4 - 8	3 00.2 3 45.2	3 8 9 6	45.4	3		11 10	39.2	10 10	43.0 48.0	1		10 12 15	26.8 33.6	10 5	17.1 28.6 14.3	[10	41.5 20.8 103.9	3	27.7 13.6 18.4 13.6	$\begin{bmatrix} 2 \\ 5 \end{bmatrix}$	23.3 16.7 11.1 16.7	2	
Suicide (963, 970-979) Homicide and operations of war (964, 965 980-999) All other diseases			1 2				1 3	3.0	1	4.3			3 12	6.7			3	10.4 31.2 41.5	3	13.5 23.1	2		1	
			7.1.47	- 5731			o not o		. 4 . 4	-7			. 61.1.		41.	10								

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Thates from specific causes per 190,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIR RATES, BY RACE, FO	THS R C	, FE	ETA NTI	L D ES	EAT OF	TE:	s, D NN:	EAT ESSI	HS EE	AN INC	D I LU	DEA SIV	THS E O	S FI F C	ROM ITII	I IN ES,	APC RE	ORT SID	ANT ENT	עו	TILL	1, 1	W1 962	TH ==
		G	RAING			. (1.			GREEN	ΙE		11			GRUN	DY					HAMB	LEN	Nonv	vhite
Estimated Population, July 1, 1962	Тотл 12,3 No.	The Rate N	Witti 12,2 No.		onwh 173 o. R	: 11	Тот 42,3 No.		Wни 41,2 √о.	TE 1 33 Rate 1	Nonw 1,0 No.	77 H	Тот. 11,5 No.	40	WH1' 11,4 Io.	107	Nonw 15 No.		Тот 35,0 No.		32,	0.40	No.	107
LIVE BIRTHS*	286	23.1		23.4	1	5.8		19.6	801	19.4	29	···		22.4		22.4				19.9	662 658	20.1	36 36	17.1
In hospitals Attended by physicians not in hospitals Attended by midwives. Attended by others or unspecified.	16		15		ī.		7		7		29		189 63 5 1		189 63 5 1				4		ā			
FETAL DEATHS†		24.5	7	24.6			18	21.7	17	21.2	1	34.5	6	23.3	6	23.3					14	21.1	1	27.8
In hospitals Attended by physicians not in hospitals. Attended by midwives Attended by others or unspecified.			6 1				18		17		1		5 1		5 1				1		1			
TOTAL DEATHS*	111	9.0	110	9.0	1	5.8	425	10.0	414	10.0	11	10.2	119	10.3	119	10.4			276	7.9	247	7.5	ĺ	18.8
Under 28 days of aget		14.0 17.5		14.0 17.5				15.7 26.5		15.0 26.2	1 1	34.5 34.5	2 4	7.8 15.5	$_{4}^{2}$	7.8 15.5			14 25	20.1 35.8		34.7	2	55.6 55.6
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040)	2		2				6 6 1	14.2 14.2 2.4		14.6 14.6 2.4				60.8	7 7	60.9			5 5	14.3		15.2		
Dysentery, all forms (015–048) Scarlet fever and streptococcal sore throat																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057) Tularemia (059)	1																							
Tularemia (659) Acute poliomyelitis (680) Acute Infectious encephalitis (682) Measles (685) Itables (691)													ī	8.7	i	8.7								
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (101) Malaria (110-117). Other infective and parasitic diseases (036-039, 011, 042, 049, 052-054, 051-074).																								
081, 083, 086-093, 095, 096, 120-138) Malignant neoplasms (140-205) Benign and unspec, neoplasms (210-239) Diabetes mellitus (260)	12	97.0 8.1 16.2	1	93.3 8.2 16.4				4.7 101.6 25.0		4.9 104.3 24.3			1	104.2 8.7 17.4	1	104.4 8.7 17.4	1		38	108.4	<u> </u>	112.		
Pellagra (281) Avitaminosis and other deficiency state (280, 282-286) Anemias (200-203) Vascular lesions affecting central nervou	s						1	2.4	<u>i</u>	2.4			i	8.7	<u>-</u>	8.7				5.7	1			
system (330–334) Nonmeningococcal meningitis (340)	17	137.4	17	139.3			47	111.1	46	111.6	1		14	121.6	14	121.8			35	99.8	8 28 	85.	0 7	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arterlosclerotic and degenerative hear	- 41	331.5	41	330.0			2		2	480.2 4.9				278.0		278.3			1	288.	9 1	3 291. 1 3. 1 254.	0	
disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-442) Hypertension without mention of hear	38	307.0		311.4 24.6			175 23 23	54.4	22	417.1 4.9 53.4			11	173.7 95.6 8.7	11	95.7 8.7	7) 253.1 3	8 8	3 9. 3 24.	3	
(441-447) General arteriosclerosis (450) Other dis. of circulatory system (451-468)	_ 1	8.1	1	8.2				28.4	11	28.7 4.9			1	8.7	1	8.7	7		1 2	2.1 2 5.	9	6.	Ĭ	
Influenza (480–483) Pneumonia (430–493) Bronchitis (509–502) All other respiratory diseases (470–47i	- 2			8.2 16.4			12	28.4	<u>ī</u> 2	29.1			2 4 1	34.7	2 4 1	34.8	8		18		3 13	3 <i>39</i> .		
510-527) Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560	5 1	16.2 8.1		16.4 8.2			2	4.7 7.1	3	4.5 7.5			3		3	26.			1 1					
661, 570)	_1 8	24.2	3	24.0			1		1 4										i		- [ī <i>- 3</i> .	ō	
Cirrhosis of liver (531) Other diseases of digestive system (530, 539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edem									1	2.4			3		-					-	Ι.	3 9.	1	
incl. nephrosis (590,591) Chronic and unspec. nephritis and other renal sclerosis (592-594)	er							3 7.1	3	7.5			1	8.7	1	8.1	7		. (3 17.	1	5 15.	.2 1	
Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	n :	2 16.2	2	16.4									1	8.7	1	8.	7		- -	2 5.	7	1 3.	.0 1	L
Complications of pregnancy, childbirt and the puerperium (640-689)†	- 1		-					7 16.2		14.6		*							-}}	ā 11.	1 .	$\bar{3}$ $\bar{9}$.		
Congenital malformations (750-759) Birth injuries, postnatal asphyxia an atelectasis (760-762) Infections of the newborn (763-768). Other diseases peculiar to early infanc, and immaturity unqualified (769-776)	V.1	4 33.	3	1 32.8				5 11.8 6 14.8		12.1			1 I				7		-	5 14. 1 2. 6 17.	9	5 15. 1 3. 5 15.	.0	
Senility, ill-defined and unknown caus (780-705). Motor vehicle accidents (810-835).		8 04. 3 24.	2 3	8 65.6 3 24.6	1		11 '	B 18.5	5 6	14.6	7 1			34.7	1 4				-11 .9	5 14. 6 17. 5 43.	1	5 15. 6 18. 3 39.	.2	
All other accidents (800-802, 810-962) Sulcide (963, 970-979) Homicide and operations of war (964, 96 980-999)	5.	5 40. 		3 41.0			1	8 18.8 4 33.1 5 11.8	1 14	34.0) 		1	8.7	j	l 8. 1 34.	8		-∭ :	3 43. 4 11. 1 2. 3 8.	9	3 9. 1 3.	.0	
All other diseases		4 32.	ال	3 24.6			1	1 23.6	′ ''	23.1	<u> </u>		<u> </u>	17.	<u> </u>	. 17.	4		<u>-11 </u>		<u> </u>			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	R C	ÓŪ	NTI	ES (OF	TE	NNE	SSI	Œ I	NC	LUS	SIVI	E OI	C)	TIE	S, I	RES	SIDI	ENT	DA	TA,	196	32	
	Tron		HAMIL		Monn	hito	Tion		HANCO Whi		Nonw	hita	Тот		ARDE		Vonw	hite	Тота		HARDI		lonwi	nite
Estimated Population, July 1, 1962	Тот. 243,9 No.		195.0	Rate 1	Nonw 48,8 No.	340	Тот. 7,45 No.	Rate	7.35	54 i	No.	7	21.2		19.0	39 Rate 1	2 2	145 II	17 4		16.4		1.0	051
LIVE BIRTHS*		21.0	4,009	- 1		- 1	121	16.2	116	15.8	5	51.5	527	24.8	224	17.3	303	38.8		31.6	353	21.5	25 £	3.8
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	5,298 35 5 2				1,325 2 3 1		20						243		85		116		3				23 -	
FETAL DEATHS†	90	16.9	56	14.0	34	25.5	3	24.8	3	25.9			8	15.2	3	13.4	5	16.5		13.2		11.3	1 4	10.0
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives Attended by others or unspecified					34		3		3						3				5		4		1 .	
TOTAL DEATHS*	1	- 1	1,716	8.8	619	12.8	80	10.7	80	10.9			197	9.3	131	10.1	66	7.9	178	10.2	155	9.4	23	21.9
Under 28 days of agetUnder one year of aget	122 168	22.8 31.5	80 110	20.0 27.4	42 58	31.6 43.6	4 5	33.1 41.3						19.0 28.5	6 7	20.8 31.2	4 8	13.2 26.4	12 12	10.6 31.7		11.3	2	80.0
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040) Undubant fover (041)	25 2					22.8 22.8 2.1													1	5.7	1	6.1		
Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055)					1	2.1																		
Whooping cough (059) Meningococcal infections (057) Tularemia (059)	1		1		ī	2.1													1	5.7	ī	6.1		
Tularemia (059)	2	0.8	1	0.5	ī	2.1																		
Rabies (034) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074																								
081, 083, 086-093, 095, 096, 120-138) Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239).	344 5	4.1 141.0 2.0 11.5	1	3.1 143.6 0.5 10.2		100.3	11	147.6	11	149.6			27	4.7 126.9 14.1	17	7.7 131.4 23.2		119.8	1	80.2 5.7 17.2	1	85.3 6.1 12.2	 <u>i</u>	
Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency state: (280, 282-286) Anemias (290-293)	1	0.4 0.4 1.2	1	0.5	i _i	2.1								14.1										
Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	3	133.6 1.6		125.7 1.0	80 2	165.5 4.1	5	67.1	5	68.0			16	75.2	12	93.7	4	47.9	30	171.8	29	176.7	1	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-410) Arteriosclerotic and degenerative hear	18	0.4 294.3 7.4 238.5	12	0.5 280.6 6.1 242.3	6		2	536.8 26.8	2	27.2				371.2		400.6 371.0		311.6 251.6	4	337.8 23.9 257.7	3 40	310.7 18.3 243.7		
disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of hear (444–447).	31 87 14	12.7 35.7 5.7	22 41 9	11.2 21.0 4.6	9 46 5	18.6 95.2 10.3	$\frac{1}{2}$	469.7 13.4 26.8	1 2	13.6 27.2			3 7 2	14.1 32.9 9.4	2 3 1	15.5 23.2 7.7	1 4 1	12.0 47.9 12.0	5 5 3	28.6 28.6 17.2	3 5	18.3	3	
General arteriosclerosis (450)	29	16.8 11.9	23	16.9 11.8		16.5 12.4 2.1	3 2	40.3 26.8	3 2	40.8 27.2			1 1		1	23.2 7.7 7.7		13.0	3	17.2		12.2		
Pneumonia (490–493) Bronchitis (500–502) All other respiratory diseases (470–475 510–527)	96		3	1.5	1	2.1		40.3	3				5	23.5 18.8	1	30.9		47.9	1 2	11.5	12 1 2	6.1 12.2		
Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560 581, 570)		9.0 4.1	20	10.2		4.1 4.1													1	5.7	1	6.1		
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530	8 27	3.3	7		ĺ	2.1	11	13.4	1	13.6	3		1	4.7	1	7.7			1	5.7 5.7	1		1 	
539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edem incl. nephrosis (590,591)	$\begin{bmatrix} 19 \\ 2 \end{bmatrix}$		1					13.4	1	13.6			4	18.8	3	23.2		12.0	1	5.7	1	6.1		
Chronic and unspect nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).	n 8		3 6	3.1	2	4.1	1	13.4	i	13.6	:		1 4	-		23.2		12.0 12.0	ll .	22.0	3	18.3	1	
Complications of pregnancy, childbirt and the puerperium (540-689)†	2 30	0.; 12.;		0.2 10.2		20.7							1 4	1.9 18.8	ī	7.7	1 3	3.8 35.9		22.9	1	24.4		
Birth injuries, postnatal asphyxia an atelectasis (760-762)	- 40 - 3	16 1.: 25	1		2	20.0 4.1 45.5	1	26.8 13.4 26.8	1		3		3 2	14.1	1	7.7			/	5.7 5.7				
and immaturity unqualified (769-776). Senility, ill-defined and unknown cause (780-795).	s 131	53.	7 66	23.7	65	134.5	1	13.4	1	13.6	3		5	23.5	2		3	35.0	, 7		5 5	30.5		
Motor vehicle accidents (810–835) All other accidents (800–802, 840–962) Sulcide (963, 970–979) Homicide and operations of war (964, 961	83	34.6 7.6	57 9 14		26 3		2	53.7 26.8	2	54.2 27.2			12 7 1		1	38.6	2	24.6	7 2	40.1	6 2	36.6 2 12.2 6.1	3	
980-999) All other discases	- 31 50	12. 20.	7 12 5 34	6.1 17.4		39.3 33.1								4.7 18.8		33.2	i	12.0		34.4	6	36.6		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and uonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIR RATES, BY RACE, FO	THS R C	3, F OU	${ m ET}A$	$\mathop{ m LL}_{ m ES}$	OEA OF	TH.	S, D NNI	EA' ESSI	THS EE]	AN INC	LU	SIV.	E 0	r C.	7 7 7 7	10,	RE	SID	ENT	Ď	ATA	, 19	62	
			HAWK				1	===	HAYW	OOD			Tor	- 11	ENDER With	3011		vhite	Tor		HEN.	<u> </u>	Nonv	Thite
Estimated Population, July 1, 1962	Tor 30, No.		WHI 29, No.	376	Nonv 1,0 No.		Tor 22, No.	AL 900 Rate	Wir 8,9 No.	1	1'2	vhite ,975 Rate	15		11, No.	163 Rate	1, No.	714 Rate	21, No.	926 Rate	18, No.	630 Rate	3.2	246
LIVE BIRTHS*	628	20.6	602	20.5	26	23.8	615	20.8	165	18.5	450	33.2	306	19.3		17.7		33.7		19.7		18.3		28.0
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	591 26 9 2		568 23 9 2		23 3		222 96 296 1		151 10 3 1		71 83 293				242 7 1	10.0	41 6 9	17.9	397 35	9.3	328 13			
FETAL DEATHS†	12	10.1	10	16.6	2	76.9	18	29.3	8	48.5		22.2	5	16.3	4	16.0	1	17.0	3	0.0	2	5.9	2	23.0
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	12		10		2		11 4 3		7 1 		3		5						1				1	
TOTAL DEATHS*	274	9.0	262	8.0	12	11.0	227	9.9	71	8.3	153	10.0	159	10.0	132	0.3		15.8		14.2	252	13.5	60	18.5
Under 28 days of age †	13 15	20.7 23.0	13 15	21.6 24.9			22 36	35.8 58.5	5 6	39.3 36.4	17 30	37.8 66.7	6 7	19.6 22.9	3 4 1	12.0 16.0	3	53.6 53.6	3 5 3	6.9 11.6	2 3	5.9 8.8		11.0 23.0
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhoid fewr (010) Undulant fever (041) Dysentery, all forms (015-048) Scarlet fever and streptococcal sore throat		6.6	2	6.8 6.8			1	4.4			1	7.2	1						3 1	13.7	1	10.7	1	
Scarlet lever and streptococcal sore throat (050, 051). Diphtheria (055). Whooping cough (059) Meningococcal infections (057).				3.4																				
Tularemia (059) Acute pollomyelitis (030) Acute infectious encephalitis (082) Measles (085)	i	5.3	<u>ī</u>	3.4															i	4.6			1	
Rables (694) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074,																								
031, 083, 086-093, 005, 098, 120-138) Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239).	32 1	105.0 3.3	32	3.4 108.9 3.4			1 19 1 4	4.4 83.9 4.4 17.5	8	89.5 11.2 22.4		78.7 14.3	1 22 2	6.3 138.6 12.6		7.1 113.0 14.1	6			4.6 209.8 50.2	1 40 7	5.4 214.1 37.5	6	
Diabetes mellitus (260). Pellagra (231) Avitaminosis and other deficiency states (280, 282-286). Anemias (200-203). Vascular lesions affecting central nervous	1			6.8			1	4.4			1	7.2							<u>ī</u>	4.6			<u>ī</u>	
system (330-334)	.1 41	134.6	38	120.4	3		31	148.4	9	100.7	25	178.9	29	183.7	25	176.5	4		48	218.9	42	224.8	6	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis (410-416). Arterloscierotic and degenerative hear	. 6	324.9 19.7		338.8 20.4			72	314.3 8.7	2	•		233.4		340.1		303.6			1	574.7 4.6	1			
disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of heart (444-447).	79 4 10	259.3 13.1 33.8 13.1	10	258.7 13.6 34.6				183.3		235.1 89.5		150.3 143.1	7 5	296.0 44.1 31.5	5 4	28.2	9 2 1		$\begin{bmatrix} 4\\9\\2 \end{bmatrix}$	41.0 9.1	4 7 2	10.7	19	****
Other dis. of circulatory system (451-468).	6 1		5	17.0 3.4 6.8	1		1 2 4	4.4 8.7 17.5	2	22.4	1 4		9	56.7 6.3		56.5 7.1	1		6 2	27.4 2.1	6 2			
Influenza (180-483) Pneumonia (490-493) Bronchitis (500-502) All other respiratory diseases (470-475 510-527)	6		6	20.4			6 2	26.2	4	44.8 11.2	2	14.3	1	6.3	3	7.1			3	13.7	4 2	10.7	3 1	
Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560 561, 570)	1	G,G	3 1	6.8			ī			11.2			2	12.6	2	14.1			3 3 1	13.7	3	16.1		
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530		3.5	3 1 	8.4			1	8.7 4.4		11.2 11.2		7.2	1	6.3	1	7.1			2	4.6 9.1	1	i	1	
539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edeminel. nephrosis (530, 591) Chronic and unspec. nephritis and othe	1 2		1	3.4 6.8			1	4.4				7.2	2	13.6		14.1			3	13.7	2	10.7	1	
renal sclerosis (592-591) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	8		-				<u>1</u> 5	4.4 21.8	l .	11.2 11.2	1	28.6							3 3	13.7 13.7 4.6	1 2		2 1	
Complications of pregnancy, childbirti and the puerperlum (640-689) [- Congenital malformations (750-759)	i 2	6.6	7 2	6.8	3		1 2 5 1	21.8	3	33.0	1 2 2 1	14.3	2	12.6	1	7.1	1		2 1	9.1		10.7 5.4		
Other diseases peculiar to early infancy and immaturity unqualified (769-776). Senility, ill-defined and unknown cause	. 5	16.						17.6		11.2		21.5		25.2		21.2			1	4.6			1	**
(780-705). Motor vehicle accidents (810-825). All other accidents (800-802, 810-962). Suicide (963, 970-979). Homicide and operations of war (964, 964, 969-999).	12 12 5, 1	39 19.: 3	4 10 7 6 8 3 3 1	34.0 20.2 10.3	2		14 3 1	61.1 13.1	2 2 1 1	33.6 23.4 11.2	11 2		2 2	37.8 12.6 12.6	6 2 2	14.1			3 5 2	22.8 0.1	3 4	21.4	5 1 2	
All other diseases	- (3 19.	7 5	17.0	1		1	4	 		1	. 7.2	1	6.3	1	7.1			4	18.3	2	10.7	2	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**lates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIR RATES, BY RACE, FO	THS	3, F	ETA	LES	EA OF	${ m TH}$	S, D INN	EA'. ESS	EE EE	AN INC	LU	SIV	ΕO	FC	ITI	ES,	RE	SID	ENT	' D.	ATA	., 19	62	=
THIES, BI RACE, FO) <u>,, (</u>		HICKN	MAN		1	11121		HUUSI	011			Tor		Witt	re ll	MUDIN	hite	Tor	1L	Wim	гы IN	onwb	aite
Estimated Population, July 1, 1962	Тот 11,5 No.	AL	WHI	TE 1	Nonw 59	ו מכ	Tor 4,6		Wні 4,31 No.		Nonw 36 No.	4 11	11.7	Rate	11,0 No.	119 Rate I	57 No.	Rate	8,57 No.	5 Rate 1	8,51 Vo.	3 Rate N	o. 32	Rate
LIVE BIRTHS *	222	19.3		19.5		15.1	l	20.3	86	19.9	9	24.7		18.5	202 152	18.8	_	21.0	148 140	17.3	440	17.3		
In hospitals Attended by physicians not in hospitals Attended by midwlves. Attended by others or unspecified	205 13 4						25 67 3		25 61		6 3		<u>î</u>		50 		5 <u>ī</u>		2 6		2 6			
FETAL DEATHS†	8	36.0	8	37.6			4	42.1	_	46.5	-		7	32.7	6 4	29.7	1	83.8	2	13.5	2	13.5	· •	
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	7		7				2 2		2 2				3				1							
TOTAL DEATHS*		9.6	101	9.2	10	16.8	55	11.8	50	11.6	5	13.7		10.4	113 1	10.3 5.0		18.8 166.7	117	- 1	115 3	20.8	2 6	
Under 28 days of agetUnder one year of aget	7 8	31.5 38.0		32.9 32.9	<u>ī</u>		ī	10.5			i		6	14.0 28.0	4	19.8	2	166.7		20.3	3	20.3		
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-019). Syphills and its sequelae (020-029). Gonococcal infection (020-035). Typhold fover (010). Undulant fever (044). Dysentery, all forms (015-048). Scarlet fever and streptococcal sore throat	,						2 2	42.8	2 2				1	8.6	1	9.1				23.8		23.4		
(950, 951) Diphtheria (955) Whooping cough (956) Meningococcal infections (957)																								
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (091) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)													1	8.0			1 							
Maiaria (110-117) Other Infective and parasitic diseases (036-039, 041, 042, 049 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)								235.2	11				1 23		1 23	9. 1 203.7			6	79.0	6 9	79.2 -		
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states	3 ~	34.7		91.5 27.4			1	21.4	1 1										2	#3.3 				
(280, 282–289) Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	_ I	8.7 147.5	15	9.1	1		il .	21.4 209.4	12		2		7	60.4	7	63.5				253.6 		277.5		
Rheumatic fever (403-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative hear disease (420-422).	}	329.7 208.9		311.0 250.2				342.2					46	300.0		\$17.3 \$29.3 30.3	2		36	419.8 381.5 11.7	30	351.2 11.7	1	
Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of heart (441–447). General arteriosclerosis (450).	i 3	34.7 20.0	2	36.6 18.3	ī		i	21.4	ī		i		9	8.6	9	81.7			4 4 13	46.6 46.6 151.6 11.7	4 1 12	46.8	<u>ī</u>	
Other dis. of circulatory system (451-468) Influenza (480-483))						2	42.8	2							30.J			2		2	23.4 46.8		
Pacumonia (490–493). Bronchitis (500–502). All other respiratory diseases (470–475, 510–527).	3	26.0		27.4				21.4					3	8.6 25.9		9.1 27.2			1	11.7	1	11.7		
Ulcer of stomach and duodenum (540, 541, Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)	1	8.7	7 1	9.1																				
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581). Other diseases of digestive systom (530-539, 542, 544, 545, 573-589, 582-587)	1	8.7	7 1	9.1				21.4											11	23.3 11.7		23.4 11.7		
incl. nephrosis (590, 591)	r																		2	23.3	2	23.4		
renal sclerosis (592-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (990-609, 611-637)	ñ	8.7	71	0.1			1	21.4			1		2	17. ð	2	18.2						~~~		****
Complications of pregnancy, childbirth and the puerperlum (640–689)† Congenital malformations (750–759) Birth injuries, postnatal asphyxia an atelectasis (760–762)	_ 1	4.6		4.7									1	8.6		9.1								
Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776)_	5	17.	1	18.5 5 45.7			1	21.4			1		2		ì	9.1	1			11.7		11.7		
Senility, ill-defined and unknown cause (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-902) Suicide (903, 970-979). Homicide and operations of war (904, 965 980-999).	57 22 5,	-60.7	$\begin{vmatrix} 7 & 6 \\ 4 & 2 \end{vmatrix}$		3		<u></u> -	21.4					1		1	99.3	1		1 1 3	•	1 1 4			
All other diseases	- 1			9.1	<u> </u>	400.00	1 not c	21.4	1	hon th	bonur	mbor]	25.5	<u> </u>	18.2	1		3	JJ. U	1		<u> </u>	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955

RATES, BY RACE,							VE OF C		RESID	ENT DA		62
	TOTAL	JEFFERSON WHITE 1	Vonwhite	TOTAL	JOHNSON	Nonwhite	TOTAL	KNOX White	Nonwhite	TOTAL	LAKE White	Nonwhite
Estimated Population, July 1, 1962	21,850 No. Rate	20.934	916 10. Rate	10,514	10.380	No. Rate	256.082	232,900	23,182 No. Rate	9,572	7.360	2,212 No. Rate
LIVE BIRTHS*	439 21.5	446 21.3	23 25.1	206 19.6	204 19.7	2 14.9	5,406 21.1	4,862 20.9	544 23.5	246 25.7	172 23.4	74 33.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	3 1	1 1 1	21	145 55 4 2	145 53 4 2	2	5,333 51 13 9	4,808 36 12 6	525 15 1 3	65 151 30	62 108 2	3 43 28
FETAL DEATHS†	6 12.8	6 13.5		2 9.7	2 9.8		97 17.9	73 15.0	24 44.1	4 16.3		4 54.1
In hospitals	6	6		1	1		90	69	21 2	1 2		1 2
Attended by others or unspecified							2	1	i			
TOTAL DEATHS*	206 9.4	1 1	16 17.5	107 10.2	105 10.1	2 14.9	2,206 8.6	1,917 8.2	289 12.5	102 10.7	72 9.8	30 13.6
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	9 19.2 14 29.9		1 43.5 2 87.0	5 24.3 7 34.0	5 24.5 7 34.3		84 15.5 117 21.6	65 13.6 91 18.7	18 <i>33.1</i> 26 <i>47.8</i>	7 28.5 11 44.7	5 29.1 6 34.9	2 27.0 5 67.6
Tuberculosis, all forms (001-019) of respiratory system (001-008)	1 4.6 1 4.6	1 4.8		1 9.5	1 9.6		21 8.2 18 7.0	19 8.2	2 8.6	2 20.9 2 20.9	2 27.2 2 27.2	
Syphilis and its sequelae (020–029)		1 4.8		1 9.5	1 9.6		18 7.0 2 0.8		1 4.8	2 20.9		
Undulant fever (044)												
Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051)												
Diphtheria (055)		l J										
Whooping cough (058) Meningococcal infections (057)												
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabber (084)												
							1 0.4	1 0.4 1 0.4				
Rocky Mountain spotted favor (104)												
Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)												
(038-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)							5 2.0	4 1.7	1 4.8			
Malignant neoplasms (140-205)	25 114.4	22 105.1	3	15 142.7	15 144.5		316 123.4 4 1.6	278 119.4 4 1.7	38 163.9	16 167.2 1 10.4	12 163.0 1 13.6	4
Diabetes mellitus (260) Pellagra (281)	1 4.6	1 4.8		1 9.5	1 9.6		39 15.2		5 21.6			
Avitaminosis and other deficiency states (280, 282-286)				:			3 1.2	3 1.3		25-7		
Vascular lesions affecting central nervous	38 173.9	36 172.0	2	1 9.5 13 123.6	1 9.6 12 115.6	1	5 2.0 276 107.8	5 2.1 232 99.6	44 189.8	1 10.4 15 156.7	7 95.1	8
system (330-334)	1 4.6		ĩ				4 1.6		3 12.9			
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416)	65 297.7	62 200.2	3	35 332.9	35 337.2		1 0.4 771 301.1	1 0.4 696 298.8	75 323.5	<u>27</u> 282.1	19 258.2	8
Arteriosclerotic and degenerative heart disease (420-422)	1 4.6 52 238.0	52 248.4		2 19.0 26 247.3	2 19.3 26 250.5		15 5.9 655 255.8	15 6.4 602 258.5	53 228.6	26 271.6	19 258.2	7
Other diseases of heart (430-434) Hypertension with heart dis. (440-443)	4 18.3 8 36.6	52 248.4 2 9.6 7 33.4	2	1 9.5 6 57.1	1 9.6 6 57.8		22 8.6 79 30.8	20 8.6	2 8.6 20 86.3	1 10.4		ī
Hypertension without mention of heart (444-447) General arteriosclerosis (450)	$\begin{array}{ccc} 2 & 9.2 \\ 14 & 64.1 \end{array}$	2 9.6 14 66.9		1 9.5	1 9.6		17 6.6	10 4.3	7 30.2 8 34.5	3 31.3	3 40.8	
Other dis. of circulatory system (451-468)	3 13.7	3 14.3		1 9.5	î 9.6		51 19.9 30 11.7		8 34.5 3 12.9	1 10.4	1 13.6	
Influenza (480-483) Pneumonia (490-493) Bronchitis (500-502)	1 4.6 6 27.5	C 00 0		2 19.0 5 47.6	2 10.8 5 48.2		10 3.9 61 23.8 8 3.1	9 3.9 52 22.3 8 3.4	1 4.3 9 38.8	1 10.4 7 73.1	7 95.1	
All other respiratory diseases (470–475, 510–527)	3 13.7 1 4.6	2 9.6 1 4.8	1	1 9.5	1 9.6		37 14.4 19 7.4	35 15.0	2 8.6 1 4.8	2 20.9 2 20.9	2 27.2 2 27.2	
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)							4 1.6	2 0.9	2 8.6		2 27.2	
Gastritis, enteritis, etc. (543, 571, 572)	3 13.7 1 4.6	3 14.3	î	1 9.5 1 9.5	$egin{array}{ccc} 1 & {\it g.g} \ 1 & {\it g.g} \end{array}$		9 3.5	9 3.9 6 2.6	1 4.3	2 20.9		
Cirrhosis of liver (531)							24 9.4	21 9.0	3 12.9			
539, 542, 544, 545, 573-580, 592-587) Acute nephritis, nephritis with edema,	1 4.6	1 4.8					13 5.1	11 4.7	2 8.6	1 10.4		1
incl. nephrosis (590,591) Chronic and unspec. nephritis and other renal sclerosis (592-594)				1 0 5			4 1.6	3 1.3	1 4.3	2 20.9	2 27.2	
Hyperplasia of prostate (610) Other diseases of genito-urinary system				1 9.5		I	20 7.8 4 1.6	17 7.3 4 1.7	3 19.9			
(600-609, 611-637)				1 9.5	1 9.6		17 6.6	14 6.0	3 12.9			
Complications of pregnancy, childbirth and the puerperium (640-689)†Congenital malformations (750-759)	1 4.6	1 4.8		2 19.0	2 19.3		22 8.6	22 9.4		2 20.9	<u>2</u> <u>27.2</u>	
Birth injuries, postnatal asphyxia and atelectasis (760-762)	1 4.6	1 4.8		2 19.0	2 19.3		25 9.8	16 6.9	9 38.8	2 20.9	2 27.2	
Infections of the newborn (763-768) Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1 4.6 8 30.6	1 4.8 6 28.7	2	2 19.0	2 19.3		5 2.0 40 15.6	4 1.7 32 13.7	1 4.3 8 34.5	2 20.9 4 41.8	2 27.2	2
Senility, ill-defined and unknown causes												
(780-795)	5 22.9 6 27.5 8 36.6	4 19.1 6 28.7 8 JS.2	1	8 76.1 7 66.6 2 19.0	8 77.1 7 67.4 2 19.3		117 45.7 48 18.7	85 36.9 45 19.8	31 133.7 3 12.9 5 91 6	2 20.9 1 10.4 3 31.3	2 27.2	2 1 1
Suicide (963, 970-979) Homicide and operations of war (964, 965,	2 9.2			2 19.0	2 19.3		57 22.3 34 13.3	52 23.3 33 14.2	5 21.6 1 4.3	2 20.9	2 27.2	
980-999) All other diseases	1 4.6 7 32.0		1	2 19.0	2 19.3		14 5.5 60 23.4	6 2.6 51 21.9	8 34.5 9 3 8.8	1 10.4		1
*Rate per 1,000 population. †Rate per	r 1,000 live l	oirths. These	rates are	not calcula	ted when th	ie number	of births is l	ess than 10.				
**Rates from specific causes per 100,000 tions of less than 5,000. Title num) population bers are th	n with exceptionse of the <i>Inte</i>	on of mat	ernal death Statistical C	rate. Deat	th rates fro	m specific ca	uses are not	calculated	for white a	nd nonwhit	e popula-

^{**}Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	R C	COU	NTI	ES	OF	TE	o, D NNI	ESS:	EE I	INC	LUS	SIV	E OI	F C	TIE	S, I	RES		ENT	\mathbf{D}^{I}	AUS.	19	62	1 11
	[- 		AUDER		Nonv	ubita			LAWRE		Your	hita			LEWI		Manus	hita	(Pom.		LINCO		None	377
Estimated Population, July 1, 1962	To: 21, No.		Wні 13, No.	461	8.	383	Тот 28. No.	049 l	Wні 27, No.	521 l	Nonw 52 No.	8	Тот 6,29 No.	96 f	Wнг 6,18 No.	30	Nonw 11 No.	.6 II	Тота 23,4 No.	48	WHY 20,4 No.	103 L	Nonw 3,0 No.	145
LIVE BIRTHS*	507	23.2	225	16.7	282	53.6	729	26.0	722	26.2	7	13.3	134	21.3	131	21.2	3	25.9	518	22.1	432	21.2	86	28. 2
In hospitals	80				155		6								2		3		36		33		79 3 4	
FETAL DEATHS†	11	21.7	3	13.3	8	28.4	6	8.2	6	8.3			2	14.9	2	15.3			13	25.1	0	20.8	4	46.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	4		3		3 4 1		6		6				2		2				13		9		4	
TOTAL DEATHS*	261	11.9	157	11.7	104	12.4	271	9.7	266	9.7	5	9.5	62	9.8	61	9.9	1	8.6	266	11.3	222	10.9	44	14.4
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	15 23	29.6 45.4	5 8	22.2 35.6	10 15	35.5 53.2	16 19	21.9 26.1		22.2 26.3			3 4	22.4 29.9		22.9 30.5				27.0 34.7		25.5 30.1	3 5	\$4.9 58.1
Tuberculosis, all forms (001-019) of respiratory system (001-008)	4		3	22.3 22.3	1	11.9	5	21.4	6 5	21.8				15.9 15.9		16.2			1	4.3	1	4.9		
Dysentory, all forms (045–048) Scarlet fever and streptococcal sore throat (050, 051) Diphtherla (055) Whooping cough (056) Meningococcal infections (057)			l																					
	l		l		l																			
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094)	I .		•		I	1													i	4.3	i	4.0		
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074,													**											
081, 083, 086-093, 095, 096, 120-138) Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239).	31	27.5 141.9	23	14.9	8	95.4	1	110.5 3.6	1	3.6				95.8	6	97.1			27	4.3 115.1 8.5	$\frac{1}{22}$	4.9	5	
Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states (280, 282-286)		18.3		14.9	2	23.9	2	7.1	2	7.3												9.8		
Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	36	164.8 4.6	19	141.1		202.8 11.9	l I	3.6 133.5		3.6 134.4			9	142.9	9	145.6			45	8.5 191.9	35 	9.8 171.5	10	
Rheumatic fever (400–402) Diseases of the heart (410–443) Ohronic rheumatic heart dis. (410–416) Arteriosclerotic and degenerative heart		407.4	62	460.6	27	s22.1		331.6 14.3	91 4	330.7 14.5	2		21	381.2	21	388.3			2	405.2 8.5	2		<u></u>	
disease (420-422). Other diseases of heart (430-434) Hypertension with heart dis. (440-443) Hypertension without mention of heart	74 4 11	338.8 18.3 50.4 18.3	6	401.2 14.9 44.6 22.3	5	238.6 23.9 59.6 11.9	4	288.8 14.3 14.3	4 4				1	301.8 15.9 63.5	1	307.4 16.2 64.7			8	298.5 34.1 64.0	6	303.0 29.4 68.6	8 2 1	
Other dis. of circulatory system (451-468).	5	2 2.9	1		4	47.7	12 4	42.8 14.3	12	43.6 14.5							ī		6 5	25.6 21.3	3	24.5 14.7	2	
Influenza (480–483) Pneumonta (490–403) Bronchitis (500–502) All other respiratory diseases (470–475,	13		6		7	11.9 83.5	8	3.6 28.5	7	3.6 25.4	1		2	31.8	2	32.4			16	17.1	14	19.6	2	
510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560,	3	18.3 13.7		29.7	1	11.9	1	7.1 3.6	1	7.5 3.6			i 	1ō.9	í	10.2			2	8.5	2	9.8		
501, 570)	1 2	18.3 9.2 4.6	1	7.4		47.7 11.9	i	3.6	ì	3.6									<u>2</u>	8.5	<u>î</u>	4.9 9.8	!	
Other diseases of digestive system (530- 539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema,	2	9.2	2	14.9			2	7.1	1				2	31.8	2	32.4			2	8.5	1	4.9	1	
incl. nephrosis (590-591). Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610).	$\begin{bmatrix} 3 \\ 1 \end{bmatrix}$	4.6 13.7 4.6		7.4	3				3	3.6 10.8 3.6			1	15.9	1	16.2			1	4.3		4.9	1	
Other diseases of genito-urinary system (600-609, 611-637)	1					11.9	!												2	8.5	1	4.9	1	
Complications of pregnancy, childbirth and the puerperium (640-689)†				14.8	1		3	1.4 10.7		1.4 10.5									1	1.9				
atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776).	$\frac{1}{2}$	9.2		7.4 22.5	2	11.9 23.9 47.7	1	3.6 3.6 46.5	1	3.6 3.6 47.2			<u> </u>	15.9 15.9 15.9	1	16.2 16.2 16.2				34.1		19.6 29.4		
Senility, ill-defined and unknown causes	6	27.6		14.5	4	47.7	6	21.4	6	21.8				31.8 79.4		32.4			7	29.0	5	24.5	2	
Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979) Homicide and operations of war (964, 965 980-999)	. 3	32.0	3	37.1 29.7 22.3	3	25.8	13 3	32.1 46.3 10.7	12	32.7 43.6 10.5	1		3	79.4 47.6 15.9	3	80.9 48.5 16.2			9 8 5	38.4 34.1 21.3 4.3	7 5	44.1 34.3 24.6	1	
All other diseases	[7	32.0	5	37.	2	23.9		17.8	5	18.2			1	15.9	i	16.2			2	8.5	2	9.8		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	OR	cot	JNT	IES	OI	T]	EŃN	ESS	EE	IN	CL	ÚSI	VE (OF	CIT	IES,	R	ESI	DEN	TI	DAT	A, 1	.vv 1 <u>9</u> 63	2 2
	Ton	PAT.	LOUD		Non	white	To	PAT.	McM	INN	(Non	white	To	r a v	MCN/ Wri		Non-	vhite		P 4 7	MACC		- NY	
Estimated Population, July 1, 1962	23.		23.	401	1 4	26	33, No.	947	32	.116	1.	831 Rate	17.	RAL 822 Rate		1TE 591 Rate	No.	vnite 231 Rate	11, No.	ral 892 Rate	Wн 11, No.	TE 784 Rate	1	white 108 Rate
LIVE BIRTHS*		20.4	471	20.3	13	30.5	694	20.4		20.4	T	21.8	1	17.7		17.4		22.7		17.1		17.1	1	9.3
In hospitals	7		465 7 <u>2</u>		13		693 1		653 ī		40		277 29 10		262 25 1		4		197 5 		196 5		1	
FETAL DEATHS†	12	24.6	11	23.2	1	76.9	11	15.9	8	12.2	3	75.0	7	22.2	6	20.8	1	35.7	8	89.4	. 8	39.6		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	1		11		1		11		8		3		6 <u>ĩ</u>		6		ī		8		8			
TOTAL DEATHS*		10.1	227	9.7	13	30.5	298	8.8	272	8.5	23	14.2	188	10.5	175	10.5	13	10.6	122	10.3	121	10.8	1	9. 3
Under 28 days of age†Under one year of age†	9 14	18.5 28.7		14.8 25.3	2 2	153.8 153.8	17 22	24.5 31.7	15 19	22.9 29.1	2 3	50.0 75.0	4 6	13.7 19.0	3 5	10.4 17.4	1 1	35.7 35.7	4 6	19.7 29.6	4 6	19.8 29.7		
CAUSE OF DEATH** Tuborculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050 051).	3 3	12.6 12.6	3 3	12.8 12.8			1 1	2.9 2.9	1	3.1 3.1			1 1	5.6 5.6	1	6.0			1 1 	8.4 8.4	1 1	8.5 8.5		
Typhoid fever (040) Undulant fever (044) Dysentery, all forms (045-048)																								
(050, 051) Diphtherla (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059)																								
Acute infections encephalitis (082)																								
Rocky Mountain spotted fever (104)						****		*																
081, 083, 086-003, 095, 096, 120-138) Malignant neoplasms (140-205) Benign and unspec neoplasms (210-239).	1	4.2 138.5		4.3 132.5			33	97.2	1 32	3.1 99.6	1			5.6 157.1		150.7	3		1 11	8.4 92.5	1 11	8.5 93.3		
Pellagra (281) Avitaminosis and other deficiency states	4	16.8	4	17.1			5	14.7	5	15.6			2	5.6 11.2	2	6.0 12.1								
(280, 282–289) Anemias (290–203) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)		125.9	29	123.9	1		41	120.8	38	118.3	3 3		23	129.1	20	120.5	3		<u>ī</u>	8.4 176.6	1	8.5		
Rheumatic fever (400-402)		4.2 331.6	1 7 7	4.3 329.0			117	344.7		333.	10		 72	404.0	69	415.9				428.9		178.2		
Ohronic rheumatic heart dis. (410–416) Arteriosclerotic and degenerative heart disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443).	54	226.6		222.2			4	5.9 276.9 11.8	3	280.2 9.3	2 4 3 1		67 1	5.6 375.9 5.6	64	385.8 6.0	3		1 41	8.4 344.8	41	424.3 8.5 347.9		
General arterioscierosis (450)	2	8.4	1 2	106.8 4.3 8.5	1		3 7	8.8 20.6	1 6	18.7	1 2		4	16.8 22.4	4	24.1			3 6	50.5		25.5 42.4	1	
Influenza (480–483) Pneumonia (490–493)	1 1 9	4.2 37.8	1 8	4.3 4.3 34.2	<u>ī</u>		3 2 13	8.8 5.9 38.3	2	6.2	2		3	16.8 28.1		18.1 30.1			1 3	8.4	1	8.5		
All other respiratory diseases (470-475, 510-527) Ulcer of stamped and dyndonym (540, 541)	1	4.2	1	4.3 21.4 12.8			1 3 1	\$.9 8.8 2.9	1 3 1	3. i	3		5	28.1		24.1	1		3	25.2	3	25.5 25.5		
Appendicitis (850-563) Hernia and intestinal obstruction (660, 661, 570) Gastritis, enteritis, etc. (543, 571, 572)				8.5			1	2.9 2.9	1 1	3.1			2	11.2	2	12.1			1	8.4	1 1	8.5		
Cirrhosis of liver (531) Other diseases of digestive system (530-539, 542, 544, 548, 572, 500, 503, 507)		12.6		12.8			2	5.9 2.9	2	6.2			1 1	5.6 5.6	1	6.0 6.0			1	8.4	1	8.5		
incl. nephrosis (590, 591). Chronic and unspec. nephritis and other		21.0		21.4			3	8.8	3	9,5									1	8.4	1	8.5		
Other diseases of genito-urinary system (600-609, 611-637)		16.8		17.1			1	2.9 2.9	1				1	5.6	1	6.0			1	8.4 8.4 8.4	1 1			
Complications of pregnancy, childbirth and the puerperium (640-689)† Congenital maiformations (750-759) Birth injuries postnatal general and	1 2	2. 1 8. 4	1 2	2.1 8.5				14.7	<u>-</u> 5	15.6			1	3.2 5.6	1 1	3.5. 6.0			<u>ī</u>	8.4	<u>i</u>			
Birth injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	1	- 1	1	17.1 4.3			6 1	17.7	6 1	18.7 3.1				11.2		12.1			<u>ī</u>	8.4	<u>ī</u>	8.5		
Senility, ill-defined and unknown causes (780-795) Motor yehicle recidents (610-625)	9	37.8		8.5 34.2	1		5	14.7		12.5	1			61.7		60.3				25.2		25.5		
Suicide (963, 970-979) Homicide and operations of war (964, 965, 980-999)	10 6 2	42.0 25.2 8.4 8.4		38.5 25.6 8.5			11	26.5 32.4 11.8 5.9	4	28.0 31.1 12.5	1		8 5 1	44.9 28.1 5.6	8 4 1	48.2 24.1 6.0			2 2		2	33.9 17.0 17.0		
All other diseases		37. 8		34.2				26.5	7	21.8	2		<u>-</u> 8	44.9	7	42.2	i		1 4	8.4 33.6	4	8.5		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	RC	COU	NTI	ES	OF	TE	ΝŃΙ	ESSI	EE .	INC	LU	SIV	ΕO	FC	ITI	ES,	RES	SID	ENT	D.	ATA	ъвъ ., 19	32	.1.11
		OTAL	MAD	IITE	Non	white		TAL	Wi	HON	Non	white	-T	OTAL		SHAL		white	1-75	DTAL		URY	(Non	white
Estimated Population, July 1, 1962	No.	3,624 Rate	No. 39	,980 Rate	No.	,644 Rate	No. 21	,100 Rate	1 19.	770	No.	, 330		6,859	No.	1,877	1	,982 Rate	41	1,895		3.576	8.	319 Rate
LIVE BIRTHS*	1,315		ł	18.3	585	28.3	454	21.5	423	21.	31	23.8	298	5 17. ô	210	16.	55	27.7	920	22.	68	20.3	237	28.5
In hospitals. Attended by physicians not in hospitals. Attended by midwlves. Attended by others or unspecified.	1,131 11 172 1		721 4 1		407 7 171		341 106 4 3		313 103 4 3		28		287	3	238		49 3 3		801 70 45		- 1		42	
FETAL DEATHS†	26	19.8	13	17.8	13	22.2	7	15.4	7	16.5			10	33.9	7	29.2	3	54.5	3 15		1 10	14.6	2	21.1
To hospitals	$\frac{20}{2}$		12 1		8		7		7				8		7		1		13		1		3	21.1
Attended by others or unspecified.	4												2			****			2				2	
**************************************	684 28		448 13	11.2 17.8	236 15	11.4 25.6	215	10.2 13.2	199	10.1	16	12.0	194		177	11.9	17	8.6	450	10.7	346	10.3	101	12.5
Under 28 days of aget	41	\$1.2	15	20.5	26	44.4		17.6	6 8	14.2 18.9			9 11		5 5		6	73.7 109.1	12 18	13.0 19.6		16.1 20.5	1	16.3 16.3
CALISE OF Diagram	9	14.8 11.5	3	7.5	6 4	29.1 19.4	3 3	14.2 14.2		15.3 15.2			1	5.9 5.9	1	6.7			7	10.7		14.9		24.0
of its interest its sequelae (020-023)							1	4.7	1	5.1						6.7			6	14.3 2.4		$\begin{vmatrix} 11.9 \\ 3.0 \end{vmatrix}$.	2	24.0
Gonococca (010)						-;					· · · ·													
Dysentery, all forms (045-048) Lysentery, all forms (045-048) Scarlet fever and streptococcal sore throat						4.0	*****												•••••					
Diphtheria (055) - (056)																								
Meningococcai interest																				·				
Whoofing coccal infections (087)— Meningococcal infections (087)— Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (032)— Measles (085)— Rables (094)— Typhus fever (101, 102, 107)— Rocky Mountain spotted fever (104)— Rocky Mountain spotted fever (104)— Malaria (110–117)—and—parasitic diseases																			•••••					
Measles (085)																								
Rocky Mountain spotted fever (104)																								
Malaria (110-117)- Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)	1	4 10			1	.4.8		• • • •					1	5.9	1	6.7			2	4.8	2	6.0		
Malignant neoplasms (140-205)	1	161.7	1	162.6 2.5		159.9		151.7		161.9			1	118.6 5.9	20 1	134.4 6.7			50 . 1	119.3 2.4	42	1.25.1	8 6	
Diabetes mellitus (260)		14.8	6	15.0	3	14.5	1	$\frac{9.5}{4.7}$	2 1	$\frac{10.1}{5.1}$			5	29.7	4	26.0	1			9.6	4	11.9		
Avitaminosis and other deficiency states				7.5									<u>i</u>	-2-5	;				1	2.4	1	3.0	·	
(280, 282-286) Anemias (290-293)	3	; 4.9 ; 191.3		185.1	42	203.4	28	132.7	22	111.3	6		1	5.9 213.5	1 35	6.7 235,3	1		58 ; 1	138.1	43 .	128.1	15 18	
Nonmeningococcal meningitis (340)							:													~.4			1 1	2.0
Rheumatic fever (400-402). Diseases of the heart (410-443)	242	399.2 3.3				276.1	1		1	440.1 5.1				385.6		410.0			180 . 2	439.6	138 2	411.0	42 50	4.9
	202	2 333.2 5 8.2 3 54.4	3	407.7 7.5 43.5	2	188.9 9.7 77.5	6	346.0 28.4 47.4	6 9				51 4 7	3.20.3 23.7 41.5	52 3 6	349.5 20.2 49.3	1		10	336.6 23.0 64.4	6	345.5 17.0 41.7	25 30 4 4 13 15	8.1
disease (420-422) Other diseases of heart (430-434) Hypertension with heart dls. (440-413) Hypertension without mention of heart	8	3 13.2	3				3	14.2	2	10.1	<u>i</u>		1 6	5,0	1	6.7	:		3	7.2	2	6.0	1 1	2.0
General arteriosclerosis (450) Other dis. of circulatory system (451-468)) 14.8 8 13.2	6	15.0	2	9.7	ĭ	4.7					2		5 2 2	33.6 13.4	1		6	47.7		56.6	1 1 2 3	3.0 4.0
Influenza (480–483) Pneumonia (490–493)	2	5 8.2 7 44.5 2 3.5	2 15 1 15	37.5	12	58.1		23.7	5	25.9			3	17.8		13.4 13.4	ĩ		$\begin{smallmatrix} 3\\21\\2\end{smallmatrix}$	7.2 50.1 4.8	1 i 1 i	8.9 31.7 3.0	7 8	
All other respiratory diseases (470-475,	10		۔ ا		2	9.7	3 2	14.2 9.5		15.2 10.1			5 1	29.7 5.9	5 1	33.6 6.7			3	7.3	3	8.9		
Ulcer of stomach and duodenum (540, 541)																				2.4	1	3.0		
Hernia and intestinal obstruction		1 6.6	5			19.4	<u>î</u>	4.7	<u>î</u>	ō.t			1	$\tilde{s}.9$			<u>i</u>		$\frac{2}{2}$	4.8	$\frac{2}{2}$			
Gastritis, enteritis, etc. (543, 571, 572)							1	19.0	2	10.1	2								1	2.4			1 1	12.0
Cirrhosis of liver (581) Other diseases of digestive system (530- 539, 542, 544, 515, 573-580, 582-587)		3 4.4	9 2	5.0	1	4.8	3	14.2	3	15.			2	11.9	1	6.7	1		2	4.8	1	3.0	1 1	12.0
Acute nephritis, nephritis	.	1 1.	6	-	- 1	4.8	1	4.7	1	5.1					 				2	4.8	2	6.0		
Chronic and unspec, hepititis do		1 1.1 1 1.1	6		- 1									5.9	1	$\tilde{g}, \tilde{\gamma}$			3 4	7.2 2.5	1 3	3.0 8.9	2 :	34.0 12.0
Hyperplasia of prostate (610)	i	4 G.		1 2.	5 :	3 14.8	Ш.	3 14.	2 3	3 15	e		.		 				4	9.5	4	11.9		
Complications of pregnancy, childbirth	ונ	1 0.		ā 73-	-1	1.1		1 2	2	2.	4			1 3.4 1 5.9	 <u>î</u>	6.7	1		3	7.2	2	6.0	ī	19 ñ
		7 11. 7 11	.1	6 <i>15.</i> 2 <i>5</i> .	1	1 4.5 5 23.:	Ш	2 9.	5	2 10.	1		- 11	3 17.8	1	13.4	1		ļ	16.7	Į	17.9		12.0
Birth Injuries, postnatal asphyxia and atelectasis (760-762) Infections of the newborn (763-768) Other the appropriate county infancy		7 11.	9	2 5.	0	1 4	8		-		-		-		····									
and immaturity unqualified (769-776).	1	4 25.	1	6 15.		8 38.		3 14.		3 15.				5 39.7		13.			1			11.9		
Senility, ill-defined and unknown cause (780-705) Motor vehicle accidents (810-835)	Ï	3 54. 1 18.	1 1	8 20. 1 27.	5		-!!	7 33. 6 28.	4	5 25. 6 30.	3	;	. 1	3 17.8 0 59.8	5 5	2 13.	5 1			26.5	9	26.8	2	24.0 60.1
All other accidents (800–802, 840–962) Suicide (963, 970–979)		1 34. 6 9.		5 37. 5 12.		6 20. 1 4.		4 10.		2 10.	1 2		-	8 47 3 17	ś :	3 <i>20</i>				\$5.8 14.8		23.8 17.9		
Homicide and operations of war (964, 965		2 3.		1 2. 9 22.		1 4. 7 33.		4 19. 5 23.		4 20. 5 25				6 35.	<u></u>	6 30.	3		11	9.1		20.8		48.1 60.1
All other diseases	1 1	16 39.	<u>* </u>	. AK.	"		<u> </u>						r of hi				<u> </u>		11					

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO			INT.	IES					EE	INC				FC	ITI	ES,	RE						62	
	Tor	PAT.	ME! Wn		Nonv	vhite	To	FAL	MON		Nony	white	To		IONTG Wh			white	To	PAT.	MOC		Nonv	phyto
Estimated Population, July 1, 1962	5,0 No.		4.7	77	2	14		316		401	9	12	58.	080 Rate	46,	780	11,		3,3		3.0	82		00
LIVE BIRTHS*	83	16.5	79	16.5	4	16.4	514	22.0	491	21.0	23	25.2	1,056	18.2	805	17.2	251	22.2	49	14.5	45	14.6	4	13.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	5		1		4		453 46 13 2		433 43 13 2		20 3		944 40 72		779 21 5		165 19 67		-47 2		43 2		4	
FETAL DEATHS†	6	72.3	5	63.3	1		11	21.4	11	23.4			18	17.0	11	13.7	7	27.9	2	40.8			2	
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified			4 1		1		9 1 1		9 1 1				15 2 1		10 1		5 1 1		2				2	
TOTAL DEATHS*		11.4	51	10.7	6	24.6	206	8.8	190	8.5	16	17.5	410	7.1	285	6.1	125	11.1	30	8.9	26	8.4	4	13.3
Under 28 days of age† Under one year of age†	2 3	24.1 36.1	2 3	25.3 28.0			11 18		9 14	18.3 28.5		87.0 173.9	22 36	20.8 34.1	16 25	19.9 31.1	6 11	23.9 43.8	2 2	40.8 40.8	1 1	22.2 22.2	1	
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-088). Syphilis and its sequelae (020-029). Gonocoecal Infection (030-035). Typhold fever (0410). Undulant fever (0410). Undulant fever (0416). Scarlet fever and streptococcal sore throat (050, 051). Diphtheria (055).	1		1				2 2	8.6		8.9			1	1.7	1	2.1			1	29.6	1			
Diphtheria (055) Whooping cough (053) Meningococcal infections (057)														7.7		2.1								
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (101)	1	19.0	i				1 1	4.3		4.5														
Other Infective and parasitic diseases (035-039, 041, 042, 049, 052-054, 061-074, 081, 053, 086-033, 095, 096, 120-133)							1	4.3			1		2	3.4			2	17.7						
Malignant neoplasms (140-205) Benign and unspec, neoplasms (210-239). Diabetes mellitus (260) Pellagra (231)	2	119.5 39.8			1		29 1 5		25 1 5	111.6 4.5 23.3	4		54 2 3	93.0 3.4 5.2	39 1 2	83.4 2.1 4.3	1	132.7 8.8 8.8	1	88.7 29.6 59.1	3 1 2			
Avitaminosis and other deficiency states (280, 282-296) Anemias (200-293) Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)		258.9	13				28	4.8 120.1		4.5 120.5	1		1 1 76	1.7 1.7 130.9	1 	2.1 105.9	<u>i</u>	8.8 230.1	7	207.9	7			
Rheumatic fever (400–402) Diseases of the heart (410–443)													1	1.7	1	2.1								
Chronic rheumatic heart (410-443). Chronic rheumatic heart dis. (410-416). Arterloscierotic and degenerative heart disease (420-422). Other diseases of heart (430-434).	14	318.7 278.8	12		2		4	283.1 17.2 210.2	-4	276.7 17.9 205.3			1	191.1 1.7 163.6	1	188.1 2.1 160.5		203.5	1	113.3 29.6 88.7	2 1 1		2	
Hypertension without mention of heart (414-447). General arteriosclerosis (450)	1	19.9 19.9	1				1	4.5 51.5 4.3	1 11 1	4.5 49.1 4.5	ĩ		5 10 3	8.6 17.2 5.2	4 8 2	8.6 17.1 4.3	1	8.8 17.7 8.8		59,1	1			
Other dis. of circulatory system (451-468) Influenza (480-433)		19.9	1				3	38.6 4.3 12.9	3	31.2	1		8 2	13.8 3.4 6.9	6 1	12.8 2.1		17.7 8.8 35.4		00.1				
Bronchitis (500-502) All other respiratory diseases (470-475, 510-527)		99.6	5				9	38.6 4.3	1	35.7 4.5				18.9		10.7		53.1		20.0				
Older of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)							2	8.6	2	8.0			3	17.2 5.2	10 3	0.4								
Gastritis, enteritis, etc. (513, 571, 572)							1 2	4.3 8.6	1	4.5	<u>ī</u>		2	3.4	· <u>ž</u>	4.3				29.6	1			
other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema incl. nephrals (500-500).	1	19.9	1				2 1 1	8.6 4.3 4.3	1 1	8.9 4.5 4.5			3	5.2	2	2.1 4.3	1	8.8	1	29.6	1			
renal sclerosis (592-594) Hyperplasia of prostate (610) Other diseases of genite principles							2	8.6	2	8.9			7	12.1			7	61.9	1	20.6	1			
Complications of programs and the division	1	19.9	1				1	4.3	1	4.5			2	3.4			2	17.7	-					
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atolectasis (750-759)	*****							Ĩ7.2 30.0		13.4 31.2	ī			13.8 13.8		17.1 10.7	3	26.5	î	29.6	i			
Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	2	39.8	2											13.8		12.8		17.7	1	29.6			1	
Senility, ill-defined and unknown causes (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 810-992)		39.8 30.8					5 6	17.2 21.4 25.7	5 6	17.9 22.3 26.8			20	34.4 36.2 34.4	16 9	25.7 34.2 19.2	$\frac{5}{11}$	70.8 44.2 97.3		50.1				
Sulcide (663, 970-979). Homicide and operations of war (661, 665, 930-999). All other diseases.	2	39.8 10.0			-		3 3	12.9 12.9 12.9	3	13.4 13.4 13.4			6 1 9	10.3 1.7 15.5	5	10.7 17.1	1 1 1	8.8 8.8 8.8	1	29.6				

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Discusses, Injuries, and Causes of Death, 1955.

RATES, BY RACE, F	OR	COL	UNI	IES	3 0	F T	ENN	ES:	SEE	IN	CLI	JSI	VE ()F (CITI	ES,	RI	ESII	DEN	ΤÏ	OAT.	Α,	1962	}
And a second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec	Tr	OTAI.		RGAN	1Non	white	To	TAL		ION	Non	white	To	TAL		RTON	Non	white	-To	ral.		RRY	Non	white
Estimated Population, July 1, 1982		1.301		.996	1 3	08 Rate	26.	505		. 102		103	11	, 188 Rate	11.	113	1 7	Rate	5.0	919	4.	829	1	Rate
LIVE BIRTHS*	312	21.8	312	22.5	3		490	18.5	419	17.9	71	22.9	262	18.0	262	18.6			76	15.1	70	14.5	-6	31.6
In hospitals Attended by physicians not in hospitals Attended by midwives	. 3	l }	201 108 3				419 31 10		390 29		59 2 10				246 1 14 14				16 30		30 			
Attended by others or unspecified FETAL DEATHS†	i	9.6	3	2.6	,		2	4.1	1	2.4	1	14.1	1)		2	7.6							••••	
In hospitals	. 2		2				2	•	1		1		2		2				· · · · ·				-	
Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	1		1																					
TOTAL DEATHS*	99	6.9	99	7.1			292	11.0	253	10.8	39	12.6	156	11.0	155	11.0	1	13.7	57	11.4	56	11.6	1	5.3
Under 28 days of aget Under one year of aget	0	19.2 19.2						16.3 23.4		16.7 21.5		14.1 28.2	6 10	22.9 38.2	6 19	33.9 38.2			1 2	13.2 26.3		14.3 28.6		
CAUSE OF DEATH** Tuberculosis, all forms (001-019)	l	7.0		7.1			3	11.3	3	12.8			2	14.1	2	14.2				19.9				
of respiratory system (001-008) Syphilis and its sequelae (020-029)		7.6					3	11.8 3.8		12.8	· <u>ī</u>		2	14.1	2	14.2				19.9	1			
Gonococcal infection (630-635) Typhoid fever (640) Undulant fever (644)								••••																
Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051)														7.0	1	7.1								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)													<u>i</u>	7.0	<u>î</u>	7.1								
Tularemia (059) Acute poliomyelitis (080)																								
Measles (085)																								
Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)																								
Malaria (110-117). Other infective and parasitic diseases (036-039, 611, 612, 619, 652-054, 661-074, 681, 683, 086-093, 095, 096, 120-138)	ł															****								
081, 083, 086-093, 095, 096, 120-138) Malignant neoplasms (140-205)		7.0 76.9		7.1 78.6			59	196,2		170.6	10		17	119.8	16	113.4	1		8	159.4	8			
Benign and unspec. neoplasms (210–239) Diabetes mellitus (290)		14.0	2					3.8	<u>i</u>	4.3			11	21.1		21.3				39.8	2			
Pellagra (281)																								
Anemias (290–293)													1	7.0	1	7.1 148.8				119.5	6			
system (330-334)	15	104.9	15	107.2			38	143.4	27	115.4			21	148.0	#1	770.0								
Rheumatic fever (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative heart	31	237.7	34	232.9			125	471.6 7.6	113	504.2 8.5	7		58	408.9	58	\$11.0			1	\$98.1 19.9	21 1		1	
Arteriosclerotic and degenerative heart disease (420-422) Other diseases of heart (430-434)	3	202.7	3	207.2				422.6		461.5			50 1	352.5 7.0 49.3		354.3 7.1 49.6			1	118.4 19.9 39.8	20 1 2		1	
Hypertension with heart dls. (410-413) Hypertension without mention of heart (441-447). General arterlosclerosis (450)		14.0 14.0		14.3 14.3			3	41.5 11.5	2	34.2 8.5	1													
General arteriosclerosis (450)		14.0	2	14.3			5	18.9 11.3	$\frac{2}{3}$	8.5 12.8			3	28.8 21.1	3	28.3 21.3								
Influenza (480-483) Pneumonia (490-493) Bronchitis (500-502)	1 3 1	21.0	1 3 1	7, 1 21, 4 7, 1			9 1	34.0 3.8	9	38.5 4.8			7	49.3	7	40.0			1	79.7	i			
All other respiratory diseases (470-475, 510-527) Ulcer of stomach and duodenum (540, 541)	<u>ī</u>	7.0	- <i></i> <u>ī</u>	7.1			3	11.3 15.1	3	12.8 17.1			1 2	7.0 14.1	1 2	7.1 14.2			· 1	19.9 19.9	1			
Appendicitis (550-553)													1	7.0	1	7.1 13.2					*****			
561, 570) Gastritis, enteritis, etc. (513, 571, 572)							2	7.5		8.5			2 2	13.1 14.1	2	14.2								
Cirrhosis of liver (581)							1	3.8 15.1	1	4.3 17.1			1	7.0	1	7.1			2	39,8	2			
Acute nephritis, nephritis with edema, incl. nephrosis (590,591)								19.1																
Chronic and unspec. nephritis and other renal sclerosis (502-594)	1	7.0	1	7.1			2	7.õ 3.8	2	8.6 4.3			1	7.0	i i	7.1 7.1								
Other diseases of genito-urinary system (600-609, 611-637)							2	7.5	2	8.5			_	21.1	3	31.3								
Complications of pregnancy, childbirth and the puerperlum (640-689) t							1	2.9	1	2. ;	· • - •		2	7.6	2 2	7.6								
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762)	 5	35.0	 R	35.7			2	7.5	2	8.5			2	13.1	2	14.3			1	19.9	1			
Infections of the newborn (763-768)	1	7.0	1	7.1				22.6		31.4	1		3	7.0 21.1	3	7.1 21.3								
Senility, ill-defined and unknown causes							v	22.0	,	71.4	•													
(780-795)	9 3 3	62.9 21.0 21.0	3	64.5 21.4 31.4				11.3 34.0	7	12.8			4	43.3 21.1 28.2	4	49.5 21.3 28.8			2	19.9 39.8				
Suicide (963, 970-979)	2	14.0	2	14.3			2	7.5	2	8.5				14.1		14.2	••••		2	39.8	2			
080-099) All other diseases	1	7.0	1	7.1			1 6	3.8 22.6	4	17.1	-		1	7.0	ī	7.1			í	19.0	ī			
*Rate per 1,000 population. †Rate per **Rates from specific causes per 100,000	r 1,000	live b	irths.	The	se ra	tes are	not ca	lcula leath	ted wh	ien th	e nun	aber es fro	of birth	is is le	ess tha	n 10. re not	t calc	ulated	lfor w	hite a	nd no	nwhi	e po	pula-

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO																								
Mary and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec	Тот	CAL (PICK		Nony	vhite	Тот	'AL I	P0 Wn		Nonw	vhite	Тот	AT. 1	PUTN		Nony	vhite	Тот	AL I	RHI		Nony	vhite
Estimated Population, July 1, 1962	4.2	82	1,2 No.	75	7		11.		11.	765	No.	2	29.5	238	28,7 No.	700	5	36	15.8	323	15,	183		40
LIVE BIRTHS*	82	19.1	81	18.9	1	143.9	236	20.0	235	20.0	1	45.5	618	21.1	603	21.0	15	28.0	371	28.4	360	23.7	11	17.3
In hospitals	67 13		66 13				231 1		233 1				596 17		581 17				362 3		352 3		10	
Attended by midwives Attended by others or unspecified			2				1		1														1	
FETAL DEATHS†In hospitals		24.4	2	24.7			3	12.7	3 2	12.8				19.4	12 12	19.9			6	16.2	6	16.7		
Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified							1		ĩ															
TOTAL DEATHS*		10.5	i	10.5			111	9.7	113	9.6	1	45.5	271	9.4	264	9.2	10	18.7	158	10.0	148	9.7	10	15.6
Under 28 days of age† Under one year of age†		36.6 48.8	3 4	37.0 49.4			5 9	21.2 38.1	5 9					11.3 22.7		11.6 23.2			4 9	10.8 24.3	4 9	11.1 25.0		
CAUSE OF DEATH** Tuberculosis, all forms (601-019)		23.4	1				2	17.0	2	17.0			2	6.8	2	7.0								
of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035)							2	17.0	2	17.0			2	6.8	2	7.0								
Undulant fever (044)																								
Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051).	1						1	8.5	1	8.5														
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute poliomyelitis (030)															<u>-</u>									
Measles (085) Rables (094)																			1	6.3	<u>i</u>	6.6		
Rocky Mountain spotted fever (104)																								
Malaria (110-117) Other infective and parasitic diseases (030-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)																								
Malignant peoplesms (140-205)	1	23.4 93.4					15	127.3	15	127.0			36	0.8 123.1	1 35	3.5 122.0	1		1 16	6.3 101.1		0.6 105.4		
Benign and unspec, neoplasms (210–239). Diabetes mellitus (260) Pellagra (281).								25.5	- -	35.5				13.7		13.9				25.3	4	26.3		
Avitaminosis and other deficiency states (280, 282-286) Anomas (290-293)																								
system (320-334)	5	116.8	5				1 15	8.5 127.3	į.	8.5 127.5			21	82.1	23	80.1	1		22	139.0	20	131.7	2	
Nonmeningococcal meningitis (340) Rheumatic fever (100-402)																						****		
Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative heart		320,9	11				43	364.8	42	357.6	1		122 1	417.3 3.4		411.1 3.5			1	391.8 6.3	1	375.4 6.6	5	
disease (420-422) Other diseases of heart (430-434) Hypertension with heart dis. (440-443)	11	256.9 23.4	1				2	296.9 17.0	2	289.0 17.0			7	335.2	96 7	334.5 24.4	2			366.6 19.0		355.7		
Hypertension without mention of heart (414-447) General arterlosclerosis (450)		46.7					6						3	54.7 19.3	3	48.8 10.5			1	6.3	1	6.6		
Other als. of circulatory system (451-468)_	1	23.4 23.4	1 1				1 1	8.5 8.5	1 1	8. <i>6</i> 8. <i>6</i>			2	41.0 6.8	12	41.8			_	25.3 13.6	2	19.8 13.2		
Influenza (480-483) Pneumonia (490-493) Bronchitis (590-502)	ī	23.4	<u>ī</u>				5	42.4					2 2 3	6.8 6.8 10.3	$\frac{2}{2}$	7.0 7.0 7.0			1	6.3		6.6		
All other respiratory diseases (470–475, 510–527) Ulcer of stomach and duodenum (540, 541)	<u>i</u>	23.4	;				2	17.0	_		i		2 2	6.8 6.8	2 2	7.0 7.0			2	13.6	2	13.3		
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)		~0.7																		6.3	1	6.0		
Gastritis, enteritis, etc. (543, 571, 572)													1	3.4 3.4	i	3.5 3.5								
Cirrhosis of liver (581) Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587)	1 0	40.7	2				1	8.5 8.5	1				4	13.7	4	13.9			3	19.0	2	13.3	1	
incl. nephritis, nephritis with edema, fincl. nephrosis (590, 591) Chronic and unspect nephritis and other																			1	6.3	1	6.6		
renal sclerosis (592-594) Hyperplasta of prostate (610) Other diseases of genito-urinary system	1	23.4	1				2	17.0	2	17.0				•					2	13.6	2	13.2		
(900-609, 611-637)	1	23.4	1										3	10.3	3	10.5								****
Complications of pregnancy, childbirth and the puerperium (640-689)† Congenital malformations (750-759)							3	25.5	3	25.5			6	20.5	6	20.9				13.6	2	13.2		
atelectasis (760-762)	1	23.4	1										1	3.4	1	3.5			2	12.6	2	13.2		
and immaturity unqualified (769-776).	4	40.7	2				1	33.9	4	34.0			3	10.3	3	10.5			2	12.6	2	13.2		
Senllity, ill-defined and unknown causes (780-795)	1	93.4					6	50.9	6				7	23.9	7	24.4			3	10.0		19.8		
Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Sulcide (963, 970-979)	1	23.4 23.4	1				3 2	25.5 17.0		25.5 17.9			9	20.5 30.8 20.5	6 7 6	20.9 24.4 20.9	2		10 4 5	63.2 25.3 31.6		65.9 26.3 32.9		
Homicide and operations of war (964, 965, 960-999) All other diseases		70.1					2	17.0		17.0				30.8					4 2	25.3 12.6	3 2	19.8 13.2	1	
	ن	10.1	3				ت ا	11.0	ک ا	11.0			, ,	00.0	υ	01.4			ı -		~			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, F	OR	CO	UN'	rie Lie	S O	FT	ENI	LA VES	SEE	AN IN	[CT]	USI	VE	of OF	CIT	$_{ m IES}$, R	ESI]	AN I DEN	TO A	LOS1 D V I	ES \ 'A, :	N1T 1962	H ?
			ROA			1.74			ROBER						UTHER						SCO			
Estimated Population, July 1, 1962		TAL ,712 Rate	39.	ITE ,074 Rate	1,	white 638 Rate	27,	TAL 337 Rate	22,	. 576	Nonv 4, No.	761	51.	RAL 859 Rate	W11 47, No.	586 l	7.	white 273 Rate		413		410	Nonw No.	3
LIVE BIRTHS*	858	21.1	813	20.8	45	27.0	629	23.0	488	21.6	141	20.0	1,454	26.5	1,203	25,3	251	34.5	412	30.7	412	23.7		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified.	820 34 4		778 31 4		42 3		595 23 1		488		33		$\begin{bmatrix} 1,429 \\ 4 \\ 19 \\ 2 \end{bmatrix}$		I		237 3 11		358 7 45 1		358 7 46 1			
FETAL DEATHS†	14	18.8	13	18.0	1	23.2	11	32.3	7	14.3	7	49.6	20	13.8	16	13.3	4	15.9	10	24.3	10	24.3		
In hospitals Attended by physicians not in hospitals Attended by milwives Attended by others or unspecified	1		12 1		1		12 2		6 1				20		16		-4		10		10			
TOTAL DEATHS*	297	7.3	273	7.0	24	14.7	273	10.0	216	0.6	57	12.0	432	7.9	252	5.3	80	11.0	147	9.5	147	9.5		
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	15	11.7 17.5	14	12.3 17.2		22.2		20.7 27.0	9 12	18.4 24.6	5	28.4 35.5	38	17.2 26.1	31	18.3 28.3	4	12.0 15.9	12	21.8 29.1	12	21.8 29.1		
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhoid fever (040) Undulant fever (044) Dysentery, all forms (045-048) Searlet fever and streptococcal sore throat	5		4	10.2			2 2	7.3	2 2				3	5.5	2	4.2		13.7	3 2	19.5	3 2	19.5		
Scarlet fover and streptococcal sore throat (050, 051). Diphtheria (055). Whooping cough (056) Meningococcal infections (057)													1	1.8	1 1	2.1								
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085)																								
Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, *52-054, 061-074, 081, 083, 085-003, 095, 096, 120-138)																								
Malignant neoplasms (140-205)		2.5 117.9 2.5 7.4	1 45 1 3	3.6 115.2 2.6 7.7	3			106.1 18.3		57.4 22.1	7			1.8 105.7 10.9		2, 1 (13.5 13.6	4	55.0		123.8	19	123.8		
Pellagra (281). Avitaminosis and other deficiency states (280, 282-286). Anemias (290-293) Vascular lesions affecting central nervous							1	3.7			1				*****									
system (330–334)		117.9 2.5		112.6 2.6			42 2	153.6 7.8	30 1	132.9 4.4				129.4		117.7	15	300.2	18	110.8	18	116.8		
Rheumatic fever (400-402)	2	238.3 4.9 200.8	2	235.i 6.1			2 82	889.5 7.3	69	\$49.0 8.9			4	248.1 7.3 200.5	2	235.4 4.2 101.2	2	316.2 27.5		324.4 279.0	43	334.5 279.0		
disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of heart (444-447). General arteriosclerosis (450)	4 7 1 5	9, 8 17, 2 2, 5 13, 3		10.2 17.9	1		10	25.6 86.6 3.7 18.8	3 5	13.8 22.1 22.1	4 5		15 4 5	10.9 27.3 7.3 9.1	13 3 4	12.6 27.3 6.3 8.4	1 1	27.5 13.7 13.7	6 1 1	6.5 38.9 6.5	6 1 1	6.5 33.9 6.5 6.5 6.5		
Other dis. of circulatory system (451–168) Influenza (480–483)	1 8	2.5 2.5 19.7	1 6	2.6 2.6 15.4	<u>2</u>		4 4 8 2	14.6 14.6 29.5 7.3	4 8 2	17.7 17.7 35.4 8.9			7 19 1	13.8 84.6	6 17 1	4.2 12.6 35.7 2.1	1	41.2 13.7 27.5		8.5 28.0 13.0	4	23.0		
All other respiratory diseases (470-476, 510-527). Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553). Hernia and intestinal obstruction (560,	5 1	12.3	5 1	12.8			6 5		6 5	20.6				10.9	5	10.5	1	13.7	3 2	19,5 13.0	3 2	19.5 13.0		
561, 570)	1 1 4	2.5 2.5 9.8	1 1	2.6 2.6 10.2			1 1	3.7 3.7 3.7	1 1	4.4 4.4 4.4			2 3 2	3.6 6.5 3.6	2 2 2	4.2 4.2 4.2	ī	13.7	1 2	6.5 13.0	ī 2	$\frac{3}{6}, \frac{1}{6}$		
Other diseases of digestive system (530– 539, 542, 544, 545, 573–580, 582–587). Acute nephritis, nephritis with edema, incl. nephrosis (590,591).————————————————————————————————————	3 1	7.4 3.5	3 1	7.7 2.6			2 2	7.5 7.5	2	8.9 8.9			1	1.8 1.8	1 1	2.1 2.1								
renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).	6 2 2	14.7° 4.9 4.9	4 1 2	10.£ 2.6 5.1	1		2	14.6 7.8 7.3	3 1 1	4.4	1		7 3 4	12.8 5.5 7.8	2 1 2	4.2 2.1 4.2	5 2 2	37.5	1 1	$6.5 \\ 13.0 \\ 6.5$	2			
Complications of pregnancy, childbirth and the puerperlum (640-689)	5 1		5				2 2 1	7. š 7. š 3. 7	2		i		2 4 12 3	21.9	2 1 10 2	1.7 8.4 21.0 4.2	2		7	6.5	7	45.4		
and immaturity unqualified (769-776).	3	7.4	2	5.1	1		6	21.5	1	17.7	2		7	12.8	7	14.7			2	13.4	2	13,7		
Senility, ill-defined and unknown causes (780-795). Motor vehicle accidents (810-825). All other accidents (800-802, 840-962) Suicide (963, 970-979). Homicide and operations of war (964, 905,	9 8 9 4	9,8	7 9	23.0 10.2	1		3 6 9 7	21.8 32.8 25.6	6 4 7	26.6	5		26	31.0 47.4 3.6	18 2	2.1 2).4 37.8 4.2	8	41.3 110.0	3 8 1	19.6 19.8 51.:	51 3 57 8 57 4		 	
980-999) All other diseases	7	4.9 17.2	7	6.1 17.5			1 4	3.7 14.0		17.7	1		10 10	3.6 18.3		16.8	$\frac{2}{2}$	27.5 27.5		13.0 38.1	9 5	38.	9	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	OR	COU	JNT	IES	OI	T	ENN	ES	SEE	IN	CLU	JSI	VE ()F (CITI	ES,	RI	ESII	DEN	TI	DAT	A, 1	1962	
	- To	TAL	SEQU.			white	To	TAL		/IER	Non	white		OTAL		LBY	/Non	white	- To	TAL		NTH HTE	Non	white
	No.	952		950		2	21.	388	No. 24,	202 Rate		186	65	7,936	419, e No.	665	23	8.271	ll 11	.600		0.20		200
LIVE BIRTHS*	1	20.5		20.5	3		543	22.	541	23.4	2	10.8	16,46	1 25.0	3,800	21.0	7661	32.2	222	19.	205	13.6	17	29.
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	1 2		7 2				517 19 6 1		. 6								7555 95 9 2		94 127 1					
FETAL DEATHS†	1	8.8	1	8.5	3		6	11.6	6	11.			¶338	20.5	111	12.6	226	29.5	3	13.5	2	9.8	1	53.8
In hospitals	1		1				5 1		. 1				317 18 2 ¶1		109		208 16 2		1		1		1	
TOTAL DEATHS*	41	7.4	44	7.4			200	8.6	208	8.6	1	ŏ.4	5,951	9.0	3,274	7.8	2680	11.2	149	12.8	1 12	12.5	7	12.5
Under 28 days of aget Under one year of aget	5 6	$\frac{41.3}{49.6}$	5 6				8 11	14.3 30.3	8 11				373 512	23.7 31.1	163 196	18.5 22.3		27.4 41.2	8 11	30.0 49.6		34.1 48.8	1	58.8 58.8
CAUSE OF DEATH** Tuberculosis, all forms (001-019). of respiratory system (001-069). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (041). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051). Undulant fever (065) Whooping cough (050). Meningococcal infections (057).	1 1	10.8	1	16.8			1 1	4.1	1				35 32 16 1 2	4.9	14 3 1	3.3 3.3 0.7 0.2	18	5.5		8.6				
(050, 051). Diphtheria (055). Whooping cough (056). Meningococcal infections (057).													2 1 1 1	0.3 0.2 0.2 0.3		0.2	1 1 1	0.4 0.4 0.4 0.4						
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (025) Rables (094)													3 2	0.5		0.5		0.4						
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (101). Malaria (110-117). Other Infectivo and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 083-093, 095, 096, 120-138)			1				2	8.5	2	8.5			31	4.7	18	4.3	13	5.5						
Malignant neoplasms (140-205). Benlgn and unspec. neoplasms (210-230). Diabetes mellitus (260). Pellagra (2811). Avitaminosis and other deficiency states							!!	114.8 13.8		115.7 12.4			79 	12.0	-4	133.0 1.0 8.1	3 45	146.9 1.3 18.9	17 1 3	146.6 8.6 25.9	1	154.1 9.1 18.1		
(250, 282-286). Anemias (290-293). Vascular lesions affecting central nervous system (330-334). Nonmeningococcal meningitis (340).							1 25	4. 1 102. 5	25	103.8			9 9 935 16	0.8 1.4 142.1 2.4		0.7 0.2 118.7 1.2		0.8 3.4 183.4 4.6		8.6 301.7	32	9.1 200.1	3	
Rheumatic fever (400–402) Diseases of the heart (410–443)	<u>12</u>	201.6					83	340.8		338.8			1,872 41	6.2	25	273.3 6.0	$\frac{2}{725}$	0.8 304.3 6.7	52	448.3	50	453.3	2	
Chronic rheumatte heart dis. (410-416). Arteriosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443) typertension without mention of heart (441-447).	11 1	184.8 16.8 18.8		10.8			3 14	270.6 12.3 57.4 4.1	13 1	13.4 53.7 4.1	i		262 125	28.1 39.8 19.0	77 63 20	232.8 18.3 16.2 4.8	108 191 195	170.8 45.3 81.4 44.1	1 1	431.0 8.6 8.6 8.6	1 1	435.1 9.1 9.1	-	
Hypertension without mention of heart (441-447) General arteriosclerosis (450) Other dis. of circulatory system (451-468) Influenza (480-483)	ì	10.8	ĩ	16.8				16.4 12.3	3	1.2.4			112 82	12.5	42	10.0	40	13.0 10.8	3	25.9	3	27.2		
Pneumonia (490-493) Bronchitis (500-502) All other respiratory diseases (470-475, 510-527)	ī	16.8	ī	10.8			3 1	10.4 28.7 12.3	7	16.5 23.9 13.4 4.1			33 200 17 86	5.0 30.4 2.6 13.1	94 9 67	1.0 23.4 2.1 16.0	29 106 8	12.2 44.5 3.4 8.0	7 2	67.3 17.2 8.6		63.5 18.1		
Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560, 541, 570)							1	4.1	1	4.1			28 2	4.3 0.3	15 1	3.6 0.2	13 1	δ.δ 0.4	1	8.6	1	9.1		
561, 570)							2	8.2	2	8.3			20 29	3.0 4.4	11 8	2.6 1.9	9 21	3.8						
Cirrhosis of liver (531) Other diseases of digestive system (530- 539, 542, 544, 545, 573-580, 582-587)	1	16.8	1	16.8			4	16.4	4	18.5			36 54	5.5 8.2	22 33	5.2 7.0	14 21	5.9 8.8	1	8.6 8.6	1	9.1 9.1		
Acute nephritis, nephritis with edema incl. nephrosis (590, 591)													11	1.7	2	0.5	9	3.8						
Chronic and unspec, nephritis and other renal sclerosis (592-594) Hyperplasia of prostate (610)	1	16.8	1	16.8									34	5.2	11	2.6	23	9.7					-	
Other diseases of genito-urinary system (600-609, 611-637)							2	8.2	2	8.3			13 74	2.0	2 30	7.1	11 44	18.5						
Complications of pregnancy, childbirth and the puerperlum (640-689)†	2	33.6	<u>-</u> 2	33.6			1 5	1.8 20.5	1 5	1.8 20.7			8 96	0. ő 14. 6	$\frac{2}{56}$	0.2 13.3	6 40	0.8 18.8	2	ī7.2		18.1		
atelectasis (760-762) Infections of the newborn (763-763). Other diseases peculiar to early infancy, and immaturity unqualified (763-776).		50.4		50.4			2	8.2	2	8.3			69 16	10.5 2.4	2	13.6	12 11	5.0 5.9	-	17.2		27.2	1	
Sentlity, ill-defined and unknown causes	1	16.8	1	10.8				12.3		13.4			241	36.6		18.8		63.0		34.0			1	
(780-795) Motor vehicle accidents (810-835). All other accidents (600-802, 840-962). Sulcide (963, 970-979). Homicide and operations of war (964, 965,	4	ē7.z	4	 			6 6 4 2	24.6 24.6 16.4 8.2	6 6 4 2	24.8 24.8 19.5 8.3			149 123 153 50	22.6 19.5 23.3 7.6	82 87	11.4 19.5 20.7 10.7	46	43.4 19.3 27.7 2.1	3	8.6 25.9 25.9 25.9	1 3 3 3	9.1 27.2 27.3 27.2		
980-999)_ All other diseases	1	16.8	1	16.8			1 4	4.1 16.4	1 4	4.1 16.5			51 100	7.8 16.6	5 67	1,2 16.0	$\frac{46}{42}$	19.3 17.6	4	34.5	<u>4</u>	33.3		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.
**Includes one fetal death with race not stated.

RATES, BY RACE, 1	FOR CO	UNTIE	S OF T	ENNES	SEE IN	CLUSI	VE OF C	ITIES, RESID	DENT DATA, 1962
	TOTAL	STEWART WHITE	Nonwhite	TOTAL	SULLIVAN White	Nonwhite	Total	SUMNER WHITE Nonwhite	TOTAL WHITE Nonwhite
Estimated Population, July 1, 1962	7,553	7,325	No. Rate	118,139	115.599	2,510 No. Rate	36,730	32,578 4,152	28,564 17,366 11,193
LIVE BIRTHS*	138 18.5	129 17.6	9 39.5	2,605 22.1	2,541 22.0	61 25.2	862 23.5	738 22.7 121 29.9	708 27.0 387 23.3 411 33.7
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	4	86 41 2		2,584 18 2 1	18 1 1	1	838 14 9 1	736 102 2 12 9 1	515 353 192 129 34 86 133 133
FETAL DEATHS†	ĺ			36 13.8	35 13.8	1 15.6	11 1.2.8	9 12.2 2 13.1	
In hospitals	1	1		33	32	1	11	9 2	1 1 1
TOTAL DEATHS*	89 11.8	85 11.6	4 17.5	773 6.5	740 6.4	33 13.0	366 10.0	321 9.9 42 10.1	282 9.9 154 8.9 128 11.4
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	3 21.7 4 29.6	3 23.3 3 23.3		31 11.9 36 - 13.8	31 12.2 36 14.2		7 8.1 14 16.2	7 9.5	
Tuberculosis, all forms (001-019). of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (015-048). Scarlet fover and streptococcal sore throat	1 13.2	1 13.1		9 7.6			4 10.9 4 10.9	4 12.3	2 7.0 2 17.9 1 3.5 1 5.8 1 8.9
Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)		l							
Tularemta (050)									
Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094)					******		2 5.4	2 6.1	
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 031, 033, 036-093, 095, 093, 120-138)							2 5.4	2 8.1	1 8.0
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239). Diabetes mellitus (260)	7 93.7	6 81.5	1	113 99.9 2 1.7 9 7.6	110 95.2 2 1.7 9 7.8		62 168.8 5 13.6	50 171.9 6	32 113.0 21 138.2 8 71.4 2 7.0 2 11.5 4 14.0 3 17.3 1 8.9
Avitaminosis and other deficiency states (280, 282-286) Anemias (290-293) Vascular lesions affecting central nervous system (290-234)	14 185.4	13 177.4	1	2 1.7 3 2.5 87 73.6	3 2.0		55 149.7	47 144.3 8	1 3.5 1 1 8.9 47 184.5 25 144.0 22 196.5
Nonmeningococcal meningitis (340)									2 7.0 1 5.8 1 8.9
Rheumatic fever (400-402). Diseases of the heart (410-443)	39 516.4			285 241.2 9 7.6 233 197.2	9 7.8		1 9.7 142 380.3 2 5.4 124 337.6		61 213.6 43 247.6 13 162.7
disease (420-422). Other diseases of heart (430-434). Hypertension with heart dls. (440-443). Hypertension without mention of heart (444-447). General arterlosclerosis (450).	4 53.0	3 41.0	//		18 15.6 21 18.2 4 3.5	3	3 8.2 13 35.4 5 13.6 13 35.4	5 15.3	11 88.5 4 23.0 7 62.5 3 10.5 1 5.8 2 17.9
Other dis. of circulatory system (451-468) Influenza (480-483)		0 41.		10 8.5	10 8.7		1 2.7	1 3.1 1	2 7.0 1 5.8 1 8.9
Pneumonia (490-493) Bronchttis (500-502) All other respiratory diseases (470-475,	1 53.0			25 21.2	25 21.6		8 21.8	7 21.5 1	15 03.6 7 40.3 8 71.4 1 3.5 1 5.8
510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553)		1 13.	7	18 15.3 5 4.3			5 13.6 1 2.7	4 12.8 1	3 10.6 3 17.3
Mernia and intestinal obstruction (560, 561, 570) Gastritis, enteritis, etc. (543, 571, 572)				6 5.1 2 1.7	6 5.5 2 1.7		1 8.7	1 8,1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cirrhosis of liver (581)			-	5 4.8 8 6.8	1		5 13.6 4 10.9	4 12.3 1	3 19.5 2 11.5 1 8.9
Acute nephritis, nephritis with edema incl. nephrosis (590, 591)			-	1 0.8	1	1	1 2.7	1 3.1	4 14.0 1 5.8 3 26.8
renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).		1 13.	7	7 5.6	1 0.5	/	3 8.2	3 0.2	1 3.6 1 6.8 4 14.0 3 17.5 1 8.9
Complications of pregnancy, childbirth and the puerperium (640-639)†Congenital malformations (750-759)				1 0.4 14 11.5			5 13.0	5 15.3	1 1.3 1 2.4
Birth injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776).	1 13			8 0.8 1 0.8 10 8.8	1 0.5	/	2 5.4 1 2.7 4 10.9		1 3, 5 1 5, 8 3 29, 8 1 8, 9 10 85, 0 3 17, 3 7 02, 5
Senility, ill-defined and unknown cause	1 13		ē 1	11 9.3	9 7.8		1 2.7	1 3.1	21 73.5 21 187.5 12 42.0 7 40.3 5 44.7
Motor vehicle accidents (810-825) All other accidents (800-802, 840-902) Sulcide (963, 970-979) Homicide and operations of war (964, 965	2 26.	5 2 27. 5 2 27.	3	30 25 32 27 11 9.3	27 23 3 11 0	5	10 27.2 6 18.3 3 8.2	6 18.4	11 38.5 6 34.6 5 44.7 2 7.0 1 5.8 1 8.9
980-999)	2 26.	5 2 97. 7 3 41.	8	3 2.8 29 24.8			4 10.5		1 3.5 1 5.8 1 8.9

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Contined)—BIRT RATES, BY RACE, FO	rhs or (, FE COU	ETAI JNT:	L D IES	EA' OF	THS TH	, DI	CAT ESS	HS	AN IN	D L	DEA JSIV	THS E 0	F C	ROM CITI	IM ES,	IPO RF	RT. ESII	ANT DEN	${}^{'}$ CA	LUSI DAT.	ES V A, 1	ИІТ 962	'H
	T'0	TAL	TROU			white	To	rat.		COL	Nony	white	To		UNI Wii		Mon	white	Тот		VAN E	BUREN		white
Estimated Population, July 1, 1962		779	3,9 No.	184	79	15	15.	082		075		7	8.4	159 Rate	8.4	57		2	3,6 No.	12.1	2 1	508	9	ra e
LIVE BIRTHS*	97	20.3	79	19.8	18	23.6	309	20.5	309	20.5			157	18.6	157	18.6			71	19.0	71	19.7		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified							309		309				148 6 3		148 6 3				29 42		29 42			
FETAL DEATHS†	1		1		í	55.6	6	19.4	6	19.4									5	70.4	5	70.4		
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	1						6		G										1 4		1 4			
TOTAL DEATHS*	l .	13.4	1	14.1	8	10.1	130	8.0	130	8.0			76	9.0	76	9.0			35	9.7	35	9.7		
Under 28 days of agetUnder one year of aget	3 3	30.9 39.9	2 2	25.3 25.3	1	55.6 55.6	6	19.4 19.4	6 6	19.4 19.4			4 4	25.5 25.5	4	25.5 25.5			3	48.3	3	42.3		
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-020) Gonococcal infection (030-035) Typhoid fever (040) Undulant fever (041) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055)								13.3	2 2	13.3			3 1	35.5	3 1	35.5								
Meningococcal infections (057)																								
Tularemia (059) Acute pollomyelitis (080) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110–117) Other infective and parasitic diseases (036–039, 011, 042, 049, 052–054, 061–074, 081, 083, 036–093, 055, 096, 120–138)																				27.6				
Malignant neoplasms (140-205) Benign and unspec, neoplasms (210-239) Diabetes mellitus (260) Peliagra (281) Avitaminosis and other deficiency states (280, 282-286) Anemias (200-203) Vascular lesions affecting central nervous system (330-234) Nonmeningococcal meningitis (340)	5 1 	188.3	1		3			159.1	21	79.6			2	82.8 23.6	2	82.8			4	110.4	6			
Rheumatic fever (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arterioscierotic and degenerative heart disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of heart (444-447). General arterioscierosis (450).	17 14 1 2	355.7 292.9 20.9 41.8	14 1 1 1		1		1 47 3 1	338.2 6.6 311.6 19.9 6.6 19.9	47 3 1	338.3 6.6 311.8 19.9			30 21 8 1	354.7 248.3 94.6 11.8	30 21 8 1	11.8			11 11 5	493.7 27.6 303.5 27.6 138.0	5			
Other dis. of circulatory system 451-468) Influenza (490-463) Pneumonia (490-403)	1 1 7	20.9 20.9 146.5			ī		1 1	6.6	1	6.6			2 2 2	23.6 23.6 23.6	2 2 2	23.6 23.6 23.6			2	27.6 55.2	2			
Bronchitis (600–502). All other respiratory diseases (470–475, 510–527). Ulcer of stomach and duodenum (510, 541) Appendictits (550–553). Hernia and intestinal obstruction (660, 501, 570). Gastrilis, entertils, etc. (543, 571, 572)	2	41.8	2				2	13.3	1	13.3			1	11.8	1	11.8			1	27.6	1			
Cirrhosis of liver (581) Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema, incl. nephrosis (530, 591) Chronic and unspec. nephritis and other renal sclerosis (502-594) Hyperplasia of prostate (510)		41.8	2					13.3 13.3 13.6 6.6		13.3 13.3 13.3 6.6			1	11.8	1	11.8								
(900-609, 611-637). Complications of pregnancy, childbirth and the puerperium (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxia and attective (770-759).	i	20.9	i		;		3	19.9	3	19.9				11.8		11.8								
Other diseases peculiar to early infancy, and immaturity unqualified (709-776). Senilty, ill-defined and unknown causes (780-705)		20.9	1		1	,,	2	19.9 13.8	2	19.9 13.8			2	11.8 23.6 47.3	2	11.8 23.6 47.3			*****					
Motor vehicle accidents (810-825). All other accidents (800-802, 840-902). Suicide (963, 970-970). Homicide and operations of war (964, 905, 930-909). All other diseases.	1 3 3	62.8	3 3				<u>-</u> 5	33.2	7 4 5	40.4 26.5 33.2			<u>2</u> <u>2</u>	23.0		23.6 23.6			i	27.0	ī			
Rate per 1,000 population. Rate per	1.000	live b	irths.	The	se rat	es are	not ca	lculat	ed wh	en the	e num	ıber o	f birth	s is le	ss that	n 10.					_			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO)R (COU	NT.	IES	OF	TE	NNI	ESSI	EE .	INC	LU	SIV	ΕO	FC	ITI	ES,	RE	SID	ENT	D.	ATA	., 19	62	
			WAR	REN				W	ASHIN Whit	GTON		\	Тот		WAY	ΝĒ	Yonw	11	Тот		WEAK	LEY	Yonwl	hite
Estimated Population, July 1, 1962	To: 23, No.	232 Rate	Wiii 22, No.	4 4 20	1 0	hite 87 Rate	Тот. 65,7 No.		69 9	മെ	9 1	69 H	11 0	ing I	11 7	no	20	a 11	93 6	13.1	21 9		1.69	31
LIVE BIRTHS*	545	23.5	503	23.7	42	38.G	1,416	21.5 1	,330	21.0	86	34.9	242	20.3	238	20.3	4	19.4		16.8	359	16.4	37 .5	23.0
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	535 5 5		491 5 4				1,399 12 5	1	10		2		229 11 2		225 11 2		4		40 3 1					
FETAL DEATHS†		11.6						12.6		10.5		34.9	2	8.8	2	8.4			7	17.7	7 6	19.5	•••	
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.			6						13		3		1		1				1		i			
TOTAL DEATHS*	1	9.3		9,1		13.8	635	9.7	598	9.4		15.0	103	8.6	101	8.6	2	9.7		13.9	282 3	12.8	22	13.1 27.0
Under 28 days of aget	8 9	14.7 16.5		11.9 13.9		47.6 47.6	33	17.7 23.3 10.6	32	18.0 34.1	1	11.6	7	20.7 28.9	7	27.4				17.7	6	16.7		27.0
Tuberculosis, all forms (001-019). of respiratory system (001-019). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (015-048). Scarlet fever and streptococcal sore throat	2	8.0	2	9.0				10.6	7 	11.1				8.4	1	8.5								
(050, 051). Diphtheria (055). Whooping cough (655). Meningococcal infections (057).							1	1.5	1	1.6														
Tularemia (050) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (004)	1	4.3	1	4.5																				
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (101). Malaria (110-117) Other infective and parasitic discases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 080-093, 095, 096, 120-133).							5	7.6	5	7.9										4.2	1	3.6		
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239). Diabetes mellitus (260) Pellagra (231)		137.7		140.0	1		1	141.4 1.6 10.6	i	184.8 1.6 11.1				100.8	12	102.5			1	181.9 4.2 33.8		36. 3	1	
Avitaminosis and other deficiency states (280, 282-286) Anemias (200-293) Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	31	133.4	31	140.0			104	1.5	98	1.6			14	117.6	13	111.1	1		39	165.0	31	154.9	5	
Rheumatic fever (400-302). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Atterlascheroic and degenerative hear	90	4 400.s 8.6 335.1	3 1 88 7 70	4.5 397.4 4.5 343.2	5 1 2		172	316.3 10.6 261.5 15.2	6 164	306.5 9.5 259.1 15.8	8		40	335.9 16.8	10	401.6 341.8 17.1			101	405.4 4.3 449.0 4.2	100	482.8 4.6 4.6 4.6	4	
disease (420-422) Other diseases of heart (430-431) Hypertension with heart dis. (440-443 Hypertenslon without mention of hear (444-447) General arterlosclerosis (450)		4.0	3	18,1	1 1		19 2 10	28.5 3.0 15.2	14 2 10	22.1 3.2 15.8	5		6	50.4 16.8	5		1		12 6	16.9 50.8 25.4 21.3	12 6	18.2 54.7		
Other dis. of circulatory system (451–168) Influenza (480–483) Pneumonia (490–493) Bronchittis (500–562)	-	1 4.4 5 31.4	3 1 5 5	13.6 13.6 13.6	3		5	21.3 7.6 38.0	5	7.5			i 1	8.4	1 1	8.0			9			31.9		
All other respiratory diseases (470-475 510-527) Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560	5	3 25. 2 8.	9 1	9.0	2		7 8		7 8] 1	8. j		8.5 8.5			5	21.2	5	23.8		
561, 570) Gastritis, enteritis, etc. (513, 571, 572)	-	3 12. 	-				5	3.0 7.6 3.0	5	1.6 7.8 3.2	1								6					
Cirrhosis of liver (581) Other diseases of digestive system (530 539, 542, 544, 545, 573-580, 582-537) Acute nephritis, nephritis with edema incl. nephrosis (590, 591)	i,	3 13. 2 8.	1	, ,			6	9.1	5				2	10.8	2	17.1			2		1	9.1		
Chronic and unspec, nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary syster (600-609, 611-637)	ń	4 17. 2 8.		1 18.	-		7 3	10.6 4.6		11.1 3.3			1 2						2	8.7	5 2		1	
Complications of pregnancy, childbirt and the puerperium (640-689)† Congenital malformations (750-759) Birth injuries, postnatal asphyxia an atelectasis (760-769) Infections of the newborn (763-768)	d	2 8. 2 8.		i 3./			5 9 2	13.7	9	14.3	2		3			25.6 8.6	3			12.			.1	
Other diseases peculiar to early infancy and immaturity unqualified (769-776)	7.	3 12.	9	3 13.	5		10	15. ŝ	10	15.3	8		1	8.4	1	8.4			- :	2 8	5 2	2 9,	1	
Senlity, ill-defined and unknown cause (780-795) Motor vehicle accidents (810-835). All other accidents (800-802, 840-902) Sulcide (963, 970-979). Homicide and operations of war (964, 96, 980-999);	5,	5 21. 4 17. 5 21. 1 4.	3 5 7		5		168	30.4 24.8 12.2 7.6	19	3 13.0 5 7	0 1		.]] (35.3 50.3 8.3	t t	51.	3		1	1 10.	2	8 27.8 9 41.6 9 41.6 4 18.3	0 1	
All other diseases	<u> </u>	2 8.	"	Δ <i>9</i> .	0		13						(f.) steel	hatel	oon th	an 10	1		11		1			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO	OR	COT			3 01	FT	ENN					JSIV	Æ C)F (RF	SIL
Estimated Population, July 1, 1962		TAL	WE	HITE		white		TAL	WILLIA	ITE	Non	white	To		WIL	TE	Nonw	
	No.	577 Rate		139 Rate	No.4	38 Rale	No.	120 Rate	20,: No.	Rate	No.	038 Rate	No.		No. 23,7	52 Rate	No.	Si Rate
LIVE BIRTHS*	i i	19.6	1			18.3	11	22.0	1		1	23. G		21.8	408	21.0	109	26.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	1 1		285 10 1		6		576 2 2 1		431 1 2		142 1 1		572 23 11 1		437 10 1		85 13 10 1	
FETAL DEATHS†	6	19.7	6	20.1			11	18.9	8	18.3	1		7	11.5	5	10.0	2	13.9
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	6		8				11		8		3		7		5		2	
TOTAL DEATHS*	į	11.7	f	11.8	3	6.8	255	10.0	206	10.1	49	9.7	305	10.9	255	10.7	50	12.0
Under 28 days of age† Under one year of age†	ſ	36.1 39.3					10 16	17.2 27.5	8 12	18.3 27.5		13.9	12	19.8 29.7	9	18.1 24.1	3	27.5 55.0
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008)	1	6.4	1	6.6			2	7.9	2	9.8								
Syphilis and its sequelae (020-029)							2	7.9		9.8			<u>î</u>	3.6		4.2		
Typhoid fever (040)Undulant fever (044)																		
of respiratory system (001-003) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhoid fever (040) Undulant fever (044) Dysentery, all forms (045-049) Scarlet fever and streptococcal sore throat (050, 051)						****												
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal Infections (057)																		
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094)							i	3.9	1	4.9								
Measles (085) Rables (094)							i	3.9	î	4.9								
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (101) Malaria (119-117)																		
Malaria (119-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 120-138)							1	3.0	1	4.9			1	s. c	1	4.2		
Malignant neoplasms (140-205)	23	147.7	23	151.9			26	102.3	22	107.9	4	79.4		118.3 10.8	$\substack{31\\2}$	130. ū 8. 4	$\frac{2}{1}$	
Malignant neoplasms (140-205). Benign and unspec. neoplasms (210-229). Diabetes mellitus (280). Pellagra (281). Avitaminosis and other deficiency states (280, 282-286). Anemias (290-293). Vascular lesions affecting central nervous system (230-324).		6.4	1	6.6				11.8	2	9.8	1 	19.8						
(280, 282–286) Anemias (290–203)							1	3.9			1	19.8						
Nonmeningococcal meningitis (340)	31.	218.3	31	204.8	3		38	149.5	35	171.7	3	£9.5	60	215.0	51	214.7	9	
Rheumatic fever (400-402) Diseases of the heart (410-413) Chronic rheumatic heart dis. (410-419) Arterioschrotic and degenerative heart	73	403.6	73	483.3			98	385.5	73	358.2	25	498.3	106	379.5	38	370.5	īŝ	
Arterlosclerotic and degenerative heart disease (420-422)	63 .	430.5	83	449.2			87	342.8		323.8	21	410.8		301.0		303.1	12	
Arterloscierotic and degenerative heart dis. 410-419). Arterloscierotic and degenerative heart disease (420-422). Other diseases of heart (430-434). Ifypertension with heart dis. (440-443) Hypertension without mention of heart (444-447).	4	6.4 25.7 13.8	2	26.4 13.2			6	19.7 23.6	3	19.6	1	19.8 59.5	. 4	14.3 64.5	4	16.8 50.5	6	
General arterlosclerosis (450) Other dis. of circulatory system (451-468)_		77.0 19.3	$\frac{12}{3}$	79.3 19.8			8	31.0	8	39.3			9	33.3 7.2	8	33.7 4.2	1	
Influenza (480-483) Pneumonia (490-493) Bronchitts (509-502)							11 	23.6 43.8	4 8	19.6 39.3	2 3	\$9.7 59.5	1 6	3.6 21.5	1 5	4.2 21.1	1	
All other respiratory diseases (470-475, 510-527)							5	13.7	4	19.6	1	19.8	9 2	32.3	6	25.3	3	
Appendicitis (550-553) Hernia and intestinal obstruction (560,														7.3	2	8.4		
561, 570)Gastritis, etc. (543, 571, 572)	1	6.4	1	$egin{array}{c} \mathcal{C}.\mathcal{B} \\ \mathcal{B}.\mathcal{B} \end{array}$			î	3.9			ĩ	19.8	$\frac{2}{1}$	7.2 3.6	$\frac{2}{1}$	8.4 4.2		
Cirrhosis of liver (581) Other diseases of digestive system (530-													1	3.6	1	4.2		
539, 542, 544, 545, 573-580, 582-587)							5	19.7	5	24.5								
Chronic and unspec. nephritis and other renal sclerosis (592-594)							1	3.9	1	4.9			3	10.8	3	12.6		
Hyperplasia of prostate (610) Other diseases of genito-urinary system (900-609, 611-637)	1	6.4	1	6.6			1 2	3.0 7.0	1 2	9.8			3 2	7.2	3 1	13.6 4.2	1	
Complications of pregnancy, childbirth and the puerperium (640-689)†							<u>2</u>	7.9	2	9.8			1 1	1.6 3.6	1	2.0 4.2		
Birth injuries, postnatal asphyxia and atelectasis (760–762)	$\frac{2}{1}$	13.8 6.4	$\frac{2}{1}$	13.2 6.6			$\frac{1}{2}$	3.9 7.9	1	4.9	_Î	19.8	5 1	17.9	3	12.0	2	
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)		44.9		43.2				15.7	3	14.7		19.8		3.6 14.3	1 3	4.2 12.6	1	
Senility, Ill-defined and unknown causes (730-795)		32.1 19.3		#3.0 10.8				11.8 15.7	2 4	9.8 19.6	1	19.8		43.0 21.5		37.9 25.3		
All other accidents (800–802, 810–962) Sulcide (963, 970–979)	6	33.6 19.3	6	39.6 19.8			11	43.3 23.6	9	44.2	2	39.7	15	53.8 14.3	11	49.3 12.6	4	
Homicide and operations of war (964, 965, 980-999)	·3	19.3	3	19.8				11.8 31.5	$\frac{2}{6}$	9.8	$\frac{1}{2}$	19.8 39.7	2 9	7.2 33.3	$_{7}^{2}$	8.4 29.5		
						- 1				"					<u>.</u>			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE XI—BIRTHS, FETAL DEATHS, DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR FOUR COUNTIES OF TENNESSEE EXCLUSIVE OF CITIES OF OVER 100,000 POPULATION, RESIDENT DATA, 1962

	POPULATIO DAVIDSON TOTAL WHITE Nonwhite 162,760 152,505 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,255 10,2													2										
					Mann	hita	Тот		HAMIL Witt		Nonw	hite	Тот	A 7	KNO		Vonn	vhite	Tor	AT. I	SHE		Nonw	hite
Estimated Population, July 1, 1962	162,7		152,8		10.		113,8		108,	774	5,11 No.	0	123,8	165	121,8	68	1,99	97	140,1 No.	43	91,	159	45,9 No.	84
LIVE BIRTHS*	3,558	21.9	3,334	21.9	224	21.8	2,473	21.7	2,385	21.0	88	17.9	2,473	20.0	2,440	20.0	33	16.5	3,918	28.0	2, 137	25.9	1481	32.2
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	18		3,320 13 1		219 5		28				86 2		30		28				138				3	
FETAL DEATHS†	47	13.2	41	12.3	6	26.8	31	13.5	26	10.9	5	50.E	41	10,6	39	18.0	2	69.6	71	18.9	34	14.0	40	27.0
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.			41		6				25 1		5		2		2				70		34			
TOTAL DEATHS*	952	5.8	872	ij.γ	80	7.8	769	c. s	733	C.7	36	7.0	836	6.7	810	6.6	26	13.0	876	6.3	454	4.8	122	9.3
Under 28 days of aget Under one year of aget	64 85	18.0 23.9	60 80	18.0 24.0	4 5	17.9 22.3	45 67	18.2 37.1	41 61	18.4 20.8	1 3	11.4 34.1		14.6 20.2		14.3 29.1	1	30.8 30.8		17.6 27.1		13.3 17.6		20.3 49.5
CAUSE OF DIEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (049). Undulant fever (041). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051).	9 2		2	5.9 5.2 1.3	1	9.8	9 9 1	7.9 7.9 0.9	9 9 1	8.3 8.3 0.#			6 5 1	4.8	8 5 1	4.9			5 4 3	3.6 3.9 2.1	1 1	1.1	1	8.7 6.5 6.5
Diphtheria (055). Whooping cough (056). Meningococcai infections (057)	i	0.6	i	ō.7																				
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (055) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (101)	1	0.6	1	0.7			1	0.9	î	0.9			1 1	0.8	1	0.8 0.8		****	1	0.7	1 1	1.1		
Malaria (110-117). Other infective and parasitic disease: 035-039, 041, 042, 049, 052-054, 001-074 081, 083, 086-093, 095, 096, 120-138)	3						6	5.3	5			19.6	1	0.8	****		1		5	3.6	3	3. 2 74. 3	2	3.5 103.4
Malignant neoplasms (140-265) Benign and unspec, neoplasms (210-239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency state	1 12			97.7	1		11	9.7	10	9.2		97.8 19.6	2	99.3 1.6 11.3	2	97.6 1.6 11.5			118 5	84.0 3.8				2. 3
(280, 282–286). Anemias (290–293) Vascular lesions affecting central nervou system (330–334). Nonmeningococcal meningitis (340).	98	60.2	89		9			90.6 1.8	103	97.4		78.5	2			58.3	3		1 125 4	9.7 89.2 2.9		61.6	2	9.2 145.7 4.3
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative hear disease (420-422)	t 309	220.6 2.5 189.8	286	187.8	23	253.5 224.3	196	0.9 200.0 7.0 172.1	191	0.9 207.8 6.4 175.6 10.1	12 1 5	234.8 19.6 27.8	11	230.3 8.9 200.1 8.1	11	249.5 9.0 209.2 8.2			190	0.7 185.5 3.6 135.6 18.6	158 2	167.8 2.1 143.4 11.3	3 50	231.8 8.5 131.8 33.6
Other diseases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of hear (444-447). General arterlosclerosis (450).	i 36 23 21	6. 1 23. 1 4. 1 12. 3	33 7 7 20	21.6 4.6 13.1	3 1 1	9.8	23 3 11	9.7 20.2 2.6 9.7 8.8	17 3 10	2.8 9.8	6 i	117.4 19.6	39 5	24.2 4.0 24.2	29 3 27	23.0 2.5 23.2 0.8	$\frac{2}{3}$		39 20 19	37.8 14.8 13.6	11	11.7 1.1 18.1	23 1 19 2 2	41.5 41.5 4.5 4.3
Other dis. of circulatory system (451-468) Influenza (480-483) Pneumonia (490-493)	. 3	1.8	8 2		1	9.8 29.8	1	0.9 29.5		0.5		19.9	1 22	3.2 17.8	3 22	2.5 18.1	1		22	15.7	11	11.	7 11	$\frac{\theta}{3}$, $\frac{3}{2}$
Bronchitis (500–502) All other respiratory diseases (470–475 510–527)	1 13	8.6	13	8.7	5	39.3	11			13.6			15 3	12.1	15	12.3			12 3	8.6	10	10.	9 2	4.3
Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560 561, 570)	- 1		3 1	0.7	7	37.0	2	1.8	2	1.8			$\begin{vmatrix} 2 \\ 6 \end{vmatrix}$	1.6 4.8	6	4.9			3					2. 3 15. 2
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581). Other diseases of digastive system (530, 530, 542, 544, 545, 573-580, 582-587)	<u>-</u>] 6	3.	7 6	3.1	9		3 6	1.8 2.6 5.3	3	2.1	3		10 2	4.0 8.1 1.0	9	4.1 7.4 1.6			6	5.7 4.8 7.8			2 2	4.3 19.9
Acute nephritis, nephritis with edema incl. nephrosis (590, 591) Chronic and unspec. nephritis and othe renal sclerosis (592-594) Hyperplasia of prostate (610)	i, ir	1.	s 3	2.6	9	****	 	6.1 0.9		6.			7	0.8 5.7	_	0.8 5.7			0	4.3	5		- -	13.0
Other diseases of genito-urinary system (600-609, 611-637)	8						11				.}		8	6.5	8	6.6			. 7	5.0	1	1 1.	0	18.0
Complications of pregnancy, childbirt and the puerperlum (640-659). Congenital malformations (750-759) Birth injuries, postnatal asphyxia an atelectasis (760-752). Infections of the newborn (763-768) Other diseases peculiar to early infancy	d 21	12	21 2 1		7 1	9.8	1 1 2	1.8	11		i	19.6		9.7 1.6	11 2	9,6 1.6			23 13 4	16. 9.3	1 1: 3 1:	i ii.	3 4	6.5
and immaturity unqualified (769-776). Senility, ill-defined and unknown cause	- 29	17.	20	17.0		39.3	l	14.9		15.0				19.8		13,1							Ì.	73, 3
(780-795)	7 35 29 17	21. 17. 10.	5 20 4 17	1 22.3) 15. ! 11.	8 1 1 9 1	9.8 87.8	23 27 6	30.2 23.7 5.3	23 27 5	24.0	1	137.0 19.6	29 20 18	29, 3 23, 4 24, 2 14, 5	29 29 18	23.8 14.8	1		28	20. 16. 8.	0 1 3 1	9 9. 6 17. 4 14. 4 4. 1 1.	0 12 9 9 2	29.1
980-999) All other diseases	- 1	5. 13.		11.	$\left. egin{array}{c c} g & 2 \\ I & 3 \end{array} \right.$	10.4 29.5	16	7.0 14.0		13.	2	39. 1	i $\frac{2}{21}$	17.0 17.0	21					14.		9 9.		33.9

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
*Rates from specific causes per 100,000 population with exception of maternal death rate. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.