Tennessee State Library and Archives

Digital Tennessee

Bulletin Health

1966

Annual Bulletin of Vital Statistics For The Year 1966

Tennessee. Department of Health

Follow this and additional works at: https://digitaltennessee.tnsos.gov/health_bulletin

Recommended Citation

Tennessee. Department of Health, "Annual Bulletin of Vital Statistics For The Year 1966" (1966). *Bulletin*. 20.

https://digitaltennessee.tnsos.gov/health_bulletin/20

This Report is brought to you for free and open access by the State of Tennessee and Tennessee State Library & Archives. It has been accepted for inclusion by an authorized administrator of Digital Tennessee. For more information, please contact renee.register@tn.gov.

STATE OF TENNESSEE DEPARTMENT OF PUBLIC HEALTH

NASHVILLE

Annual Bulletin

of

VITAL STATISTICS

FOR THE YEAR

1966

BY RACE, FOR () I I I.	EO (ATH		11/17/	יונונו	E ()1	. 0	BRIS		000	1 01	ULA		ATTAN			214 1				SVILLE		
Estimated Population, July 1, 1966	Ton	FAL 466	WH		Nonw 99		Тот 20.		WHI 19,5	TE	Nonw		Тот	AL	WHI 82,	TE	Nonw 40,9		To:		WII	1TE 755	Non	white
Estimated Population, July 1, 1990	No.	Rate	No.	Rate	No.	Rate	No.	Rate				Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.		No.	
LIVE BIRTHS*	242	18.0	227	18.2	15	15.2	321	15.5	308	15.4	1.000	6.00	2,468			16.9	1,078	26.3	521	19.8		19.3	140	21.3
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	1		226 1		15						1		2,450 17 1		13		1,074		507 2 12		381		126 2 12	
FETAL DEATHS†		24.8	5	22.0	1	66.7	5	15.6	5	16.2			56	22.7	25	18.0	31	28.8	11	21.1	8	21.0	3	21.4
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.			4 1		1		5						54 2		23 2		31		10		8		2 <u>1</u>	
FOTAL DEATHS*		7.8	98	7.9	7	7.1	199	9.6	182	9.1	17	23.1	1,487	12.1	941	11.4	546	13.3	236	9.0	143	7.2	93	14.1
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	6 6	24.8 24.8		26.4 26.4			9 11	28.0 34.3	7 9	22.7 29.2		153.8 153.8		18.2 25.1		16.5 20.1	22 34	20.4 31.5	10 12	19.2 23.0	3 5	7.9 13.1		50.0 50.0
Puberculosis, all forms (001–019) of respiratory system (001–008) Syphilis and its sequelae (020–029) Gonococcal infection (030–035) Pyphoid fever (040) Undulant fever (044) Dysentery, all forms (045–048)							2 2	9.7	1	5.0				13.8	9 8 1	10.9		19.5	2 2 1	7.6 7.6 3.8	1		1	15. A 15. A 15. A
(050, 051). Diphtheria (055). Whooping cough (056). Meningococcal infections (057).																								
Fularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085). Rabies (094). Fyphus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110–117). Other infective and parasitic diseases (038–039, 041, 042, 049, 052–054, 061–074,			ī	8.0									2 1	1.6	2 1	2.4						10.4		
081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205) Senion and unspec, neoplasms (210-239)_	20	148.5	19	152.3				120.9	25	125.4			225 4 27	182.7 3.2	148 2	3.6 180.0 2.4 15.8	2	188.1		7.6 163.9	30	10.1 151.9	13	197.
Diabetes mellitus (260) Pellagra (281) A vitaminosis and other deficiency states (280, 282–286)		7.4	1	8.0			3	14.5		15.0			27	21.9 1.6	13	1.2	<u>i</u>	2.4		11.4				40.
Anemias (290–293) /ascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)		52.0	4	32.1	3		26 1	125.8 4.8		125.4 5.0			199 5	161.6 4.1		144.7		195.5 7.8		98.7	13	65.8		197.
Rheumatic fever (400–402) Diseases of the heart (410–443) Chronic rheumatic heart dis. (410–416) Arteriosclerotic and degenerative heart		349.0		368.7			2		2	366.1 10.0			4		3		1	\$12.7 2.4	1	269.6 3.8	1			349.
disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of heart	39 3 5		3 5	304.6 24.6 40.1			69 2 8	38.7	1 8		1		28 53	319.1 22.7 43.0	16	367.2 19.5 35.3 8.5	12	222.3 29.3 58.6	3 10	216.4 11.4 38.0	1	5.1 5.1 5.1	2	182. 30. 136.
(444-447) General arteriosclerosis (450) Other dis. of circulatory system (451-468)	4	14.9 29.7		32.1			9 3	43.5	8	40.1	1 2		29	23.5 19.5	22	26.8 20.7	7	17.1 17.1	4 2	15.2	3	15.2 10.1		15.
influenza (480–483) Preumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	3			8.6			8 1 6	38.7 4.8	7	35.1	1		46 6 17	37.3 4.9	5	32.8 6.1 14.6	19 1 5		6	3.8	3 1	15.2 5.1 20.2	3	\$5. 30.
510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)			1	8.0			2	9.7	2	10.0			8	6.5	7	8.5	1	2.4	1	3.8			1	
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530-							1	4.8		5.0			11	8.9	3.5	12.2	1	2.4		5.8		2 10.1		10. 15.
539, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema, incl. nephrosis (590,591). Chronic and unspec. nephritis and other							1	4.8	1	5.0			1			19.5	1			71.				30.
renal sclerosis (592–594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600–609, 611–637)		7.4	1	8.6			1	4.8	1	5.0			19 4				13 3 3	7.3		3.8				15.
Complications of pregnancy, childbirth and the puerperium (640-689). Congenital malformations (750-759). 31rth injuries, postnatal asphyxia and atelectasis (760-762). nfections of the newborn (763-768).		29.7	4	32.1			3 1	14.5	3	10.0 15.0	1			10.6 13.0 3.2	10	12.2		12.2 14.7 4.9	1 3	11.	3 1 4 1		2	71. 2 50. 15.
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	14.9	2	16.0				19.5		15.0	1			17.0			13	31.8	5	19.0		2 10.1		45.
Senlitty, ill-defined and unknown causes (780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979) Homicide and operations of war (964, 965,	1 5		1 4		1		4 6 3	29.0	6	20.1 30.1 15.0	1		41 45 11	$\frac{36.5}{8.9}$	28 29 8	34.0 35.3 9.7	13 16 3	31.8 31.8 39.1 7.3	13 3	91. 19.6 49 11	3	2 60.7 3 15.2 35.4 3 15.2	2 6	182. 2 30. 5 91.
980-999) 4)] other diseases	2			$\frac{16.6}{16.6}$			2	9.7	2	10.0	,		20 31	16.2 25.2		6.1 15.8		36.6 44.0		15.	2	20.2		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases. Injuries, and Causes of Death, 1955.

WITH RATES, BY RAC		OK		ELANI		1 12/1	AIAE	1001		JMBIA		K 10	,000	rui	DYER			, RE	חזפי	EIV				66
Esitmated Population, July 1, 1966		OTAL , 587 Rat	W	HITE 3.039	named Inches	white 548 Rate	22	NTAL 824 Rat	I W	HITE 7,524	Non 5.	white 300 <i>Rate</i>	1	OTAL 4,440 Rat	W	HITE , 402	Non 3,	white 038 <i>Rate</i>	2	OTAL 1,392 Ra		HITE . 378	Non	white 14 Rate
LIVE BIRTHS*	430	22.0	387	21.6	43	27.8	417	18.	299	17.	1 118	3 22.5	226	15.7	168	14.7	58	3 19.1	209	9.	208	9.7	1	71.
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives_ Attended by others or unspecified	1 1				41 1 1		367 33 16 1				68 33 16		219 1 6		167 1		52		209		208		1	
FETAL DEATHS†	910	23.5	8	20.7	1	23.3	12	28.8	5	16.7	7	59.3	3	13.3	2	11.9	1	17.2	4	19.	4	19.2		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified.			7		. 1		11 i		5		. 6		2		1		1		4		4			
TOTAL DEATHS*			168	9.5	9.1	15.5	237	10.4	172	9.8	65	12.3	165	11.4	192	10.8	19	13.8	111		111			
Under 28 days of age† Under one year of age†			7	18.1 23.3			8		2	6.7 13.4	6		3				3	51.7 103.4	3		3	5.3 14.4 19.2		
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051).	2		2	11.1			1	4.4			! !	18.9												
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (004)																								
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104). Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138).		10.2	1	5.5	1		3	13.1	2	11.4	1	18.9							1	4.7	1	4.7		
Malignant neoplasms (140–265) Benign and unspec. neoplasms (210–239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states	29 <u>1</u>	148.1 5.1	27 	149.7 5.5	2		1	144.6 4.4 17.5	1	142.7 5.7 17.1		150.9 18.9	1	145.4 6.9 27.7		166.6 26.3	2 1 1		18 1 3	84.1 4.7 14.0	18 1 3	84.2 4.7 14.0		
(280, 282–286) Anemias (290–293). Vascular lesions affecting central nervous system (330–334). Nonmeningococcal meningitis (340).	32	163.4	30	5.5 166.3	2		1 37 2	4.4 162.1 8.8	26 1	148.4 5.7	11	18.9 207.5 18.9	21	145.4		131.6	6		19	88.8	19	88.9		
Rheumatic fever (400–402). Diseases of the heart (410–443). Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart		296.1	49	271.6	9			267.3 4.4	44	251.1 5.7	<u>1</u> 7	320.8		464.0 6.9	52	456.1	15 1		42	196.3	42	196.5		
disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of heart (444–447).	8	234.8 40.8 20.4	5	227.3 27.7 16.6	5 3 1		8	192.8 35.1 35.1	$\frac{6}{4}$	188.3 34.2 22.8	2 4	207.5 37.7 75.5	4 7	380.9 27.7 48.5	$\frac{1}{3}$	421.0 8.8 26.3	$\begin{array}{c} 7 \\ 3 \\ 4 \end{array}$			177.6 18.7				
General arteriosclerosis (450) Other dis. of circulatory system (451–468) Influenza (480–483)	1 4 3	5.1 20.4 15.3		5.5 16.6 11.1	1		2 4 4	8.8 17.5 17.5	$\frac{1}{4}$	5.7 22.8 17.1		18.9 18.9		20.8	9	17.5 78.9	1 4		1 4	4.7 18.7	1 4	18.7		
Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475, 510– 527)	6 1 4	30.6 5.1 20.4	6 1	33.3 5.5 16.6	1		8 2 5	35.1 8.8 21.9	6 2 4	34.2 11.4 22.8		37.7	6 3	20.8	4	35.1	2		2 1	9.3	2 1	4.7		
Ulcer of stomach and duodenum (540, 541) Appendictis (550-553). Hernia and intestinal obstruction (560, 561, 570).	î	5.1	1	5.5			3 2	13.1 8.8	3	17.1 11.4 5.7				20.8	3	26.3			2 1 1	9.3	2 1 1			
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530-	1	ő.1	1	5.5			2	4.4 8.8 8.8	1 2	5.7 11.4	1	18.9	2	13.9	1	8.8	1			4.7		4.7		
539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema, incl. nephrosis (590,591) Chronic and unspec. nephritis and other	1	5.1	1	5.5				17.5	4	22.8			1	6.9	1	8.8			1	4.7	1	4.7		
renal sclerosis (592-504) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	1	5.1	1	5.5	2		1 1	8.8 4.4 4.4	1	5.7 5.7	1	18.9 18.9	3	20.8	3	26.3			1 2	4.7 9.3	1 2	9.4		
Complications of pregnancy, childbirth and the puerperium (640-689) Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	3	10.2 15.3 15.3	3	11.1 16.6 16.6				24.0 13.1 4.4 8.8	1	5.7	2 1	84.7 37.7 18.9 18.9	1 2	6.9			1 2		1 1	4.7	1 1	4.7		
Senility, Ill-defined and unknown causes (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962). Sulcide (963, 970-979). Homlelde and operations of war (964, 965, 980-999).	5 12 10 2	25.5 61.3 51.1 10.2	4 11 9 2	22.2 61.0 49.9 11.1	4		5 5 16 3	21.9 21.9 70.1 13.1 26.3	4 5 14 3	22.8 28.5 79.9 17.1	1 2 4	18.9 37.7 75.5	3 8 1	20.8 20.8 55.4 6.9	3 4 1	17.5 26.3 35.1 8.8	1 4		1 2 6 2 1	9.3 28.0 9.3 4.7	1 2 6 2 1	9.4 28.1 9.4 4.7		
*Rate per 1.000 population. + Rate per 1.00		15.3		11.1				39.4		28.5		75.5	1	6.9	1	8.8								

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births. Death rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

¶Includes one item with race not stated.

RATES, BY RACE, FO	OIL		LES			NINT	I COL	-	GREENE		The state of the s	000	POP	UL.		-	RE	SID	EN					
Estimated Population, July 1, 1966	11	TAL , 289	Wh	, 955	Nony 33 No.	34	14	,060	Wi	11TE , 251	Nonw 809 No.)	39	TAL ,311 Rate	W ₁	SON HITE 5,957 Rat	13.	white 354 Rate	32	TAL 2,367		11TE , 191	Non	white
LIVE BIRTHS*		16.7		17.0	3	9.0	219	15.6	206	15.5		16.1	1	15.8		13.9		19.5	1	16.5	1	16.0		22.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified			186				218		206		12 1		574 6 41		357 3		217 3 41		528 4 1		482 2		46 2 1	
FETAL DEATHS†		21.2	4	21.5			6	27.4	6	29.1			10	16.1	4	11.1	6	23.0	12	22.5	11	22.7	1	20.4
In hospitals			4				6		6				9		4		5 1		12		11		1	
TOTAL DEATHS*	116	10.3	112	10.2	4	12.0	127	9.0	120	9.1	7	8.7	504	12.8	306	11.8	198	14.8	368	11.4	336	11.1	32	14.7
Under 28 days of age† Under one year of age† CAUSE OF DEATH**	$\frac{1}{3}$	$\frac{5.3}{15.9}$	$\frac{1}{3}$	$\frac{5.4}{16.1}$			1 3	4.6 13.7	1 3	4.9 14.6			15 22	24.2 35.4	5 6	13.9 16.7		38.3 61.3		20.6 24.4		22.7 24.8	<u>i</u>	20.4
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typholid fever (040)	1		1				1 1	7.1	1	7.5 7.5			3 3	7.6 7.6	2 2	7.7 7.7	1	7.5 7.5	1 1	3.1 3.1	1	3.3		
Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051)																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																			<u>i</u>	3.1	<u>i</u>	3.3		
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094)																								
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138).													3	7.6	1	3.9	2	15.0		3.1			1	
Malignant neoplasms (140–205) Benign and unspec. neoplasms (210–239) Diabetes mellitus (260)	<u>6</u>	132.9 53.1		136.9 54.8				99.6 14.2		105.7 7.5			1 4	185.7 2.5 10.2	45	173.4 -3.9	28 1 3	209.7 7.5 22.5		145.2 9.3		142.4 - 9.9	4	
Pellagra (281). Avitaminosis and other deficiency states (280, 282–286). Anemias (290–293). Vascular lesions affecting central nervous							2	14.2	<u>î</u>	7.5	<u>1</u>						1	7.5	1	3.1	<u>i</u>	3.3		
system (330–334) Nonmeningococcal meningitis (340)	15	132.9	15	136.9			19	135.1	18	135.8	1		102	259.5	58 .	223.4	44	329.5	50 1	154.5 3.1	46 1		4	
Rheumatic fever (400–402). Diseases of the heart (410–443). Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart disease (420–422). Other diseases of heart (430–434).	2 44	434.1 17.7 389.8 26.6	41	419.9 18.3 374.3 27.4	3		2 45	369.8 14.2 320.1 7.1	43	$377.3 \\ 15.1 \\ 324.5 \\ 7.5$			2 164	463.0 5.1 417.2 10.2	117	481.6 7.7 450.7	47	426.8 352.0 7.5	1 140	3.1 463.4 3.1 432.5 3.1	1 123	3.3 437.2 3.3 407.4 3.3	18	
Hypertension with heart dis. (440-443) Hypertension without mention of heart (444-447) General arteriosclerosis (450) Other dis. of circulatory system(451-468)		8.9	 I 1	9.1			4 1 6	28.4 7.1 42.7 14.2	$\frac{1}{6}$	30.2 7.5 45.3			12 11 7	30.5 28.0 17.8 12.7	7 6	11.6 11.6 27.0 23.1 15.4		67.4 30.0	8 1 10	3.1 30.9 18.5	7 1 9	3.3 29.8 19.9	1 1	
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502)	$\frac{1}{2}$	8.9 17.7 8.9	$\frac{1}{2}$	9.1 18.3 9.1			1 2	7.1 14.2	1	7.5 15.1			19 2	48.3 5.1	12 1	46.2 3.9	- 7	52.4 7.5	$\frac{1}{20}$	3.1 61.8 3.1	19	3.3 62.9 3.3	1	
Other respiratory diseases (470-475, 510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560,	1	8.9	1	9.1			3	21.3	3	22.6				22.9 2.5 2.5		27.0	2 1 1	15.0	6 7		6	19.9 23.2		
561, 570)							1	7.1	<u>i</u>	7.5			5 2	12.7 5.1	$\frac{3}{2}$	11.6 7.7	2	15.0	1	12.4 3.1	1			
Cirrhosis of liver (581). Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587). Acute nephritis, nephritis with edema,	3 1	26.6 8.9	3 1	27.4 9.1			2	14.2	2	15.1			5	2.5	1	3.9 3.9	4	30.0	2	9.3 6.2	1	9.9 3.3	1	
incl. nephrosis (590,591). Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).													1 7	2.5 2.5 17.8	3	11.6	1	7.5 7.5 30.0	1 1	3.1 3.1 12.4		3.3 3.3 13.2		
Complications of pregnancy, childbirth and the puerperium (640-689)	1 1	52.9 8.9	1	53.8 9.1			1	7.1	<u>ī</u>	7.5			<u>-</u> 9	22.9	<u>5</u>	19.3	4	30.0	2	6.2		6.6		
Birth injuries, postnatal asphyxía and atelectasis (760-762). Infections of the newborn (763-768)	1	8.9	1	9.1			1	7.1	1	7.5			3 1 5	7.6 2.5 12.7	1 1	3.9 3.9 3.9		15.0 30.0		15.4 15.4		16.6	 1	
Senility, ill-defined and unknown causes (780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962)	6 2	53.1 17.7	2	54.8 18.3			1 6 4	7.1 42.7 28.4	1 6 4	7.5 45.3 30.2			10 9		5	7.7 23.1 19.3	4 4	74.9 30.0 30.0		34.0	11 8	$\frac{36.4}{26.5}$		
Suicide (963, 970–979) Homicide and operations of war (964, 965, 980–999) All other diseases	2 2 4	17.7 17.7 35.4	2 1 4	9.1 36.5	-		1 5	7.1 35.6	1 5	7.5 37.7			1 3 5	2.5 7.6 12.7	1 1 4	$\frac{3.9}{3.9}$ $\frac{3.9}{15.4}$	2		1	3.1 18.5		19.9	1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, F	OR	CII	LE	2 01	TI	GNN	ESS	EE	OF	OV.	ER :	10,0	00 P	OPU	JLA	TIO	N, I	RES	IDE	IN	D.	AT	'A,	1966	3
		Готац	KIN	IGSPO Whiti	RT No	nwhit	e -7	'OTAL	KNC	XVILI VHITE	E	nwhit	_	OTAL	LE	BANON VHITE	ı	nwhit	_ _	Гота	M	ARY	VILLE		white
Estimated Population, July 1, 1966	No	$\frac{35,202}{Re}$	ate No	$\frac{33,48}{R}$	ate No	1,717 . Rat	$e \mid \mid_{\text{No.}}^{1}$	$\frac{36,278}{Re}$	ate No.	$84,081$ R_0	25	2.197		14 494		12,318		2.176	11	10.68		10	,298		385
LIVE BIRTHS*	5	93 <i>16</i>	. 8 5	67 16	.9 2	6 15.	1 2,99	1 16	. 1 2,52	2 15.	4 46	9 21.	1 27	8 19.	. 2 22	18.		4 24.	11				19.9	1	
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified		93				6	-	9 8 3		6	-	2	-	3		4		1				204		3	
FETAL DEATHS†		0 16.		10 17	6		1	0 16.		3 17.		7 14.	0	7 25.	0	 5 22.		2 37.	-	1		1			
In hospitals. Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified.		0		10			4	9	4		_	6	-	7	_	5		2 37.		4		3	14.6	1	
TOTAL DEATHS*				7 7.	4 1	1 6	1,78		6 1, 45	8.	200														
Under 28 days of age† Under one year of age† CAUSE OF DEATH**		1 18. 4 23.	δ 1	1 19.			40	13.	4 30) 11.	9 10	5 14. 0 21. 0 40.	3	5 10. 2 γ.: 1 14	2	9.3 2 8.3 3 13.4)	18.8		9 12 6 28 6 28	.8	6	12.0 29.3 29.3	5	13.0
Tuberculosis, all forms (001–019) of respiratory system (001–008). Syphilis and its sequelae (020–029). Gonococcal infection (030–035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045–048). Scarlet fever and streptococcal sore throa (050–051).	t	1 2.	8	1 3.			23 18 1	9.	7 13 5 1	7.5	5			1 6.1			1			1 9		1 1	9.7		
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)	100,000,000						3	1.6		1.2	1	4.5								1 9.		 1	9.7		
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094)																									
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-034 061-074, 081, 083, 086-093, 095, 096, 108, 120-138)			2	6.0			11	5.9	9	5.5	2	9.0													
Malignant neoplasms (140–205) Benign and unspec. neoplasms (210–239). Diabetes mellitus (260) Pellagra (281). Avitaminosis and other deficiency states (280, 282–286)	5	110.8		116.6			296 4 20 2	158.9 2.1 10.7	251 3 15		1	202.7 4.5 22.5		138.0		138.0	3 <u>1</u>		20 2 2 2		7	19 <i>1</i> 1 2	84.5 9.7 19.4	1	
Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	28	2.8 79.5	26				5	2.7 109.5		0.6 0.6 101.2 0.6	38	4.5 18.0 171.2		227.7	28	227.3	5		19	177.		19 1	84.5		
Rheumatic fever (400–402) Diseases of the heart (410–443) Chronic rheumatic heart dis. (410–416) Arteriosclerotic and degenerative heart disease (420–422)	1	275.6 2.8 247.1	1	280.7 3.0 253.8			8	354.8 4.3 306.5	7	345.0 4.3 302.3	1	428.0 4.5		386.4		373.4	10			355. 28.	7	38 36	69.0		
Other diseases of heart (430–434) Hypertension with heart dis. (440–443) Hypertension without mention of heart (444–447) General arteriosclerosis (450) Other dis. of circulatory system (451–468)	4 5 4 4	11.4 14.2 11.4 11.4	4 4 4 4	11.9 11.9 11.9 11.9	1		27 55 10 22	14.5 29.5 5.4 11.8	24 39 7 18	14.6 23.8 4.3 11.0	3 16 3	337.9 13.5 72.1 13.5 18.0	1	345.0 6.9 34.5	42 1 3	341.0 8.1 24.4 	8 <u>2</u>		33 <u>-</u> 2 3 7	28.	7 1		19.4	1	
influenza (480–483) Prieumonia (490–493) Bronchitis (500–502)	10 2	17.0 28.4 5.7	5 9 2	14.9 26.9	1 <u>i</u>		17 <u>67</u>	9.1	14 51	8.5 31.1	3	72.1	3	20.7	3	24.4							58.3		
Other respiratory diseases (470-475, 510-527). Ucer of stomach and duodenum (540, 541) Appendicitis (550-553). Hernia and intestinal obstruction (560,	5 2	14.2 5.7	4 2	6.0 11.9 6.0	1		7 44 8 2	3.8 23.6 4.3 1.1	6 41 7 2	3.7 25.0 4.3 1.2	1 3 1	4.5 13.5 4.5	2	13.8	2	16.2			2	18.7	γ γ	2 1	19.4		
7561, 570)	1	2.8	Ī	3.0			6 5	3.2 2.7	$\frac{6}{4}$	3.7	1	4.5	Ī	6.9	<u>i</u>	8.1			1 2 1	9.4 18.7 9.4	,	2 1	9.7 -		
other diseases of digestive system (530–530, 542, 544, 545, 573–580, 582–587)————————————————————————————————————	3	8.5	3	9.0			24 18	12.9 9.7		12.2 10.4	4	18.0 4.5	2	13.8			2		2 3	18.7 28.1			9.4 _		
thronic and unspec. nephritis and other renal sclerosis (592–504). Typerplasia of prostate (610). ther diseases of genito-urinary system (600–609, 611–637)							20 2	10.7	15 2	9.1	5	22.5	1	6.9	1	8.1			1	9.4		1	9.7		
complications of pregnancy, childbirth and the puerperium (640-689) congenital malformations (750-759) irrth injuries, postnatal asphyxia and atelectasis (760-762).	4	11.4		11.9				10.2	12	9.1		31.5	2	13.8	2	8.1			2	9.4		2 1	9.4		
atelectasis (760–762) nfections of the newborn (763–768) ther diseases peculiar to early infancy, and immaturity unqualified (769–776)	5 1 2	14.2 2.8 5.7	5 1 2	14.9 3.0 6.0			8 6 17	4.3 3.2 9.1	7 3 14	4.3 1.8 8.5		4.5 13.5 13.5	2	13.8	2	16.2			1	9.4			9.7		
enliity, ill-defined and unknown causes (780-795). otor vehicle accidents (810-835). Il other accidents (800-802, 840-962). aicide (963, 970-979). omicide and operations of war (964, 965, 980-999). Il other diseases.	10 6	28.4 28.4 17.0 8.5 19.9	10 5	26.9 29.9 14.9 9.0 20.9	1		36 40 14	49.4 19.3 21.5 7.5 9.7 17.7	58 33 31 10	35.3 20.1 18.9 6.1 7.9 12.8	34 3 3 9 4 5	153.2 13.5 40.5 18.0 22.5 54.1	1 3 7 4	6.9 20.7 48.3 27.6	1 2 6 4	8.1 16.2 48.7 32.5			4 3 1	37.4 28.1 9.4		3 2 2 1 1	9.1	1 1	
*Rate per 1,000 population. †Rate per				1								·4.1		13.8	1	8.1	1		1	9.4		1	9.7		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

RATES, BY RACE, FO			MEM				1		ORRI	STOW	N			IVI	URFRE	E2ROH	(U		I NAS	HAIL	E-DA	AIDSO	N CO.	-
Estimated Population, July 1, 1966	578.	FAL 979 Rate	36°	1TE 358	Nonv 210 No.	621	26.7	ral 75 Rate	24.	850	Nonw 1,92 No.	5	To- 23.0 No.	TAL)80 <i>Rate</i>	Wн 19. No.	793	3.2	white 82 <i>Rate</i>	440	539	Wн 357, No.		Nonw 83,0 No.	061
IVE BIRTHS*	10815	18.7	5,333	14.5	5,482	26.0	409	15.3	386	15.5	23	11.9	481	20.8	389	19.6	92	28.0	7,785	17.7	5,958	16.7	.828	22.
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	3		32		5,317 161 3		405 4				20 3		477 1 3		388		89 3	****	7,733 50 1 2		5,914 44		, 819 6 1 2	
FETAL DEATHS†			75	14.1	125	22.8	5	12.2	5	13.0			4	8.3	3	7.7	1	10.9	¶108	13.6	70	11.7	35	19.
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	19 5 5		75				5		5				3		2 1		1		101 ¶5		68		33 2	
TOTAL DEATHS*			2,860	7.8	2,322	11.0	177	6.6	162	6.5	15	7.8	219	9.5	178	9.0	41	12.5	3,886	8.8	2,798	7.8	,088	13.
Under 28 days of age† Under one year of age†	20.1	18.9 25.8	77	14.4 19.1	127 177	23.2 32.3	8 10	19.6 24.4	6 8	15.5 20.7	2 2	87.0 87.0		29.1 33.3		25.7 30.8	1	43.5 43.5	127 179	$\frac{16.3}{23.0}$	$\begin{array}{c} 74 \\ 102 \end{array}$	12.4 17.1		29.1 42.1
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Conococcal infection (030-035) Typhold fever (040) Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat	12 9	0.2	0	0.8		3.3	3	11.2		12.1			3 3	13.0		15.2			16 13 1	3.6 3.0 0.2	11 10	3.1	5 3 1	
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)			1	0.3	<u>2</u>	0.9										****			2	0.5	1	0.3	1	1.3
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other Infective and parasitic diseases	1	0.2		0.3			1	3.7	Î	4.0									1	0.2			Ī	1.3
(035-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205)	19	3.3 138.7	4 505	1.1 137.1		141.5	21	78.4		80.5			1 38	4.3 164.6		5.1 151.5			13 627 10	3.0 142.3 2.3		2.8 131.8 1.7		3.6 187.8 4.8
Benign and unspec. neoplasms (210–239) Diabetes mellitus (260) Pellagra (281) A vitaminosis and other deficiency states	14 66	2.4 11.4	25 	1.1 6.8		19.5	1	3.7	1	4.0									46 	10.4	33			15.
(280, 282–286) Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	3 10	0.5 1.7 140.2		0.3 0.5 105.1		3.8 201.8	28	104.6	23	92.6	5			125.6 4.3		126.3 5.1			5 422 6	1.1 95.8 1.4	3 315 3	0.8 88.1 0.8		2. 128. 3.
Rheumatic fever (400–402). Useases of the heart (410–443). Chronic rheumatic heart dis. (410–416).	1 806	2.6 0.3 311.9 4.0	$\frac{2}{1,077}$	0.5 292.4		346.1		242.8	59	237.4	6			346.6 4.3		323.3 5.1	16		$1, \frac{1}{573}$	0.2 357.1 6.4		329.8 6.7	$\begin{array}{c} 1 \\ 394 \\ 4 \end{array}$	474. 4.
Arteriosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of heart	1,484	256.3 9.7 42.0	949	257.6 9.5 20.9	535	254.0 10.0 78.8	61	227.8 3.7 11.2	1	221.3 4.6 12.1				325.0 13.0 4.3		303.1 10.1 5.1	1	****	1,374 41 130	9.3	31		10	391. 12. 66.
(444-447). General arterlosclerosis (450). Other dis. of circulatory system (451-468).	46 86	$7.9 \\ 14.9 \\ 17.3$		2.4 15.5 11.7	37 29 57			3.7 11.2 11.2		4.6 12.1 12.1				17.3 13.0 21.7	3	15.2 15.2 10.1				5.7 15.4 10.9		$\frac{3.1}{15.7}$ $\frac{9.5}{9.5}$	14 12 14	
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	18 196 16	3.1 33.9 2.8	9 97 8		9 99 8	47.0	<u>6</u>	22.4	6	24.1			7	30.3	6	30.3	i		1 157 8	1.8	7	25.2 2.0	1	
510-527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560,	5	17.8 4.3 0.9	77 17 2	$\frac{4.6}{0.5}$	8 3	1.4	1	14.9	1				4	17.3		5.1			51 26 4	11.6 5.8 0.9	37 19 1	10.4 5.3 0.3 3.6	14 7 3	8.
561, 570)	22 18	$\frac{3.8}{3.1}$	16 11	3.0		3.3		3.7	1	4.0	1		i	4.5		5.1			30	2.0	7	2.0	10	
Cirrhosis of liver (581) Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587) Acute nephritis, nephritis with edema,	57 40	9.8 6.9	29	12.8 7.9	11	5.2	3	11.2	3	12.1			5	21.7		5.1 20.2			21	4.8	17	4.8	4	4.
incl. nephrosis (590, 591) Chronic and unspec. nephritis and other renal sclerosis (692-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	27 11	0.5 4.7 1.9 9.3	12 5	1.4	6	7.1	3	11. 2	3	12.1			1 3	4.8	1 2	5. I 10. I	1		21 9 40	4.8 2.0	11 2		7	12. 8.
Complications of pregnancy, childbirth and the puerperium (640-689)	71	3.7 12.3	1 29	1.9 7.9	3 42		ì	3.7	<u>í</u>	4.0	,		3	13.0	2	10.1	Ī		2 37			3.4 7.3		13.
Birth injuries, postnatal asphyxía and atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	53 8	9.2 1.4 19.3	22 2 42		6	14.7 2.8 33.2		7.5 18.7		4.0 16.1			1	21.7 4.5 50.3	1	20.2 5.1 20.2			34 7 71		3	4.8 0.8 11.7	-1	20. 4. 34.
Senility, ill-defined and unknown causes (780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979)	47 124 159 43	8.1 21.4 27.5 7.4	20	5.4 19.5 23.6	27 52 72	12.8 24.7 34.2	3 6 10	11.2 22.4 37.5	3 6 10	40.2	2		5 6 2	26.0		25.5 30.5 10.1			14 127 137 63	28.8 31.1	98 93		29	7. 34. 53.
Homicide and operations of war (964, 965, 980–999) All other diseases	56 97	$\frac{9.7}{16.8}$		$\frac{3.6}{13.3}$		21.4 22.8		3.7 7.5	1 2	4.0 8.0		****	3	13.0	2	10.1	i		70 62			6.2 12.9		3 57. 5 19.

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.
¶Includes one item with race not stated.

§See explanation concerning Davidson County on page 7 of this bulletin.

RATES, BY RACE, I	OI	, OI				71/1/	TIDE	1717	-			.0,00	0 P(-			ESI.	DEN				966	
		TAL	I W	RIDGE	Non	white		TAL		BAN		white	To	S	HELBY	VILLE		white		TAL	ULLAH	OMA	, Nor	white
Estimated Population, July 1, 1966	No.	, 880 Rat	e No.	340 Rat	e No.	540 Rate	No.	,737 Rat	No.	,706 Rat		11	11	, 193		542		651	14	527		898	1	709
LIVE BIRTHS*		1 13			1	15.6		12.		12.			234	20.9	194	20.5	40	24.2	257	17.7	235	17.0	22	31.0
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified		1	- 4				144						232		194				257		235		22	
FETAL DEATHS†	. 7	16.	9 5	12.	3 2	83.3	4	27.	8 4	27.8	3		3	12.8	3	15.0			5	19.5	3	12.8	2	90.9
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified					2		4		4				3		3				5		3		2	
TOTAL DEATHS*			3 121	4.0	7	4.5	100	8.8	100	8.6			133	11.9	119	11.8	20	12.1	98	6.7	91	6.6	7	9.9
Under 28 days of age†Under one year of age†		9.7 14.8		10.3 15.3			4 4						3 5	12.8	3	15.5			5	19.5 27.2	5	21.3 25.5		45.5
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029) Gonococcal infection (030-035). Typhold fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051). Diphtheria (055).	2	6.7	1	3.6	1				100000000000000000000000000000000000000				ī	8.9	ī	10.5			1 1	6.9	1 1	7.2		
Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138)																								
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Dlabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states	4	87.0		88.2	1			127.8 25.6		128.1 25.6				169.7 26.8		178.2 10.5			<u>-</u>	82.5 41.3		86.8 43.4		
(280, 282–286). Anemias (290–293). Vascular lesions affecting central nervous system (330–334). Nonmeningococcal meningitis (340)	14	3.3 46.9	12	3.5 42.3	2		7	59.6		59.8			16	142.9	13	136.2	3		10	6.9	1 8	7.2 57.9	2	
Rheumatic fever (400–402)	36 2	120.5 6.7		123.5 7.1	1		40	340.8	40	341.7			48	428.8 8.9	39	408.7	 9 1		 37 A	254.5 6.9	33 3	238.6 7.2	4	
disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443) Hypertension without mention of heart	3	103.7 10.0	3	105.9	1			$\frac{315.2}{25.6}$		316.1 25.6			2	357.4 17.9 44.7	2	345.8 21.0 41.9	7 <u>i</u>			227.0 13.8 6.9		209.7 14.5 7.2	4	
(444-447). General arteriosclerosis (450). Other dis. of circulatory system (451-468).	$\frac{3}{2}$	10.0 6.7 6.7	$\frac{2}{2}$	7.1 7.1 7.1	1		2 3	17.0 25.6		$\frac{17.1}{25.6}$			5 	44.7	5	52.4			3 1	20.6 6.9		21.7		
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	2	6.7	2	7.1			3	25.6	3	25.6			3	26.8	3	31.4			1 2 1	$6.9 \\ 13.8 \\ 6.9$	$\frac{1}{2}$	7.2 14.5 7.2		
510-527). Ulcer of stomach and duodenum (540, 541). Appendicitis (550-553). Hernia and intestinal obstruction (560,	3	10.0	3	10.6			1	8.5 8.5	1	8.5 8.5			2	17.9	2	21.0			1 1	6.9 6.9	1 1	7.2		
561, 570) Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581)	1 2	3.3 6.7	1 2	3.5 7.1			2 1 2	17.0 8.5 17.0	1	17.1 8.5 17.1			1 1 3	8.9 8.9 26.8		10.5 10.5 31.4			1	6.9	1	7.2		
Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587) Acute nephritis, nephritis with edema incl. nephrosis (590, 591)														17.9		21.0								
Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Chen diseases of genito-urinary system							I	8.5	1	8.5			1 1	8 9 8.9	ī	10.5	1							
(600-609, 611-637)	2 <u>-</u> 3	10.0	3	7.1			i	8.5	1	8.5			1 <u>3</u>	8.9 26.8		10.5 31.4				13.8 13.8		14.5		
Birth injuries, postnatal asphyxía and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	2	6.7	2	7.1			2 1	17.0 8.5	2	17.1 8.5				26.8		31.4			<u>ī</u>	6.9	ī			
Senility, ill-defined and unknown causes (780-795). Actor vehicle accidents (810-835). All other accidents (800-802, 840-962). All other accidents (800-802, 840-962). All other and operations of war (964, 965, 980-999).	5	30.1 16.7 13.4 6.7	5	31.8 17.6 14.1 7.1			2 3 5 1	17.0 25.6 42.6 8.5	2 3 5 1	17.1 25.6 42.7 8.5			3 6 5 1	26.8 53.6 44.7 8.9	3 6 3 1	31.4 62.9 31.4 10.5 41.9			5 4	34.4 27.5	5 3	36.2 21.7		
*Rata per 1 000 population + Rata per			4	7.1			2	17.0	2	17.1									2	13.8	2	14.5		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

Table X—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR	COU	INT.	IES	OF	TE	NN]	ESSE	EI			IVE	OF	, CL	LIE	S, R	ESL	DE	M.T.	DAT	Α,	1966	205		
		-	ANDER		Mon	white	To	DAY.		ORD	Nonv	vhite	To	TA	BENT I Wh	ON	Non	white	To	CAL	BLEDS Wit		Nonv	white
Estimated Population, July 1, 1966		TAL 340 Rate	60.	969 Rate	2.	371 Rate	24.		21,	803	2,9 No.)55	11.	398	11, No.	036 $Rate$	No.	362 Rate	7,4 No.	24 Rate	6,9 No.	992 Rate		32 Rate
LIVE DIDTUG*					1		1	17.0		16.3		22.0	1	17.4	184	16.7	14	38.7	128	17.2	126	18.0	2	4.6
LIVE BIRTHS*	983			15.5	35	14.8	416	17.0	354	10.0	62		173		163		10		122		122			
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives_	863 117		828 117 3				2 2		1		1		22 3		21		$\frac{1}{3}$		5 1		3		2	
Attended by others or unspecified																								
FETAL DEATHS†	4	14.2	12	12.7	2	57.1	7	16.7		16.9		15.4		20.2		21.7				31.2		31.7		
In hospitals_ Attended by physicians not in hospitals_	13 1		11 1		2		7		6		1		4											
Attended by midwivesAttended by others or unspecified																								
TOTAL DEATHS*		6.6	405	6.6	11	4.6	266	10.7	224	10.3	42	14.2	126	11.1	118	10.7	8	22.1	71	9.6	71	10.2		** ** ** *
Under 28 days of age† Under one year of age†	14	14.2	14	14.8 24.3				19.0 26.2		22.5 28.2		15.4	2 4	10.1	2	10.9	2 2	142.9 142.9	2 3	15.6 23.4		15.9 23.8		
CAUSE OF DEATH**		23.4	23	24.0			11	20.2	10	20.10														
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphillis and its sequelae (920-029)	4 3	6.3	3 2	4.9	1		2 2	8.1	1	$\frac{4.6}{4.6}$	1													
							1	4.0	1	4.6														
Undulant fever (044)																								
Scarlet fever and streptococcal sore throat																								
(050, 051) Diphtheria (055)																								
Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute polimyelitis (080)																								
Acute polimyelitis (080) Acute infectious encephalitis (082) Measles (085)																								
Typhus fever (101, 102, 107)																								
Malaria (110-117)																								
(036-039, 041, 042, 049, 052-054, 061-074.																								
081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205)	1						1	4.0		4.6			15	131.6	1.4	126.9	1		13	175.1	13	185.9		
Benign and unspec. neoplasms (210–239). Diabetes mellitus (260)	1			116.5	1			149.4 20.2	1	151.4			1	8.8 43.9	1					26.9		28.6		
Pellagra (281) Avitaminosis and other deficiency states		11.1																						
(280, 282–286) Anemias (290–293)	1	1.6	1	1.6									<u>ī</u>	8.8	<u>i</u>	9.1			1	13.5	1	14.3		
Vascular lesions affecting central nervous system (330-334)	63	99.5	61	100.1	2		34	137.3	28	128.4	6		10	87.7	9	81.6	1		9	121.2	9	128.7		
Nonmeningococcal menigitis (340)																								
Rheumatic fever (400–402) Diseases of the heart (410–443)		213.1		219.8				412.0		405.6			62	544.0	61	552.7	1		28	377.2	28	400.5		
Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart disease (420–422).	4			6.6 182.1			1 91	4.0 327.2		316.5	1 12		54	473.8	53	480.2	1		27	363.7	27	386.2		
Other diseases of heart (430–434) Hypertension with heart dis. (440–443)	4	176.8 6.3 23.7	4				6	24.2 56.5	6	27.5 59.6			1	8.8	1				<u>i</u>	13.5	<u>i</u>	14.3		
Hypertension without mention of heart (444-447)	6		5	8.2			1	4.0	1	4.6									1	13.5	1	14.8		
General arteriosclerosis (450) Other dis. of circulatory system (451–468)	5 3	7.9	5	8.2			8 2	32.3 8.1		36.7			3	17.5 26.3	3	18.1 27.2								
Influenza (480–483)	1	1.6		1.6												15.0			1	13.5				
Pneumonia (490–493) Bronchitis (500–502)	6						7	28.5	7	32.1			5	43.9	5	46.3			3	40.4	3	42.9		
Other respiratory diseases (470–475, 510– 527) Ulcer of stomach and duodenum (540, 541)	8						2	8.1	2				1	8.8	1	9.1								
Appendicitis (550-553) Hernia and intestinal obstruction (560,	1	1.6	1					4.0		4.0														
561, 570) Gastritis, enteritis, etc. (543, 571, 572)	1 2						1 4	4.0	1 3	4.6	<u>ī</u>								1	13.6	1	14.3		
Cirrhosis of liver (581)	4							16.2		13.8									1	13.8	1	14.5		
Other diseases of digestive system (530- 539, 542, 544, 545, 573-580, 582-587)	7	7 11.1		11.6			3	12.1	3	15.8														
Acute nephritis, nephritis with edema, incl. nephrosis (590, 591)	1	1.6	1	1.6																				
Chronic and unspec, nephritis and other renal sclerosis (592–594)	1	1.6	1	1.6			2	8.1	1	4.6														
Hyperplasia of prostate (610) Other diseases of genito-urinary system							1	4.0					1	0 0	1	0 1				***				
(600-609, 611-637)Complications of pregnancy, childbirth	2	3.2	2	3.5			4	16.2	3	13.8	1		1	8.8	1	9.1								
and the puerperium (640–689) Congenital malformations (750–759)	<u>-</u> 6	9.5	6	9.8			5	20.2	<u>F</u>	22.9			1	50.5	1	54.5								
Birth injuries, postnatal asphyxia and atelectasis (760–762)	5						1	4.0					1	8.8										
Infections of the newborn (763–768) Other diseases peculiar to early infancy,										7.0														
and immaturity unqualified (769-776)	4	6.3	4	6.6			6	24.2	6	27.5									2	26.8	2	28.6		
Senility, ill-defined and unknown causes (780–795)	26			39.4			4			13.8			5			36.2			2	00 /	2	00 0		
Motor vehicle accidents (810–835)All other accidents (800–802, 840–962)	17		17	27.9			11	44.4	8 7	32.1	4			26.3	3	27.2			5		5	71.5 14.3		
Suicide (963, 970–979) Homicide and operations of war (964, 965,	5	7.9 3.2	5				7	4.0 28.3		4.6 18.3			1	8.8	1	9.1				13.6		14.3		
980–999) All other diseases	4		4	$\frac{1.6}{6.6}$			1	4.0	1															
*Rate par 1 000 population +Rate par					1		11						11				-		11		-			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR O	JOU	NT.	BLOU		TE	NN.	ESSI	EE.	INC		SIV.	ΕO	F. C.				IDI	INE	DA	ΤA,				<u></u>
		TAL	WH	ITE		white		TAL	Wi	IITE		white		TAL		HTE	Non	white	$\ - \frac{1}{\text{To}} \ $	TAL	CAN	NON	Non	white
Estimated Population, July 1, 1966	No. 61	,216 Rate		379 Rate		837 Rate	No.	620 Rate	No. 42	,351 Rate		, 269 Rate		,357 Rate	No. 28	.089 Rate		268 Rate	No. 8	,666 Rate	No. 8,	506 Rate	No.	$\frac{160}{Rat_{e}}$
LIVE BIRTHS*	1,060	17.3	1,010	17.3	50	17.6	949	21.3	884	20.9	65	28.6	526	18.5	522	18.6	4	14.9	133	15.8	130	15.3	3	18.8
In hospitals Attended by physicians not in hospitals.	1,057		1,008		49 1		943 2		880 1		63		517 4		513 4				133		130		3	
Attended by inidwives			· <u>2</u>				$\frac{2}{2}$		1 2		1		5		5									
FETAL DEATHS†	23	21.7	22	21.8	1	20.0	912	12.6	10	11.5	1	15.4	9	17.1	8	15.5	1		1	7.5	i	7.7		
In hospitals			22				¶11 1		9		1		9		8		1		1		1			
Attended by midwives																								
TOTAL DEATHS*	492	8.0	463	7.9	29	10.2	352	7.9	322	7.0	30	13.2	304	10.7	303	10.8	1	3.7	89	10.3	81	9.9	5	31.2
Under 28 days of aget	16 20	15.1 18.9		13.9 17.8	2 2	40.0 40.0	12 18			13.0 20.4			17 24			32.6 46.0			3 6	22.6 45.1		15.4 30.8	1 2	
Tuberculosis, all forms (001-019) of respiratory system (001-008)	. 3	4.0	3	5.1 5.1			2 2	4.5 4.5		4.7			$\begin{vmatrix} 3\\ 3 \end{vmatrix}$	10.6 10.6		10.7 10.7								
Syphilis and its sequelae (020-029)																				11.5	1	11.8		
Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048).																								
(050, 051)	1		ĺ																					
Diphtheria (055). Whooping cough (056). Meningococcal infections (057)			;													-								
				1.7																				
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Bylae (091)	1	1.6	<u>î</u>	1.7							I		1	8.5	i	3.6								
Measles (085) Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)																								
Rocky Mountain spotted fever (104) Malarla (110-117)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074,																								
081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205)		1.6 129.1		1.7			2	4.5		2.4	1												1	
Benign and unspec. neoplasms (210-239). Diabetes mellitus (260).	3 3	4.9	2	126.8 3.4 5.1	1		2	121.0 4.5	52	122.8	2			156.2 10.6		156.6			8	92.5	8	94.1		
Avitaminosis and other deficiency states										4.1				10.6		10.7					*****			
(280, 282–286) Anemias (290–293) Vascular lesions affecting central nervous	2	3.3	2	3.4			1	2.2 2.2	1 1	2.4 2.4														
system (330-334)	67	109.4 1.6		106.2 1.7	5		53	118.8	51	120.4	2		44	155,2	44	156.6			8	92.5	7	82.3	1	
Rheumatic fever (400-402) Diseases of the heart (410-443)															*****									
Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative heart	5	274.4 8.2	164 : 5	280.9 8.6			113	£53.2 £.2	102 1	2 40.8 2 .4	11		121	426.7 7.1	120 2	427.2 7.1	1			553.9 11.5		564.5 11.8		
disease (420–422)	145	236.9 3.3	141	241.5 3.4	4			201.7 29.1		196.0 23.6	7 3		102	859.7		353.6	1		46	5 5 0.8	46	540.8		
Hypertension with heart dis. (440-443). Hypertension without mention of heart	16	26.1	16	27.4				20.2	8	18.9	1		13	14.1 45.8		14.2 46.8			ī	11.5	1	11.8		
(444-447)	10 17 5	16.3 27.8 8.2	17	13.7 29.1				4.6 15.7	1 6	2.4 14.2	1		1	3.5 3.5	1	3.6 3.6			<u>ī</u>	11.5	<u>ī</u>	11.8		
Influenza (480-483)		0.4	5	8.9			5	11.2	4	9.4	1		4	- 1	4	14.2								
Pneumonia (490-493) Bronchitis (500-502)	21 4	34.3 6.5	18 4	30.8	3		13	29.1 6.7	12	28.3	î		10 3	3.5 35.3 10.6	1 10 3	3.6 35.6 10.7			2	25.1	2	23.5		
Other respiratory diseases (470–475, 510–527)	7	11.4		12.0			9	20.2	8 2	18.9	1		7	24.7	7	24.9			1	11.5	1	11.8		
Appendicitis (550-553) Hernia and intestinal obstruction (550,	i	1.6 1.6	1	1.7			2	4.0	2	4.7			1	3.5 3.5	1 1	3.6 3.6								
561, 570) Gastritis, enteritis, etc. (543, 571, 572)	1	$\frac{6.5}{1.6}$	-1 1	$\frac{6.9}{1.7}$			<u>i</u>	2.2	<u>ī</u>	2.4			2	7.1 3.5	2 1	7.1 5.6			1	11.5	1	11.8		
Cirrhosis of liver (581)	5	8.2	5	8.6			2	4.5	2	4.7			3	10.6		10.7			1	11.5			1	
539, 542, 544, 545, 573-580, 582-587)		11.4	7	12.0			2	4.0	2	4.7			1	3.5	1	5.6								
incl. nephrosis (590, 591)	1	1.6	1	1.7																				
renal sclerosis (592-594)	2	3.3 	2	8.4			3	6.7	1	2.4	2		1	3.5	1	3.6				11.5 11.5	1 1	11.8 11.8		
Other diseases of genito-urinary system (600-609, 611-637)	7	11.4	7	12.0			3	6.7	3	7.1			1	3.0	1	5.6								
Complications of pregnancy, childbirth and the puerperium (640-689)							1	10.5	1	11.8								ŀ						
Congenital malformations (750-759) Birth injuries, postnatal asphyria and	8	13.1		13.7			4	9.0	4	9.4			6	21.2	6	21.4			2	23.1	1	11.8	ī	
atelectasis (760-762)	3	3.3	$\frac{1}{3}$	5.1	1		8	17.9	8	18.9			9	51.7 5.6	9 1	32.0 3.6			<u>i</u>	11.6			<u>ī</u>	
and immaturity unqualified (769-776)	6	9.8	в	10.3			3	6.7	3	7.1			3	10.6		10.7				23.1		25.5		
Senility, ill-defined and unknown causes (780-705) Motor vehicle accidents (810-835)	2	5.3	1	1.7	1		8	17.9	7	16.5	1		5	17.6	5	17.8								
Motor vehicle accidents (810–835) All other accidents (800–802, 840–962) Suicide (983, 970–970)	21 16 3	\$4.5 26.1 4.9	13	22.3			17 20	38.1 44.4	16 17	37.8 40.1	1		11						3	34.6 34.6	3	35.3 35.3		
Homicide and operations of war (964, 965, 980-999)	1	1.6	3	5.1 1.7			3	4.5	2	4.7			6 2	7.1	2	7.1			1	11.5	1	11.8		
Al! other diseases		13.1	5	8.6	3		6	6.7		11.8	1		3	10.6 14.1	4	10.7 14.2				11.6 23.1	1 2	11.8 23.5		
*Rate per 1,000 population. †Rate per	er 1.000) live l	births	Th	000 70	tou na							1									!		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for the land nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C	JOUI	ТТИ	ES ()F' '	LEV	INE	SSE	$\mathbf{E} \mathbf{H}$	NCL	USI	VE	$_{ m OF}$	CIT	TES	, RI	ESH	DEI	TV	DAT	`A, :	1966			
			CARRO						CART					(CHEAT	нам					CHEST	ER		
Estimated Population, July 1, 1966	1 ot 25,20 No.		w ш' 21,8 No.		Nonw 3,40 No.	04	Тот 43.0 No.		WHI 42,6 No.		Nonw 461 No.	1	1 or 11,3 No.		W110 10,6 No,	19	10nw 66: 10.	3 H	1'or 10,1 No.	59	WIII 8,79 No.		Nonw 1, a No.	375
LIVE BIRTHS*	367	14.5	301	13.8	66	19.4	699	16.2	694	16.3	5	10.8	179	15.8	170			13.6		18.4		16.5	42	30,5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	12		274 27						692 1				178 1						182		145		37 5	
FETAL DEATHS†	3	8.2	2	6.6	1	15.2	13	18.6	13	18.7			3	16.8	3	17.6			2	10.7	2	13.8		
In hospitals			2		1		13		13				3		3				2		2			
TOTAL DEATHS*	308	12.2	275	12.6	33	9.7	383	8.9	376	8.8	7	15.2	95	8.4	88	8.3	7	10.6	103	10.1	85	0.7	18	18.1
Under 28 days of aget Under one year of aget CAUSE OF DEATH**	12 14	32.7 38.1		36.5 36.5		15.2 45.5		14.3 25.8	10 18	14.4 25.9			2 4	11.2 22.3	$\frac{2}{4}$	11.8 23.5			4 5		4 5	27.6 34.5		
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhoid fever (040) Undulant fever (041) Dysentery, all forms (015-048) Scarlet fever and streptococcal sore throat	2			9.1			3 2	7.0	3 2	7.0			2 2	17.7		18.8								
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute pollomyclitis (080) Acute infectious encephalitis (092) Measles (085) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110–117) Other infective and parasitic disease (036–039, 041, 042, 049, 052–054, 061–074, 081, 083, 086–093, 095, 098, 108, 120–188).							1	2.5	1	2.3														
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239). Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency state: (280, 282-286) Anemias (200-293) Vascular lesions affecting central nervous system (330-334)	37 7 8	27.7	35	160.1 27.4 	2 1		9 1	123.0 20.9 2.3 130.0	9 1	21.1			1 1	8.8 8.8 88.4		140.9 9.4 84.5	1		2 2		2 2		i	
Nonmeningococcal meningitis (340)	- - - - - 116			466.5				522.7		314.4				527.1		328.7	2		1		1	273.2		
Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative hear disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of hear (444-447). General arteriosclerosis (450). Other dis. of circulatory system (451-468)	t 92 - 4 20 - 19 - 19		15 18 7	32.0	1 2		5	278.6 11.6 13.5 4.6 16.2	115 5 6 2 7	269.9 11.7 14.1 4.7 16.4	5		30 3 4	35.4	3		1		2	9.8	3	250.6 22.8 56.6 22.8	1	
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502)	15	59.	12	54.9 18.5	3		1 16 1	2.3 57.1	1 16	2.5 37.5			2						.	5 49.		45.4		i
Other respiratory diseases (470-475, 510-527). Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560 561, 570).	6 1	3 23.1	6	27.4	i		8 3	18.6	8	18.8			1	8.8	1	9				2 19.		2 22		
Gastritts, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530, 539, 542, 544, 545, 573-580, 582-587) Acute nephritts, nephritis with edeminel, nephrosis (590,591)	3 5- 2	3 11.	9 3	13.7	\		6	13.		2 14.	1		-				-		-					
Chronic and unspec, nephritis and other renal sclerosis (592–594). Hyperplasia of prostate (610) Other diseases of genito-urinary system (600–609, 611–637)	m1		i	4.6	3		. 1			1 2 .	-		-	3 26.	5	3 28.	2		-	2 19.	7	1 11.	4	1
Complications of pregnancy, childbirt and the puerperlum (640-689) Congenital malformations (750-759) Birth injuries, postnatal asphyxia an atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776).	d 3	2 7. 3 11. 2 7. 4 15.	9 3	13.	7		-		6	1 14. 4 9. 2 4. 6 14.	7		-	3 26. 2 17.		3 28. 2 18.			-	2 19		2 22		
Senility, ill-defined and unknown cause (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962). Suicide (963, 970-979). Homicide and operations of war (964, 96 980-999). All other diseases.	5,	2 7. 7 27. 3 51. 1 4. 1 4. 2 7.	7 3 4 10 0 1		0 7 6	3	- 1	1 9. 2 27. 3 37. 7 16. 3 7. 2 27.	9 1 1 1 2 0	4 9. 2 28. 6 37. 7 16. 2 4. 2 28.	2 5 4 7	1	-	1 8. 3 26. 5 44. 3 26.	5 2	5 47. 3 28.	2	ī II.			. 7	1 45 2 22 2 22 1 11 1 11	.8	1

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C	OU	NTI				NN.	ESSI	Œ.			SIVI	E O	F C.	[T,T]	====		SID	ENT	.' D <i>I</i>	Ϋ́A				
	- Tr	TAL	CLAIE	ORNE		white	- T c	TAL		AY	Non	white	- _{To}	TAL		CKE	Non	white		TAL	COF	FEE	(Non-	white
Estimated Population, July 1, 1966		,348		.033	1 :	315	No.	214	7,	081	1	133 Rate	25	,762	24	,936	1 :	826 Rate	33	, 494		426	1.0	
LIVE BIRTHS*	354	18.5	349	18.	<u> </u>	15.9	11	15.2	109	10.4	1	7.5	504	19.0	488	19.6	16	19.4	561	16.7	532	16.4		27.2
In hospitals	8						100 10		9		1		476 3 24 1		2		1		559 1		530 1		29	
FETAL DEATHS	_	19.8	7	20.	1								10	19.8	8	16.4	2	125.0	8	14.8	6	11.3	2	69.0
In hospitals													9 i		8		1 1		8		6		2	
TOTAL DEATHS*	203	10.5	198	10.4	5	15.9	79	11.0	73	10.5	6	45.1	242	9.4	229	9.2	13	15.7	257	7.7	245	7.6	12	11.2
Under 28 days of agetUnder one year of aget	8	22.6 28.2		20.1 25.8			3	18.2 27.3		18.5 27.6			8 12	15.9 23.8		16.4 24.6				19.6 25.0		18.8 22.6	1 2	84.5 69.0
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphills and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040) Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat		10.3	2				1	13.9			1		4	15.5		16.0			2 2 1	6.0 6.0 3.0		6.2 6.2 3.1		
(050, 051) Diphtherla (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (052) Measles (085). Rables (091) Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110-117).																								
Other Infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205)	25	129.2 5.2	22	115.1			7	97.0	7	98.9				3.9 128.1	1 32	4.0 128.3			36	107.5	35	107.9	1	
Benign and unspec. neoplasms (210–239). Diabetes mellitus (260). Pellagra (281). Avitaminosis and other deficiency states (280, 282–286).	3	15.5	3	5.8 15.8			2	27.7	i 	14.1	1 			3,9 34.9	9	36.1				29.9		30.8		
Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	27	189.5	27	141.9				110.9 13.9		113.0 14.1			33	7.8 128.1		4.0 124.3	_		32	6.0 95.5	29	89.4	3	
Rheumatic fever (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arterlosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443)	60	\$72.1 10.3 \$10.1 15.5	60 3	315.2 15.8			25 1	499.0 13.9 546.5	1 24 1	451.0 14.1 358.0 14.1	1			\$64.9 260.1 7.8	63 : 2	356.9 252.0 8.0	4		1 82 4	271.7 3.0 244.8 11.9	1 78	208.3 3.1 240.5 12.3	4	
Hypertension with neart dis. (440-443) Hypertension without mention of heart (444-447). General arteriosclerosis (450). Other dis. of circulatory system (451-468).	3 1	36.2 15.5 5.2 10.3	3 1	15.8 5.3				124.8 69.3	6		<u>-</u> 3		25 ₁₀	97.0 58.8	24	06.2 36.1			9 7	11.9 26.9 20.9 3.0	9 7	12.3 27.8 21.6 3.1		
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	1 9 3	5.2 46.5 15.5	1 9 3	5.3			1 6	13.9 83.2	1 6	14.1			6	25.5	6	24.1			1 7 2	3.0 20.9 6.0	1 7 2	3.1 21.6 6.2		
510-527). Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553). Hernia and intestinal obstruction (560, 561, 570).	3 1 1	15.5 5.2 5.2	3 1 1	15.8 5.3 5.3				13.9					4 1	15.5 3.9	<u>1</u>	16.0 4.0			2 1 2	6.0 3.0 	1			
Gastritis, enteritis, etc. (543, 571, 572)		10.3		10.5 10.5					1	14.1									1 2 2	5.0 6.0	1 2	5.1 6.2		
Acute nephritis, nephritis with edema incl. nephrosis (590, 591)	1 3 1	5.2 15.5 5.2		5.3									2	7.8	1 2	4.0 8.0			1	5.0 5.0	2 1	5,1		
Other diseases of genito-urinary system (600-600, 611-637)	4	20.7	4	δ.3 21.0	•		2	£7.7	2	28.2				11.6	•	12.0			3	9.0	3	9.5		
Ongenital malformations (750-759) 3irth injuries, postnatal asphyxia and atolectasis (760-762) intetions of the newborn (763-768) ther diseases peculiar to early infancy, and immaturity unqualified (769-776).	4	20.7 20.7		15.8 21.0	 1								2 2 1	7.8 7.8 3.9	1 2 1				4 1	11.9 11.9 5.0	4 1	}		
Senlity, Ill-defined and unknown causes (780-795) Actor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979) Homicide and operations of war (964, 965, 980-999)	4 2 12 4	20.7 10.3 62.0 20.7 15.5 10.3	4 2 12 4	21.0 10.5 63.0 21.0	1		1 3 3 1	13.9 41.6 41.6 13.9	3 3 1	14.1 42.4 43.4 14.1			9 8 2 1	34.9 31.1 7.8 15.5	8 7 2 4	32.1 28.1 8.0 16.0	1 1		1 12 10 1	3.0 35.8 29.9 3.0 6.0	1 11 8 1	3.1 33.9 24.7 3.1 6.2	1 2	
				10.5			1	13.9	1	14.1			3	11.6	3				2	6.0	2	6.2		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955. ---

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES,

BY RACE, FOR	COU				TI	ENN	ESS					E	OF C				SIL	DEN	TE	AT				
	To	TAL	CROCI		Non	white	Tor		JMBEI		Nony	vhite	Тот		DAVID Witt		Nons	white	Tra	PAL.	DECA		Ma	
Estimated Population, July 1, 1966	14, No.	Rate	11,	011 Rate	3,8 No.	Wille 145 Rate	No.	559 Rate	20,	557		Rate	440,		357.	478 l	83,		8.9	ral 920 Rate	Wii 8,3 No.		57	white 8 Rate
LIVE BIRTHS*	250	16.8	158	14.3	92	23.9	357	17.4	357	17.4			7,786	17.7	5,958	16.7	1828	22.0	157	17.6	139	16.7	18	31.1
In hospitals	. 9		149 9		47 36 9		343 4 9		343 4 9				7,733 50 1 2		44		1819 6 1 2		151 5 1		134 5		17 <u>1</u>	
FETAL DEATHS†	1	4.0			1	10.9		11.2	-	11.2			¶106	13.6	70	11.7		19,1	4	25.5	1	28.8		
In hospitals	1				1		4		4				101 ¶5				33		4		4			
TOTAL DEATHS*		11.0		11.4	39	10.1	169	8.2	169	8,2			3,886	8.8	2,798	7.8	1088	13.1	103	11.5	96	11.5	7	12.1
Under 28 days of aget	. 3	12.0 24.0	2	•	1	10.9 43.5	11	30.8 39.2	11				127	16.3 23.0	74	12.4 17.1		29.0 42.1	3	19.1 25.5	3	21.6 28.8		12.1
CAUSE OF DEATH**		·		40.0		_							1,,									23.0		
Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid feyer (040).				18.2									16 13 1	3.6 3.0 0.2	11	3.1	5 3 1	6.0 3.6 1.2						
Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055)																								
Whooping cough (056). Meningococcal infections (057)	1	6.7			î								2	0.5	1	0.3	ī	1.2						
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (091)													1	0.2			1	1.2						
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic disease: (036-039, 041, 042, 049, 052-054, 061-074) 081, 083, 086-093, 095, 096, 108. 120-138)							1	4.9	1	4.9			13	3.0	10	2.8	3	3.6						
Malignant neoplasms (140–205). Benign and unspec. neoplasms (210–239). Diabetes meilitus (260).	24	161.6	1	154.4 9.1	7		18	87.6	-				627 10	142.3 2.3 10.4		131.8 1.7 9.2	156 4	187.8 4.8 15.7		123,3		131.9		
Pellagra (281) Avitaminosis and other deficiency states (280, 282–286) Anemias (290–223)													1 5	0.2 1.1	1 3	0.3 0.8	<u>-</u> 2	2.4						
Vascular lesions affecting central nervous system (330-334)	3		31	281.5	7		17	82.7	17	82.7			422 6	95.8 1.4	315 3	88.1 0.8		128.8		358.7	28	335.7	4	
Rheumatle fever (400–402) Diseases of the heart (410–443) Chronic rheumatle heart dis. (410–416) Arteriosclerotic and degenerative hear		403.9	50	454.1	10		60 1	291.8 4.9	60 1	291.9 4.9			28	0.2 357.1 6.4	24	6.7	4			313.5	28	335.7		
disease (420-422) Other diseases of heart (430-434). Hypertension with heart dis. (440-443 Hypertension without mention of hear) 81 1 8	53.9	5	399.6 9.1 45.4			59	287.0	59 	287.0			130		31 75	8.7 21.0	10 55	66.2	i	302.7 11.2		323.7 12.0		
(414-447) General arteriosclerosis (450) Other dis. of circulatory system (451-468)	$\frac{1}{2}$	13.0	1		1		7 2	34.0	7 2	34.1 9.7			25 68 48	10.9		3.1 15.7 9.5	14	14.4 16.9	1	11.2	1	12.0		
Influenza (480–483)	- 1	6.7			1		10		10				157 8	1.8	90 7	2.0	1	1.2	4					
510-527) Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553) Hernia and intestinal obstruction (560	5 2			9.1 18.2				14.6		14.6			51 26 4	$\frac{5.9}{0.9}$	37 19 1		7	8.4 3.6		22,.	2	24.6		
561, 570)	1	6.7			1			3.9	1	4.6			17		13	$\frac{3.6}{2.0}$	2	2.4						
Cirrhosis of liver (581)													30 21	4.8	20 17	5.6 4.8	4	4.8	ll .	11.	2 1	12.0		
incl. nephrosis (590,591). Chronic and unspec. nephritis and othe renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system	r 1				1		6 1	,	1	4.5	9		3 21 9		l	3.1 0.6	10 7	12.6			-			
(600-609, 611-637)	h	6.7			. 1		2		2				40	2.0		3.4		1 16.8		l <i>II</i>	<u>-</u>			
Congenital malformations (750-759). Birth injuries, postnatal asphyxia an atelectasis (760-762). Infections of the newborn (763-768).	d 2	2 13.6	5 2	18.2	3		6	9.7		! 9.° } 29	1		37 34 7	7.7	17	4.8	1	7 20.8		2 23.	4 2	2 24.	9	
Other diseases peculiar to early infancy and immaturity unqualified (769-776). Senility, ill-defined and unknown cause	s 1	6.1	Ì		. 1		2							16.1		11.7				3 33.	6 :	3 36.	0	
(780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979)			1 7	63.6					3 9		8		14 127 137 63	' 28.8 ' 31.1	98	2.1 27.2 26.0 15.1	4 29 7 1	9 34.4 4 53.4	9	1 11. 7 78. 4 44. 1 11.	8	1 12. 7 83. 3 36. 1 12.	9	i
Homicide and operations of war (964, 966, 980–999) All other diseases		î <i>6</i> .	7	9.	i			4.5 24.5		1 4. 5 24.			11 00) 15.8 2 14.1		6.2		8 <i>57.</i> 6 <i>19</i> .	8 3	ž 22.	4	Î 12.	ő	i

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.
¶Includes one item with race not stated.
#See explanation concerning Davidson County on page 7 of this Bulletin.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

Estimated Population, July 1, 1966	1		DE L	CALD																				
Retirected Donulation July 1 1966	70%	OTAL		(ALB	Non	white	 	TAL	DICK	SON	Non	white	100	TAL	DYI		Man	white	 		FAYE			
Estimated I optiation, stilly 1, 1999		,342		.052	1 3	WIII CE 290 Rate	21.	996 Rate	No.	,462 Rate	No.	,534 Rate	30, No.	372 Rate	26.	128	4.	white 544 <i>Rate</i>	l 25.	TAL 308 Rate		TITE , 252 Rate	17,	white ,056 Rate
LIVE BIRTHS*	. 183	3 16.1	178	16.1	5	17.2	373	17.0	330	16.1	43	28.0	484	15.8	405	15.5	79	17.4	500	19.8		13.9	<u>:</u>	
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified.	. 3		174 1 3				369 1		328		41		464 9 11		399 6		65 3 11		234 15 251		111 2 2		123 13 249	
FETAL DEATHS†		5.5	1	5.6			4	10.7	4	12.1			6	12.4	5	12.3	1	12.7	7	14.0			7	18.2
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	1		1				4		4				4 1 1		3 1 1		1		1 2 1				4 2 1	
TOTAL DEATHS*	1	10.7	115	10.4	6	20.7	261	11.9	238	11.6	23	15.0	375	12.2	309	11.8	66	14.5	234	9.2	77	9.3	157	9.2
Under 28 days of agetUnder one year of aget	3			16.9 22.5			7 11	18.8 29.5		12.1 15.2		69.8 139.5		20.7 33.1		14.8 19.8	4 8	50.6 101.3	15 28	30.0 56.0			11 23	28.6 59.7
CAUSE OF DEATH** Tuberculosis, all forms (001-019), of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048).	1	8.8	1	9.0			3 3	13.6	3 3	14.7			1	3.3	1	3.8								
Dysentery, all forms (045-048) Searlet fever and streptococcal sore throat (050, 051) Diphtheria (055). Whooping cough (056) Meningococcal infections (057)																			1	4.0			1	5.9
Tularemia (059). Acute pollomyelitis (080)																								
Typhus fever (101, 102, 107)							2	9.1	2	9,8									2	7.9		12.1		5 0
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states		141.1	15	135.7	1		28	127.3 27.3	26	127.1 29.3	2		48 2 7	156.5 6.5 22.8	1	160.7 3.8 23.0	6 1 1		29	114.6	13	157.5	16 	93.8 11.7
(280, 282-286) Anemias (290-293) Vascular lesions affecting central nervous system (330-334). Nonmeningococcal meningitis (340)	<u>î</u>	8.8	1 19	9.0			32 1	4.5 145.5 4.5	1 27	4.9 132.0	 5 1		1 59	3.3 192.4	1 46	3.8 176.1	13		49	193.6	17	206.0	32	187.6
Rheumatic fever (400-402) Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arterlosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434).	1	387.9 17.6	1 43	425.8 9.0 389.1 18.1	<u>3</u> 1		5	522.8 22.7 395.5 9.1	3	522.0 14.7 405.6 9.8	8 2 4		124	459.7 3.3 404.8	111 .	455.5 424.8	22 1		54	248.9 213.4	29	363.5	25	193.5 146.6 5.9
Other diseases of heart (430-434). Hypertension with heart dis. (440-443). Hypertension without mention of heart (441-447). General arteriosclerosis (450). Other dis. of circulatory system (451-468)	3 <u>2</u> 1		1 2 1	9.0	2		21	95.5 9.1 22.7	19 2 5	92.9 9.8 24.4			10 4 18	19.6 32.6 13.0 58.7	2 14	11.5 19.1 7.7 53.6	3 5 2 4		7 1 6	7.9 27.7 4.0 23.7	<u>î</u>	12.1	7 1 5	5.9 29.3
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	2		2	18.1				27.8	7 6	29.3			1 13 1	3.3 42.4 3.3	1 9 1	3.8 34.4 3.8	4		1 4	4.0 15.8	ī	12.1	1	5.9 17.6
510-527). Ulcer of stomach and duodenum (540, 541). Appendicitis (550-553). Hernia and intestinal obstruction (560, 561, 570).	2 1		1	9.0	1			22.7 13.6 18.2	3	19.5	1		11 4	35.9 13.0	11 3	42.1	ī		2	7.9	1	12.1	1	5.9
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (591). Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587). Acute nephritis, nephritis with edema,	2	17.6	2	18.1				18.2		19.5			1 3 2 4	3.3 9.8 6.5 13.0	2 2 4	3.8 7.7 7.7 15.3			3 2	7.9	2	24.2	<u>3</u>	17.6
incl. nephrosis (590, 591). Chronic and unspec. nephritis and other renal scierosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).	2	17.6 8.8	2 1	18.1			1	4.5	1	4.9			3 1	9.8 3.3 3.3	3 1	11.5 3.8 3.8			1	4.0	1	12.1	3	17.6
Complications of pregnancy, childbirth and the puerperium (640-589). Congenital malformations (750-759). Birth Injuries, postnatal asphyxia and atclectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	2 2	17.6 17.6 8.8	1 2	9.0	1		3	13.6	2	9.8	1		5 	9.8		7.7	1 2		1 6 1	4.0 23.7 4.0		24.2	<u>i</u> 4 1	5.9 23.5 5.9 29.3
Senility, ill-defined and unknown causes (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 810-962). Suicide (963, 970-979). Homicide and operations of war (964, 965, 980-999). All other diseases.	2 3 7 2	17.6 26.5 61.7 17.6 8.8 8.8	2 3 7	18.1 27.1 63.3 18.1			5 10 6	22.7 45.5 27.3 18.2 4.5 9.1	3 10 5	14.7 14.7 48.9 24.4 19.5 4.9 9.8	2 1		1 2 16 4 1 2 1 2 2 1 2 2 1 2 2 2 2 2 2 2 2 2 2	6.5 13.0 39.1 52.2 13.0 3.3 6.5	12 11 4	3.8 11.5 45.9 42.1 15.3	1 5 1		33 3 5 2	23.7 130.4 11.9 19.8 7.9 7.9 15.8	2 1 1 1	24.2 12.1 12.1 12.1	31 1 2 4 1	181.8 11.7 23.5 5.9 11.7 23.5

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate which is per 19,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES,
BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES RESIDENT DATA 1966

BY RACE, FOR ()N.I.			TE.	NN.	ESSI	SE I			IVE	C OF	CI'	TIE		-	DE	NT	DA'.	ľA,				
		TAL		ITE		white	- To	FAL		ITE	Nonv	vhite	Tor	PAL 1	GIBS		Nonv	white	To	'AL (G1L W11		Nony	white
Estimated Population, July 1, 1966		, 631 Rate	14,	629	No.	Rate	28	308 Rate	25	.854	2,	151 Rate	50.	190 Rate	39.	378	10,	812		356 Rate	19,	802 Rate	3,	554
LIVE BIRTHS*	251	17.2	251	17.2			455	16.1	398	15.4	57	23.2	820	16.3	523	13.3	297	27.5	360	15.4	287	14.5	73	20.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified			149 101				453 2		397 1		56 1		726 53 41		512 11		214 42 41		348 6 5		285 2		63 4 5	
FETAL DEATHS†			2					19.8	6	15.1	3	52.6	14	17.1	5	9.6	9	30.8	1	16.7	5	17.4	_	15.7
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified	2		2				8 1		5 1		3		11 1 2		5		6 1 2		6		5		1	
TOTAL DEATHS*	1		ł	8.1			244	8.6	222	8.6	22	9.0	583	11.6	456	11.6	127	11.7	268	11.5	204	10.5	64	18.0
Under 28 days of aget Under one year of aget CAUSE OF DEATH**		15.9 23.9		15.9 23.9			6 10	13.2 22.0	5	12.6 20.1	1	17.5 35.1	18	22.0 29.3	11	21.0 22.9	7	23.6	5	15.9 19.4	2 3		3	41.1
Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029) Gonococcal infection (030-035). Typhold fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat								17.7		19.8			1 1 1	2.0	1 1 1	2.5 3.5 2.5			2 2 1	8.6 8.6 4.3	1 1 1			
Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055). Whooping cough (056). Meningococcal infections (057)																								
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094)													1 1	2.0 2.0			 1 1	9.2	1	4.3			 1	
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104). Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138).													3		3	7.6	1		1	4.5	1	5.0		
Malignant neopiasms (140-205) Benign and unspec. neopiasms (210-239) Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states (280, 282-286)	4	95.7		95.7 27.3			1	123.6 3.5 14.1	1	131.5 3.9 15.5			1	151.4 2.0 8.0		2.5	8 1 3	9.2	42 5	179.8 21.4		176.7	1	
Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)		116.2	17	116.2			52	183.7	46	177.9	6		103 1	205.2		2.5 193.0		18.5 249.7 9.2	47	201.2	30	151.5	17	
Rheumatic fever (400–402). Diseases of the heart (410–443). Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart disease (420–422). Other diseases of heart (430–334).	39	321.2 6.8 266.6 47.8	39	\$21.3 6.8 266.6 47.9			58 58	261.4 3.5 204.5 21.2	55	270.8 3.9 212.7 23.2	3		190	446.8 2.0 378.6 6.0	1 170 3	431.7 7.6		250.0 185.0	77	\$98.2 4.3 \$29.7 21.4	1 60	\$58.5 5.0 \$03.0 15.1	17	
Hypertension with heart dis. (440-443) Hypertension without mention of heart (444-447). General arteriosclerosis (450). Other dis. of circulatory system (451-468).	t i						1 3 2	31.8 3.8 10.6	8 8 1 1 3 3	30.9 3.9 11.6	1		30 13 5	59.8 25.9 10.0	22 5	55.9	8	74.0 74.0 9.2	10 6 9	42.8 25.7 38.5 12.8	7 4 9	\$5.3 20.2	2	
Influenza (480–483) Pneumonia (490–493) Bronchitis (500–502)				5555			1 6	3.6	1	3.9			1	2.0 37.9		35.6	1 5	9.2	1	4.8 30.0	1 6	5.0 50.5	<u>i</u>	
Other respiratory diseases (470–475, 510–527)							6	21.4 14.1					6 2		6 1	15.2 2.5	1	9.2		17.1 -4.3	3			
561, 570) Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530-	. ! .	3 20.6 1 6.8					2	7.		3.5 3.7.7			$\begin{vmatrix} & 1\\ & 7\\ & 2 \end{vmatrix}$	2.0 13.9 4.0	5		<u>2</u>			8.6 4.3				
539, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema, incl. nephrosis (590, 591). Chronic and unspec. nephritis and other	, ,	1 6.8	1	6.8				24.1					6 2	12.0 4.0		12.7	1 2			17.1	4	£0.£		
ronal sclerosis (502-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	1						1	3.	5 1				3		1	7.6	3		3	4.5 12.8	1	5.0	1 2	
Complications of pregnancy, childbirth and the puerperium (640-689). Congenital malformations (750-753)	i	2 18.3 1 6.8					1	3 .	5	3.8 1 3.8	,		1 5 4 3	8.0	4	10.2		33.7 9.1		27.8 12.8		1 54.8 3 15.1		
and immaturity unqualified (769-776) Senllity, ill-defined and unknown causes (780-795)	s	3 20.4 4 27.5	3 4	27.5				3 10.		2 7.5 5 19.5			5		İ							3 15.1	1 2	
Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979) Homicide and operations of war (964, 965 980-999)	-	5 34.2 5 34.2	8 5	34.5	2		4	5 17. 49. 1 3.	7 5 5	1 15.4 2 46 1 3	5 1 4 2		17	53.8 53.9 10.0	22	55.9 25.4	7	5 46.8 7 64.3 1 9.8	2 3	30.0 25.7 12.8	3	7 35.3 5 25.2 3 15.1	5 2 1	
All other diseases	-	4 27.	9	27.8	3			3. 3 10.	6	3 11.	<i>6</i>			12.0	á	17.8	3	55.6	5 2	8.6 17.1		1 5.0 3 15.1	$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued) —BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES,

Estimated Population, July 1, 1995. No. See No. S	BY RACE, FOR C			GRAIN						GREE			1			GRUN				1		намв	LEN	==	
The boundary The	Estimated Population, July 1, 1966	13.3	88	WHI 13.2	TE 211	1	77	To: 46,	ral 368 Rate	13777	T0370	Nonv 1, No.	vhite 147 Rate	To: 11, No.	ral 288 Rate	Wiii 11,2 No.	TE 73 Rate	Nony No.	white 5 Rate	To: 39,2 No.	AL 18 Rate	Wн 36, No.	995		223
### REAL WATERS 1 0.5 1 0.6 1 0.5 1 0.6 1 0.5 1 0.	LIVE BIRTHS*	283	21.1	278	21.0	5	28.2	787	17.0	767	17.0	20	17.4	216	19.1	215	19.1	1	66.7	733	18.7	704	19.0	29	13.
The Registry Series (1987) The Registry S	In hospitals	271 4 7 1		3 7		1 		2 3 1		1 3 1		1 		80		80				8		5 		26 3	
Attendad by physician role in herpitals. 198 11.1 148 11.1 3 16.0 15.0 15.0 15.0 15.0 15.0 15.0 15.0 15				1											13.9	3	·		i		10.9	8	11.4		
Dident 28 days 1	A 44 and ad by midwive	1												1											
CAUSE OF DEATH** Thereupols, all forms (001-002)		1					16.9	l				10	8.7							1				19	8. 69.
Theoreticals all forms (001-002)		9	31.8																					$\tilde{2}$	69.
Diphtheria (600) Memisprococal intection (607) Memisprococal intertion (607) Memisproc	Tuberculosis, all forms (001-019)	1	7.5	1	7.6				4.8	2				3	26.6	3	26.6								
Malignath neoplasms (140-205) 19 44 0 15 15 3 1 22 4.5 2 4.5 1 15 15 15 15 15 15 1	Diphtheria (055)																								
Malgnant neoplasms (140-205) 19 (44.9 18 (39.3 1 0 21 55.7 0 1 34.9 1 15 (58.9 15 (58.1 13 3 3 8.1 0 3 3 4.7 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tularemia (059)																			i	2.5	i	2.7		7
Malignath neoplasms (140-205) 19 44 0 15 15 3 1 22 4.5 2 4.5 1 15 15 15 15 15 15 1	Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other Infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-033, 095, 096, 108, 120-138)																								
(280, 282-280) Abermias (290-233) Abermias (230-234) Abermias (230-234	Malignant neoplasms (140-205)	19 1	41.9	18	136.3	1		62	4.3	2	4.4			15	1 32 .9					1	2.5	1	2.7	2	
Diseases of the heart (410-413). 47 361.1 45 31.0 2 2 190 422.7 193 424.8 3 30 310.1 30 310.6 110 267.5 34 251.7 Arterioscierotic and degenerative heart discated degenerative heart disease (320-420 fact (30-430) 420.4 10 420.4 1	(280, 282–286)			21	159.0				•								-			49	124.9	42	113.5	7	
General arteriosclerosis (450)	Chronic rheumatch heart dis. (410-416).	47 3						2	4.3	2	4.4									1	2.5	1	2.7	7	
Other dis. of circulatory system (451-468). 1 7.6 1 7.0 5 10.8 3 0.6 2	disease (420-422) Other diseases of heart (430-434) Hypertension with heart dis. (440-413). Hypertension without mention of heart (444-447).	42 3 4 1	29.9 7.5	4 1	30.3 7.6 22.7			10 13 3	21.6 28.0 6.5	10 13 3	22.1 28.7 6.6			$\begin{bmatrix} 4\\2\\2 \end{bmatrix}$	35.4 17.7	4 2 2	35.5 17.7			3 7	7.6 17.8 5.1	$\frac{3}{7}$	8.1 18.9 5.4		
Initian Complete	Other dis. of circulatory system (451-406).	1	7.5	1	7.6	•		5	47.4 10.8	3	6.6	<u>2</u>		2		2 !	17.7			3	7.6	3	8.1		
1	Pneumonia (490-493) Bronchitis (500-502) Other respiratory diseases (470-475, 510-	8	59.8		60.6			14	2.2	13 1	28.7 2.2	1		2	17.7	2	17.7			10	25.5	10	2 7.0		
Gastritis, enteritis, etc. (543, 571, 572)	527) Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560.	1	7.5	1	7.6				2.2 G.5	3	2.2			4	35.4		35.5			1	5.1 2.5	2	5.4	1	
539, 542, 544, 545, 573-680, 582-687). Acuto nephritis nephritis with edema. Incl. nephrosis (590,591) Chronic and unspec. nephritis and other renal sclerosis (692-594). Ityperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637). Complications of pregnancy, childbirth and the puerperlum (640-689). Congenital malformations (750-759). Ityperplasis of pregnancy, childbirth and the puerperlum (640-689). Ityperplasis of pregnancy, childbirth and the puerperlum (640-689). Ityperplasia of prostate (610). Ityperplasia of prostat	Gastritis, enteritis, etc. (543, 571, 572)							1	4.3	2	4.4					1				i		١.			
1	539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema,	1	7.5	1	7.6			3	6.5	3	6.6									3	7.6	3	8.1		
Complications of pregnancy, childbirth and the puerperium (640-689). Congenital malformations (750-759)	renal sclerosis (502-504)	1						1	2.2	1	2.2			<u>i</u>		<u>í</u>									
atelectasis (760-762). 2 14.9 2 15.1	Complications of pregnancy, childbirth and the puerperium (640-689)	i <u>i</u>	7.5	<u>i</u>	7.6			4	8.6	4	8.8									<u>ī</u>	2.5		2.7		
Senility, ill-defined and unknown causes	atelectasis (760-762)	Ī	7.5	1	7.6									2	17.7	2	17.7							1 1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Motor vehicle accidents (810–835). All other accidents (800–802, 840–962) Sulcide (963, 970–979). Homicide and operations of war (964, 965,	8 5 1	59.8 37.3	8 5	60.6 37.8			13 6	28.0 12.9	23 13 6	50.9 28.7 13.3			12 7	106.8 62.0	12 7 2	62.1			16 2	40.8 5.1	10 16 2	43.2 5.4		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C	001	1,LT1			LEL	INE	SSE	EI	NCI	JUS.	IVE	01	F CI	TIE	S, I	RES.	IDI	ENT	DA	TA,	19	66		
	To:	TAL	HAMIL		Nony	white	Tor	CAL	HANC		Nony	white	-To1		HARDE Wii		None	white	Тот	A.T.	HARI	DIN 1TE	Non	white
Estimated Population, July 1, 1965	No.	799 Rate	195.	092	47,		7.	$^{632}_{Rate}$	7.5		1	04	23.	824 Rate	14,	396	9,	428 Rate	19,		18,	239 Rate	1.	086
LIVE BIRTHS*	4,495	18.5	3,357	17.2	1138	23.9	127	16.6	127	16.9			451	18.9	226	15.7	225	23.9	298	15.4	255	14.0	43	39.6
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	. 2		3,337 19 1		4		109		109				178 202 69 2		145 80 1		$^{ 33}_{122} \\ ^{ 68}_{2}$		294 1 2 1		253 1 1		41 	
FETAL DEATHS†	90	20.0	58	17.3	32	28.1	3	23.6	3	23.6			16	35.5	5	22.1	11	48.9	6	20.1	5	19.6	1	23.3
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified	1				32		3		3				12 1 3		4 1		8 3		6		5		1	
TOTAL DEATHS*	2,332	9.6	1,753	9.0	579	12.1	75	9.8	75	10.0			236	9.9	153	10.6	83	8.8	189	9.8	174	9.5	15	13.8
Under 28 days of age† Under one year of age†			59 72	17.6 21.4	24 38	21.1 33.4	2 4	15.7 31.5	2 4	15.7 31.5			11 18	24.4 39.9	2_4	8.8 17.7	9 14	40.0 62.2		16.8 33.6	3 6	11.8 23.5	2_4	46.5 93.0
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhoid fever (040) Undulant fever (044) Dysentery, all forms (015-048) Scarlet fever and streptococcal sore throat	20	1.6	13	6.7	7	18.9 14.7 6.3							1 1 1	4.2	1 1	6.9	1	10.6	1	5.2	1 1	5.5 5.5		
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)													r	4.2			<u>-</u>	10.6						
Tularemia (059) Acute poliomyolitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases	1	0.8	2 1	1.0			1	13.1	1	13.3														
(036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138). Malignant neoplasms (140-205)	8 355	3.3 146.2 2.9	273	3.1 139.9 2.6	2 82	4.2 171.9 4.2	7	91.7	7	93.0			28	117.5	19	132.0	9	95.5	30	 155.L	28	153.5	2	
Diabetes mellitus (260). Pellagra (281). Avitaminosis and other deficiency states (280, 282–280). Anemias (290–293) Vascular lesions affecting central nervous system (330–334)	43 4 2 3 297	122.3	3 2 213	1.5 1.0 109.2	1 84	29.3		13.1		18.3			1 19	4.2	1 1 1 11	6.9	8	10.6	1	25.9 5.2 	5 1 31	27.4 5.5 	2	
Nonmeningococcal meningitis (340) Rheumatic fever (400–402)			2			6.3							1	4.2			1	10.6						
Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434).	638 51	262.8 21.0	540 39	276.8 20.0	98 12	285.1 2.1 205.4 25.2	27 4	432.4 358.8 52.4	27 4				1	407.2 4.2 377.8 8.4	60 2	444.6 416.8 13.9	30	350.0 10.6 318.2	53	280.8 274. 3 5.2	48 1		5	
Hypertension with heart dis. (440-443) Hypertension without mention of heari (444-447) General arteriosclerosis (150) Other dis. of circulatory system (451-468).	20 48	32.5 8.2 19.8 14.4	13 41	6.7 21.0	25 7 7	52.4 14.7 14.7 14.7	2	26.2 26.2 13.1 13.1	1	26.6 26.6 13.3 13.3			5 9	16.8 21.0 37.8 12.6	2 4 7 3	13.9 27.8 48.6 20.8	1 2	21.2 10.6 21.2	3	10.8 15.5 41.4 5.2	3 8	16.4 43.9		
Influenza (480-483)	69 11	0.4 28.4 4.5	49	25.1	20	41.9 2.1		13.1 13.1	1 1	13.8 13.3			1 7 1	4.2 29.4 4.2	3 1	20.8 6.9	1 4	10.6 42.4		46.6	6	32.9	<u>3</u>	
510-527). Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553). Hernia and intestinal obstruction (560	,			3.1	5	10.5	1	13.1	1	13.8			3 1	12.6	2 1	13.9 6.9		10.6	1	5.2				
561, 570) Gastritis, enteritis, etc. (543, 571, 572)	15 8 16	3.3	5	2.6		2.1 6.3	1	13.1	i	13.3			7		5	•	$\frac{1}{2}$		1	5.2 5.2		δ.δ δ.δ		
Cirrhosis of liver (581). Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema incl. nephrosis (590,591).	27	6.6 11.1 0.4	20		7	2.1 14.7 2.1	2	26.2	2	26.6	 		1	4.2	1	6.9			1	5.2		5.5	1	
Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).	23 5 20	9.5 2.1	10 1	5.1 0.5	13 4	27.2 8.4 8.4	1	13,1 13,1		13.3 13.3			2 2 3		1 1 2	6.9 13.9	1							
Complications of pregnancy, childbirti and the puerperium (640-689). Congenital malformations (750-759) Birth Injuries, postnatal asphyxia and atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy and immaturity unqualified (769-776)	28 5	11.5	19 20 3	10.3	8 2	16.8 4.2		13.1		13.3			2 2 2 1 6	8.4 4.2	1 1 1	6.9	1	10.6 10.6	3	10.3	3	16.4	l	
Senility, ill-defined and unknown cause (780-795). Motor vehicle accidents (810-835). All other accidents (800-802, 840-962). Sulcide (963, 970-979). Homicide and operations of war (964, 965 980-999). All other diseases.	91 73 22	37.5 30.1 9.1	77 53 19	27.2 9.7 5.1	14 20 3 15	6.3 31.4	2		2	26.6 26.6			1 12 3 3 1 5	50.4 12.6 12.6 4.2	11 3 3	20.8	1	10.6	18 3 2	5.2 93.1 15.5 10.3	18 3 2	98.7 16.4		
*Rate per 1 000 penulation - tRate t	1		1		<u> </u>		II		1.4.4		1		il .		1		<u> </u>		11 ,		<u> </u>		1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR	COL	JNT			TI	ENN	IESS	EE			SIV	E)F C				SIL	EN	T D	AT.				<u>=</u>
		OTAL		KINS	No	ıwhite	11-10-	TAL		WOOD	LMor	nwhite	- -	TAL	IENDE	RSON	Non	white	- To	TAL	HEN	RY	Non	white
Estimated Population, July 1, 1966		3,000		. 817	1 1	,183 Rate	11 22	, 886		050	13	,836 Rate	17	,760 Rate	15	787	1	0.973 $Rate$	ll 22.	464	No. 19	192 Rate	3.	272
LIVE BIRTHS*	1	18.5	583	18.3	28	23.7	440	19.5		14.3	311	22.5	il	15.8		14.5		22.3	H	13.8		12.6	68	20.8
In hospitals	580 23 7		552 23 7				178 91 170 1				57 84 169 1		275		231		41 1 2		304		240		64 3 1	
FETAL DEATHS†		16.4		17.2			8	18.	2	15.5	6	19.3	5	17.9	5	21.2			6	19.4	4	10.6	2	29.4
In hospitals	10		10				6 1 1		2		4 1 1		5		5				6		4		2	
TOTAL DEATHS*	303	9.2	289	9.1	14	11.8	219	9.6	98	10.8	121	8.7	168	9.5	146	9.2	22	11.2	302	13.4	265	13.8	37	11.5
Under 28 days of aget	13 17	21.3 27.8	10 14	17.2 24.0		107.1 107.1		27. 5 43. ž		7.8 31.0	11 15	35.4 48.2	1 5	3.6 17.9	1 4	4.2 16.9	<u>ī</u>	23.7	4 8	12.9 25.9	3	8.3 12.4	2 5	29.4 73.5
Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fever (040) Undulant fever (044) Dysentery, all forms (015-018) Scarlet fever and streptococcal sore throat		3.0	1																4 2	17.8	3 1	15.6	1	
(050, 051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057)							1	4.4	1	11.0														
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094) Typhys Gyor (101, 102, 107)	1		 1	3.1																				
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104)		3.0	1	3.1			1	4.4	1	11.0			2	11.3	1	6.3	1							
Malignant neoplasms (140-205) Benign and unspec, neoplasms (210-239) Diabetes mellitus (260) Pellagra (281)	42 1 1	127.3 3.0		3.1	4		26 1 2	113.6 4.4 8.7	15	165.7			29 1	163.3 5.6 11.3	22 1	139.4 6.3 12.7	7			182.5 26.7		192.8 31.3	4	
Avitaminosis and other deficiency states (280, 282-286). Anemias (290-293). Vascular lesions affecting central nervous system (330-334). Nonmeningococcal meningitis (340).	<u>î</u>	124.2		3, 1 125. 7	_		27 1	118.0 4.4		99.4		130.1	1	253.4	44	278.7	1		1 45	4.6 200.3	1 42	5.2 218.8	3	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-446). Arterloscierotic and degenerative heart	<u>107</u> 1	324.2 3.0	1		<u>-</u> 3			415.1	43	475.1 11.0	52	375.8	49 1	275.9 5.6	44	278.7 6.3	<u>5</u>		1	520.8 4.5	1	541.9 5.2	<u>-</u> 13	
disease (420–422) Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of heart (444–447).	6 7 1	281.8 18.2 21.2	6 7 1	282.9 18.9 22.0 3.1			3 32 6	139.8 26.2	2 6 1	375.7 22.1 66.3	1 26 5	187.9 36.1	5 -1 1	219.6 28.2 22.5 5.6	5 4	215.4 31.7 25.3	5 1		5 8	458.5 22.3 35.6 4.5	5 8	468.9 26.1 41.7 5.2	13	
Gèneral arteriosclerosis (450) Other dis. of circulatory system (451-468) Influenza (480-483)	8 4	12.1 3.0	7 4	22.0 12.6 3.1			2	8.7 8.7	1	22.1 22.1 11.0	1 <u>1</u>	7.2	5 2	28.2		31.7			3	31.2	3	36.5		
Pneumonia (490–493). Bronchitis (500–502). Other respiratory diseases (470–475, 510–527). Uleer of stomach and duodenum (510, 541)	10 2 6	6.1	10 2 6	31.4 6.3 18.9			5 1	21.8 4.4 4.4	1	11.0	5 1	36.1 7.2	<u>i</u>	22.5	<u>1</u>	25.3				62.3 31.2	11 6	57.3 31.3	1	
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570) Gastritts, enteritis, etc. (543, 571, 572)	2	6.1	2	6.3			1	4.4	1	11.0									1 1	4.5	1 1	5.2 5.2		
Cirrhosis of liver (581) Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587) Luch nephritis, nephritis with edema, incl. nephrosis (590, 591)	2	6.1 3.0	2	6.3 3,1									2	11.3	2	12.7			3	8.9 13.4	3	10.4 15.6		
Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610). Other diseases of genito-urinary system (600-609, 611-637).	5 1	15.2 3.0 3.0	5 1	15.7 3.1 3.1			2 1 2	8.7 4.4 8.7	2	22.1 11.0	2	14.5	1	 ő.6	1	6.3			2 1	8.9 4.5 4.5	1	5.2 5.2	2	
Complications of pregnancy, childbirth and the puerperlum (640-689). Congenital malformations (750-759) Birth Injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early Infancy, and immaturity unqualified (769-776).	3 2 2 6	0.1 6.1 6.1 18.2	2 2 2 4	6.3 6.3 6.3	1		2 2 1 4	8.7 8.7 4.4 17.5		11.0	1 1 1 4	7.2 7.2 7.2 7.2 28.9	2	11.3 5.6	2	12.7 				13.4		15.6	2	
Senility, fil-defined and unknown causes (780-795). Motor vehicle accidents (810-835)	2 23 11 3	6.1 69.7 33.3 9.1 6.1 27.3	2 23 10 3 2 9	6.3 73.3 31.4 9.4 6.3 28.3	1		3	30.6 17.5 35.0 13.1 13.1 21.8	2 6 2	11.0 22.1 66.3 22.1 11.0 33.1	2 2 1 2		10	5.6 33.8 56.3 5.6 5.6	1 5 6 1	6.3 31.7 38.0 6.3			14 5	4.5 53.4 62.3 22.3 22.3	5 1	46.9 57.3 26.1 5.2 20.8	1 3 3	
*Rate per 1.000 population +Rate per							<u> </u>						<u> </u>						<u> </u>		l	!		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C		., 11				7.4.T.A.			HOUS		J . V		. 0				رلير	אונגוי	עי	TLLE				
	Тот	'AL	HICK		Nony		Ton	PAL	Wm	ITE (Nonv	white	-To	TAL	UMPH Wii		Non	white	To	TAL [JACKS Witt		Nonw	vhite
Estimated Population, July 1, 1966	12.		No.	693 Rate	No. 5	91 Rate	5,5 No.	62 Rate	5,1 No.	09	-1	53 Rate	12.	224 Rate	11.	636	5	88 Rate	9.3	326 Rate	9.2	92	31	1
LIVE BIRTHS*	204	16.6	191	16.3	13	22.0	83	14.9	74	14.5	9	19.9	201	16.4	185	15.9	16	27.2	139	14.9	139	15.0		
In hospitals	195		184				28 51		28 46		<u>-</u> 5		183 18		168 17		15 1		136 1					
Attended by midwivesAttended by others or unspecified	7 2				2		4				4								2					
FETAL DEATHS†		14.7	3	15.7									2	10.0	2	10.8			4	28.8	4	28.8		
In hospitals	3		3										2		2				4		4		. 	
Attended by midwivesAttended by others or unspecified																								
TOTAL DEATHS*		9.3	i	9.3	5	8.5	62	11.1	56	11.0	6	13.2	133	10.9	125	10.7	8	13.6	93	10.0	93	10.0		
Under 28 days of aget Under one year of aget	3 6	14.7 29.4		15.7 31.4			$\frac{1}{2}$	12.0 24.1			$\frac{1}{2}$		1	5.0 5.0	1	5.4 5.4			1 3	7.2 21.6	1 3	7.2 21.6		
CAUSE OF DEATH**																				Ì				
Tuberculosis, all forms (001–019) of respiratory system (001–008) Syphilis and its sequelae (020–029)	1		1										1	8.2	1	8.6 8.6				10.7 10.7		$\frac{10.8}{10.8}$		
Gonococcal infection (030–035) Lyphoid fever (040)																								
Undulant fever (044)																								
Scarlet fever and streptococcal sore throat																								
Diphtheria (055)																								
Tularemia (059)																								
Acute poliomyelitis (080)																								
Measles (085) Rabies (094) Typhus fever (101, 102, 107)																								
Rocky Mountain spotted lever (104)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 06	, Ì		, ,	0.0			1													10.7	١,	10.8	ĺ	
081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205)	i	8.1		8.6 128.5			4	71.9	4	78.8	3			163.6		163.8	1		li	85.8	1		i	
Benign and unspec, neoplasms (210-239). Diabetes mellitus (260)	Î	8.1			<u>î</u>		.						1	8.2	1	8.6				l 10.7 l 42.8				
Pellagra (281) Avitaminosis and other deficiency states	3																							
(280, 282–286) Anemias (290–293) Vascular lesions affecting central nervous													1				}							
system (330–334) Nonmeningococcal meningitis (340)	. 15	122.1	1 12	102.6	3		. 11	197,8	11	215.	5 		10	81.8		85,8	/ - -		15	2 128.7	12	129,1		
Rheumatic fever (400-402)	45	366.3	45	384.8			2	449.8	23	3 450,	2 2		6:	9 504.8	6.	5 558.0	3	1	4:	2 450.	42	452.0		
Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative hear	}						-						II.	1 8.3		1 8.	1		11	1 10.		10.8	ļ	
disease (420-422)		325.6 40.1		342.1 42.8	.]		- ;	2 395.8 3 53.		1 411. 2 3 9.	-	l I	Ш	$egin{array}{cccc} 2 & 507.5 \ 4 & 32.5 \ 2 & 16.5 \end{array}$	7] -	8 498 4 34 2 17.		·	.11	4 364.1 7 75.	_	365.5 75.8		
Hypertension without mention of hear (414-447)	t 1			, 42.0 l 8.0			·						Н	1 8.:	2	1 8.	6		.					
General arteriosclerosis (450) Other dis. of circulatory system (451-468)	2		3 2	2 17.	1		- 11 - 4	71. 2 36.		4 78. 1 19.		ī		1 8 3 24		1 8. 3 25.				4 42.	9	43,0	<u> </u>	
Influenza (480–483) Pneumonia (490–493)		32.	<u></u>	1 34.	2			1 18.4 2 3 6.		ī <i>ī</i> <u>ī</u> <u>ī</u> .	\tilde{e}	1		1 8 7 57.	23	1 8. 6 51.		ī	-	1 10.	7	1 10.8	3	
Bronchitis (500-502) Other respiratory diseases (470-475,				8.			-						·	1 8.	2	1 8.	6				-			
510-527) Ulcer of stomach and duodenum (540, 541	. I	l 8.	1	i 8.	6		-	3 <i>53</i> .	9	3 58.	7		:	1 8.	2 - 	1 8.	6		-	î 10.	7	1 10.	8	
Appendicitis (550-553) Hernia and intestinal obstruction (560 561, 570)),	 1 8.	1	1 8.	6										-		-					· ···		
Gastritis, enteritis, etc. (543, 571, 572)	-				-		-		-								-		-	1 10.		1 10,		
Other diseases of digestive system (530					<i>G</i>		-	1 18.	0	I 19.	6		-	2 16,	-	2 17.			-	1 10. 1 10.	1	1 10. 1 10.		
539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema incl. nephrosis (590, 591)	ι,	3 24.	4	3 25.	7								-	2 10,	4	2 11.			-	. 10.	()	1 10.		
Chronic and unspec, nephritis and other renal sclerosis (592-594)	r												-						.		.]			
Other diseases of genito-urinary system	n	1 8.	1		6				-				-	1 8.	9	1 8	6		-	1 10. 1 10.	Į	1 10. 1 10.	Ţ	
(600-609, 611-637)	. 1	1 8.	1	1 8.	9								-	1 0.		1 0	"			1 19.	'	1 117.		
and the puerperium (640-689)		2 16.	. 3	2 17.	1								-										-	
Birth injuries, postnatal asphyxia an atelectasis (760-762)	.d												-	1 8		1 8	. 6	·						
Infections of the newborn (763-768) Other diseases peculiar to early infanctionand immaturity unqualified (769-776).	у,	2 16.	.3	2 17	1		_	1 18	0			1								1 10	. 7	1 10	. 8	
Senility, ill-defined and unknown cause	es	<u> </u>																						
(780-795) Motor vehicle accidents (810-835)		1 8			. 6		- 11	2 36		2 30			- 11	2 16	. 4			1		3 32 4 42 3 33	2.0	3 32 4 43 3 32	.0	
All other accidents (800–802, 840–962) Suicide (963, 970–979)		0 81 2 16		10 85 2 17				4 71	. 0	4 78				3 24	. 2	1 8			11		- 1			-
Homicide and operations of war (964, 96 980–999)All other diseases		1 8 1 8	.1		. 6 . 6		- 11	1 18 1 18		1 1/	0.6				. 2	3 2	5.8	1	11	1 10 1 10		$\begin{array}{ccc} 1 & t6 \\ 1 & t6 \end{array}$	0.8	
+Data and took months and these							a n ra n				_				<u> </u>		!		- 11 _					

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR		UN.				ENI	NES	SEE			JSIV	VE (OF C	ITI	ES,	RE	SID	EN	Γ D	ATA	ı, 19	66		
	1-110	TAL	JEFFE	RSON		white	To			VSON	. Mon	1.14				0X	(X 7		11_0			KE		
Estimated Population, July 1, 1966		,116		.118	1 9	998 Rate	11	.277		139		white 138 <i>Rate</i>		752	No.	,676 Rate	Non 24 No.	white ,076 Rate	No.	TAL 3,746 Rai	e No.	TEE 725 Rate	2	white ,021 Rat
LIVE BIRTHS*	448	17.8	435	18.0	13	13.0	178	15.8	175	15.	3	21.7	4,461	16.5	3,964	16.1	497	20.6	199	22.8	128	1		35.1
In hospitals	.] 1		432 2 1				127 50		126 48				4,442 14 4 1		3,947 12 4 1		495 2		73 109 17		66 61 1		7 48 16	
FETAL DEATHS†	6	13.4	6	15.8	3		7	39.5	7	40.0			84	18.8	76	19.2	8	16.1	2	10.1	1	7.8	1	14.1
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified	6		6				6		6				81 3		74 2		7		1 1		1		i	
TOTAL DEATHS*				9.4	14	14.0	131	11.6	126	11.5	5	36.2	2,442	9.0	2,102	8.5	340	14.1	91	10.4	61	9.1	30	14.8
Under 28 days of age †		20.1 33.5		20.7 52.2	₁	76.9	3 3	16.9 16.9		17.1 17.1			52 86	11.7 19.3	42 66	10.6 16.6		20.1 40.2	6 8		2 2	15.6 15.6	46	56.3 84.5
CAUSE OF DEATH •• Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-020) Gonococcal infection (030-035) Typhoid fover (040) Undulant fever (044) Dysontery, all forms (045-048) Scarlet fover and streptococcal sore throat	2			4.1	1								27 22 3	10.0 8.1 1.1	20 17 3	8.1 6.9 1.2	5	29.1						
(050, 051). Diphtheria (055). Whooping cough (056). Moningococcal infections (057).													3	1.1	2	0.8	 ī	4.2						
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094)																								
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other Infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 080-003, 095, 096, 108, 120-138)			2	8.3									13	4.8	11	4.5	2	8.3						
Malignant neoplasms (140-208). Benign and unspec. neoplasms (210-239). Dlabetes mellitus (280). Pellagra (281). A vitaminosis and other deficiency states	6	143.3 23.9		141.0 24.9				150.7 44.5		143.6 44.9			381 4 26	140.7 1.5 9.6	20 	135.8 1.2 8.1	1	191.1 4.2 24.9	6 ī	68.6		74.3 14.9	1	
(280, 282–286) Anemias (290–293) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)	1 45	4.0	45	4.1 186.6	İ		21	186,2	21	188.5			3 6 274 1	1.1 2.2 101.2 0.4	$\begin{array}{c} 2 \\ 2 \\ 2 \\ 234 \\ 1 \end{array}$	0.8 0.8 94.9 0.4	40	4.2 16.6 166.1	27	308.7		14.9 252.8	10	
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arterloscierotic and degenerative heart		846.4		\$40.0	5			478.9		457.9			11	0.4 342.7 4.1	10	0.4 335.7 4.1	1	415.4 4.2		285.8		282.5	<u>6</u>	
disease (420-422). Other diseases of heart (430-433). Hypertension with heart dis. (440-443). Hypertension without mention of heart (444-447).	7	290.7 27.9 27.9	7 6 1	286.1 29.0 24.9 4.1	<u>î</u>		6	\$50.2 \$5.5 53.2	5				42 81 12	293.8 15.5 29.9	39 64 9	3.6	3 17 3	328.1 12.5 70.6 12.5	1 1	11.4		282.5	4 1 1	
General arteriosclerosis (450)		15.9 11.9 8.0 25 .9	3 3 2 6	12.4 12.4 8.3 24.9			2 4 6	17.7 35.5 53.2	2 3 6		1		42 25	15.6 9.2 31.4	22	15.4 8.9	3	16.6	1	34.3	1	44.6		
Bronchitis (600-502) Other respiratory diseases (470-475, 510-527) Ulcer of stomach and duodenum (540, 541)	3 1	11.9	3 1	12.4 4.1			1	8.9	1	9.0			53 12	3.0 19.6 4.4 1.1	67 7 50 11	2.8 20.3 4.5	3 1	74.8 4.2 12.5 4.2	1	34.3	2	20.7	1	
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570) Gastritis. enteritis, etc. (543, 571, 572)							<u>ī</u>	8.9	<u>-</u>	9.0			10 9	1.1 3.7 3.5	3 10 8	1.2 4.1 3.2		4.2						
Cirrhosis of liver (581) Other diseases of digestive system (530- 539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema, incl. nephrosis (590, 591)	3 1 1	11.9 4.0 4.0	2 I 1	8.5 4.1 4.1	1 		2	17.7	2	18.0			28	10.3 8.5	24 22	9.7	4	16.6						
Chronic and unspec. nephritis and other renal sclerosis (592-594). Hyperplasia of prostate (610)	<u>2</u> 1	8.0 4.0	2 1	8.3 4.1			1 2	8.9 17.7	1 2	9.0			24 3 22	8.9 1.1 8.1	19 3 15	7.7 1.2 6.1		20.8 29.1		11.4 	1	14.9	2	
Complications of pregnancy, childbirth and the puerperium (640-689). Congenital malformations (750-759). Birth injuries, postnatal asphyxia and atclectasis (750-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	1 1 7	4.0 4.0 27.9	1 1	4.1 4.1 29.0			3	26.6	3	26.9			30 13 6 22	11.1 4.8 2.2 8.1	26 12 3 19	10.5 4.9 1.2 7.7	1 3	16.6 4.2 12.5 12.5	2 1	22.9 22.9 11.4 34.3		29.7 14.9	1 1 2	
Senility, ill-defined and unknown causes (780-795) Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979) Homicide and operations of war (964, 965, 980-909) All other diseases	6	23.9 23.9 23.9 8.0 4.0	5	20.7 20.7 20.7 20.7 8.3 8.3 4.1	1 1 1		2 2	35.5 17.7 17.7		35.9 18.0 18.0			22 24	44.0 25.1 19.6 8.1 8.9 20.7	65 44 18	34.1, 26.4 17.8 7.3 6.9 17.8	3 9 4 7	145.4 12.5 37.4 16.6 29.1 49.8		22.9 11.4 80.0	5	14.9 74.3 14.9	1 1 2	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES. RESIDENT DATA, 1966

BY RACE, FOR CO	OUN				EN	NE	SSE				VE	OF	CIT	CIES	S, R	ESI	$\overline{\mathrm{DE}}$	NT	DA'	ΓA,	196	6		
			AUDE		NI a	1	- m		LAWRI		Mon	h 14 -			LEW		NT				LINC		NY	
Estimated Population, July 1, 1966	To: 23, No.	TAI , 640 Rate		568	9.	white 072 Rate	Ton 31, No.	260 Rate	30.	ITE 672 Rate	Nonw 59 No.	38	Тот 6,8 No.	54 Rate	Wir 6,7 No.	41	1	white 13 Rate		TAL 331 Rate		042	3,	white 292 Rate
LIVE BIRTHS*	416	17.6	195	13.4	221	24.4	578	18.7	590			15.3	i	16.6				35.4	125	16.1		16,6		17.3
In hospitals_ Attended by physicians not in hospitals_ Attended by midwives Attended by others or unspecified	235 123 57 1		171 21		61 103 57 1		566 12		557 12				108 5 1		105		3 1		413 7 3 2		361 7		52 	
FETAL DEATHS†	13	31.2	-4	20.5	9	40.7	5	8.7	5	8.8			1	8.8	1	9.1			10	23.5	9	24.5	1	17.5
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.			4		6 3		5 		5 				I 		I 				10		9		1	
TOTAL DEATHS*	254	10.7	167	11.5	87	9.6	291	9.3	281	9.2	10	17.0	55	8.0	54	8.0	1	8.8	297	11.3	251	11.0	43	13.1
Under 28 days of aget	16 22		7 9	35,9 46,2	9 13	40.7 58.8	12 15	20.8 26.0	12 14	21.1 24.6	<u>ī</u>		1 2	8.8 17.5	$\frac{1}{2}$	9.1 18.2			14 17	32.9 40.0		32.6 35.3	2 4	35.1 70.2
Tuberculosis, all forms (001-019). of respiratory system (001-008) Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhold fever (040).	1	4.2 4.2		6.9 6.9 6.9			1	3.2	1 1	3.3 3.3									2 2	7.6	1	4.3 4.3	1	
Undulant fever (044) Dysentery, all forms (045–048) Scarlet fever and streptococcal sore throat																								
Whooping cough (056) Meningococcal infections (057)	<u>-</u>	4.2			1	11.0																		
Tularemia (059) Acute poliomyelitis (080) Acute infectious encephalitis (082) Measles (085) Hables (094)																								
Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074).																								
081, 083, 086-093, 095, 096, 108, 120-138) Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260)	39 39	12.7 165.0 12.7	2	164.7 13.7	15 1	22.0 165.3 11.0		140.8		133.7	3		6	87. õ	6	89.0			2		2		4	
Pellagra (281) Avitaminosis and other deficiency states (280, 282–286) Anomias (290–293)		25.4		27.5		22.0	1 1	3.2 3.2 3.2	1 1 1	3,3										3.8		4.3		
Vascular lesions affecting central nervous system (330-334). Nonmeningococcal meningitis (340)	34	143.8	21	144.2	13	143.3	34	108.8	34	110.9			6	87.5	6	89.0			46	174.7	41	177.9	5	
Rheumatic fover (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arterlosclerotic and degenerative heart disease (420-422).	1	346.9 4.2 287.6	1	425.6 6.9 377.5		220.5	3	403.1 9.6 864.7	111	361.9	1			306.4 306.4		296.7	1 1		86	432.9 326.6	77	429.7 334.2	15 9	
Other diseases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of heart (444-447). General arteriosclerosis (450).	11	8.5 46.5 4.2	2 4 1	13.7 27.5	7		2 7 1	6.4	2 7 1 3	3,8			1	14.6 14.6	1	14.8				68.4 38.6	10		6	
Other dis. of circulatory system (451–468) Influenza (480–483) Pneumonia (490–493)		16.9 8.5	4	27.5	2	22.0	3	9.6 3.2	3	9,8			3						1 9	7.6 15.2	2	8.7 17.4		
Bronchitis (500-502) Other respiratory diseases (470-475 510-527) Ulcer of stomach and duodenum (540, 541	5	4.2	1	6.9			6 2	6.4 19.2 6.4	6 2	6.5 19.6 6.5			1 2	14.6	1	14.8			2 2	7.6	 1	4.3	1	
Appendicitis (550-553). Hernia and intestinal obstruction (560 561, 570). Gastritis, enteritis, etc. (543, 571, 572)		4.2			<u>î</u>	11.0	<u>1</u>												 1 1			17.4 4.8		
Cirrhosis of liver (581) Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema	. 2		l	13.7		11.0	2	6.4	2	6.8									2	7.6	2	8.7		
incl. nephrosis (590, 591) Chronic and unspec. nephritis and othe renal sclerosis (592–594) Hyperplasia of prostate (610)	2	8.6	1	6.9	1	11.0													2	7.0	1	4.5	1	
Other diseases of genito-urinary system (600-609, 611-637)	2	8.6	1	6.9	1	11.0		6.4	1	3.3	1		1	14.6	1	14.8	3							
Complications of pregnancy, childbirth and the puerperlum (640-689). Congenital malformations (750-759)	- 1	3 12.7 2 8.8	7 2 5 1	13.7 6.9	1	. 11.6 . 11.6	7	12.8	,	i 13.	8		2	29.1	2	29.1	1			3 11.	4 3	4.3	3	
other diseases peculiar to early intancy and immaturity unqualified (769-776).	. 8	8 83.8 8 83.8	1	20.6	5	22.0 55.1	1	3.2		1 3.	.1								11	? 7. 3 23.		4.; 3 26.;	1	
Senility, ill-defined and unknown cause (780-795). Motor vehicle accidents (810-835)	$\begin{bmatrix} 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 $) 38 1 46.a	$\begin{bmatrix} 1 & 6 \\ 5 & 7 \end{bmatrix}$	41.2	3	11.0 3 33.1 4 44.1 2 22.0	11 15	32.	0 1 0 1	0 32.	8		- 9	1 14.6 9 131. 1 14.	3 9	1 14. 9 133. 1 14.	ō		1:) 34. 2 45.) 38. 2 7.	$\begin{bmatrix} 6 \\ 0 \end{bmatrix} = \begin{bmatrix} 7 \\ 10 \end{bmatrix}$	3 26.0 7 30 3 43 2 8.	4	
Homicide and operations of war (964, 966 980-999) All other diseases	- 1	1 4.3 1 4.3				1 11.0 1 11.0		3.: 5 16.		1 3. 5 16.	3		11		-		-			2 7. 8 30.		1 4. 5 21.		1 3

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR (11 1			11	11V 1V	<u></u>	EE			121 A	L) (I	Jr C	111			orn	EN	עו	AIF				
		OTAL	/ W	JDON HITE		white		DTAL	ı W	MINN HITE		nwhite	- To	TAL	Wr	AIRY		white		TAL		HTE	Non	white
Estimated Population, July 1, 1966	No.	1,810 Rat	e No.	4, 435 Rai		405 Rate	No.	3,477 Rat	e No.	3,516 Rat	e No.	,961 Rat	No.	8,648 Rat	e No.	, 360 Rat		,288 Rate		,008 Rate	e No. 12	,908 Rate		100 Rate
LIVE BIRTHS*	381	1 15.	3 37	0 15.	1 11	27.2	671	18.	630	3 19.	0 35	17.8	301	16.	273	15.	28	21.7	187	14.4	183	14.4	1	10.0
In hospitalsAttended by physicians not in hospitals	.1 -4	7		6	_ 11			3	632	3			. 4		269				187		185		1	
Attended by midwives									. 1				4				4							
FETAL DEATHS†	. 4	10.	5 .	1 10.	8		14	20.	11	17.	3 3	85.7	4	13.5	3	11.6	1	35.7	2	10.7	2	10.8		
In hospitalsAttended by physicians not in hospitals	1		i	1			12		9 2				4		3		1		2		2			
Attended by midwives																								
TOTAL DEATHS*	1		1	3 9.	9 4	9.9	326	9.3	311	9.3	15	7.6	205	11.0	188	10.8	17	13.2	128	9.8	127	9.8	1	10.0
Under 28 days of agetUnder one year of aget	13	18. 34. 1	1 12	3 16 2 32		90.9 90.9		20.9 26.8		22.6 26.1		28.6	3 7	10.6 23.3		11.6 25.6			3 4	16.0 21.4		16.1 21.5		
CAUSE OF DEATH** Tuberculosis, all forms (001-019) of respiratory system (001-008)	1	4.0	2 1					2.8											3	23.1	3	23.2		
Syphilis and its sequelae (020-029) Gonococcal infection (030-035)							1	2.8	1	3.6	/ 									23.1	3	23.2		
Undulant fever (044)																								
Searlet fever and streptococcal sore throat													1	5.4			1							
(050, 051) Diphtheria (055) Whooping cough (056)			í		ſ																			
Whooping cough (056) Meningococcal infections (057)			1																					
Fularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082)								2.8		3.0														
Measles (085)	1	4.0		4.1			1	2.0	1								-							
Pyphus fever (101, 102, 107) Rocky Mountain spotted fever (104)																								
Malaria (110–117) Other infective and parasitic diseases (035–039, 041, 042, 049, 052–054, 061–074,																								
081, 083, 086-093, 095, 096, 108, 120-138)	1	,	1	4.1			2	5.6	2	6.0	-		2	10.7	2	11.5								
Malignant neoplasms (140–205) Benign and unspec. neoplasms (210–239)		144.9		143.2	1			129.7		131.3				96.8 10.7	15 1	$\frac{86.4}{5.8}$			19	146.1	19 .	147.2		
Diabetes mellitus (260) Pellagra (281) Avitaminosis and other deficiency states		4.0		4.1				11.3		11.9														
(280, 282–286)	$\frac{2}{1}$	8.1 4.0	2 1	8.2 4.1																				
Vascular lesions affecting central nervous system (330-334) Nonmeningococcal meningitis (340)	37 1	149.0 4.0	35	143.2 4.1	2		35	98.7		89.5	5		25	134.1 5.4		138.2	1			130.7		131.7		
Rheumatic fever (400-402)														9.4	1	ő.8								
Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Arteriosclerotic and degenerative heart	87 3	350.2 12.1	87 3	356.0 12.3			142 2	400.3 5.6	138 2	411.7 6.0				541.6 16.1		535.7 17.3	8		51	392.1		395.1		
disease (420-422) Other diseases of heart (430-434)	69 1	277.8 4.0	69 1	282.4 4.1				349.5 11.3		361.0 11.5	3		89	477.3	83 .	478.1	6		50	384.4	50 8	387.4		
Hypertension with heart dis. (410-443) Hypertension without mention of heart	14	56.4	14	57.3			12	33.8	11	32.8	i		9	48.3	7	40.3	2		ī	7.7	ī	7.7		
(444-447)		20.1 16.1	5	20.5 16.4				11.3 36.6		11.9 38.8			4	21.5	4	23.0			<u>î</u>	7.7 23.1		23.2	ī	
nfluenza (480-483)	2	8.1	2	8.2						5575														
Pneumonià (490–493) Bronchitis (500–502) Other respiratory diseases (470–475,	9 2	36.2 8.1	$\frac{9}{2}$	36.8 8.2			12	33.8	1()	29.8	2		-	32.2	6	34.6			4	30.8	.4	31.0		
510-527) Dicer of stomach and duodenum (540, 541)	1 1	4.0 4.0	1	4.1			1 2	$\frac{2.8}{5.6}$	$\frac{1}{2}$	3.0 6.0			1 3	5.4 16.1	13	5.8 17.3			$\frac{1}{2}$	7.7 15.4	1 2	7.7		
Appendicitis (550-553) Ternia and intestinal obstruction (560, 561, 570)							2															~~~		
Fastritis, enteritis, etc. (543, 571, 572)							1	5.6 2.8	1	3.0									1	7.7	1	7.7		
Dirrhosis of liver (581) Other diseases of digestive system (530-	2	8.1	2	8.2			2	5.6	2	6.0			i	5.4	1	5.8								
539, 512, 544, 545, 573-580, 582-587)	2	8.1	2	8.2			1	2.8	1	3.0			5	26.8	5	28.8			3	23.1	3	23.2		
Chronic and unspec. nephritis and other renal sclerosis (592-594)		24.2	6	24.6			1	2.8	1	3.0			2	10.7	2	11.5			1	7.7	1	7.7		
Typerplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	1	4.0	1	4.1					<i>.</i>				1	5.4	1	5.8			i .	7.7	Î.	7.7		
complications of pregnancy, childbirth	1	4.0	1	4.1			1	2.8	I	3.0			3	16.1	3	17.3			I	7.7	1	7.7		
and the puerperium (640-689)	ĭ	3.0	<u>i</u>	4.1			2	5.6	2	6.0			3	16.1	3	17.3			<u>ī</u>	7.7	<u>î</u>	7.7		
orth injuries, postnatal asphyxia and atelectasis (760–762)	2 1	8.1	2	8.2			5	14.1	5	14.9			1	5.4	1									
ther diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	4.0 8.1	2	4.1 8.2			8	22.5	8	23.9									3	23.1	3	23.2		
enility, ill-defined and unknown causes (780-795)						- }				ĺ														
lotor vehicle accidents (810-835)	11	32.2 44.3 40.3	7 11 10	28.6 45.0 49.9				5.6 39.5 25.4		$\frac{6.0}{41.8}$ $\frac{23.9}{}$	Ī			50.4 50.0 21.5		5.8 63.4 17.3	;			7.7 23.1 46.1		10 5		
ulcide (963, 970–979) Iomicide and operations of war (964, 965	2	8.1	2	8.2			5	14.1	5	14.9			3	16.1		11.5	1		-1	30.8		31.0		
980-999) Il other diseases	$\frac{2}{4}$	8.1 16.1	$\frac{2}{4}$	8.2 16.4			2 8	5.6 22.5	$\frac{2}{7}$	$\frac{6.0}{20.9}$				16.1 16.1		11.5 17.3			1 1	7.7 7.7	1 1	~ ~		
*Poto por 1 (900 page 1 diagram)						ļl.	_	ı		- 1		ļl		ļ										

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES,

BY RACE, FOR C	OUN	VTI	ES (rei	NNE	SSE	EI			VE	OF	, CI,				DI	ENT	DA	TA,				
Well-of Dr. Deller 7.1 a 1000	Ton		Wii	ITE		white	Tor		WII	TE	Nonw		Tor	AL	MARS Will	TE		white	To		WII	1 1,16		white
Estimated Population, July 1, 1966	No. 63,	Rate		109 Rate	21, No.	Rate	No. 20,	Rate	19,6 No.		No.		No. 18,	Rate	15, No.	993 Rate	No.	131 Rate	No. 45,	566 Rate	No. 36,	718 Rate	No.	Rate
IVE BIRTHS*	, and	16.7	562	13.6	494	22.7		18.1	361	18.4		13.1	275	15.2	239	14.9	36	16.9	765	16.8		15.9	180	20.5
n hospitals	936 11		5		379 6		292 84		278 81		$\frac{14}{3}$		5						698 42				$\frac{114}{42}$	
Attended by midwives Attended by others or unspecified	109				109		1		1				2				2		1				1	
ETAL DEATHS†	1	18.9	8	14.2	12	24.3	1	18.5		19.4				14.5		16.7			i	23.5		15.4	9	50.0
In hospitals. Attended by physicians not in hospitals. Attended by midwives Attended by others or unspecified	1 2		8										4		4				17 1		9		8	
TOTAL DEATHS*	749	11.9	466	11.8	283	13.0	211	10.1	191	9.7	20	15.5	226	12.5	199	12.4	27	12.7	495	10.9	367	10.0	128	14.6
Jnder 28 days of aget Jnder one year of aget	20 29	18.9 27.5	8 11	14.2 19.6	12 18	24.8 36.4	9 14	23.8 37.0	9 14	24.9 38.8			11 11	40.0 40.0	10 10	41.8 41.8	1	27.8 27.8	18 25	23.ŭ 32.7	9 11	15.4 18.8		50.6 77.8
CAUSE OF DEATH**		, ~					,	, ,					١,		1	6.5			3	6.6	2	5.4	١,	11.
Fuberculosis, all forms (001-010) of respiratory system (001-008) Syphilis and its sequelae (020-020) Jonococcal infection (030-035)	3	4.7	2	4.8	1	4.6 4.6	i	4.8	i	5.1 5.1			i	5.6 5.5	i	6.3			3	6.6		5.4		11.
Konococcal infection (030-035) Typhoid fever (040) Undulant fever (044)													1	5.5			1							
Undulant fever (044) Dysentery, all forms (045-048) Scarlet fever and streptococcal sore throat																								
(050, 051)	1																							
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)		1.6			1	4.6		- 1						- 1										
Fularemia (059) Acute poliomyelitis (080)																								
Fularemia (059) Acute pollomyelitis (080) Acute infections encephalitis (082) Measles (085) Replac (081)																					1			
Rabies (094) Lyphus fover (101, 102, 107) Rocky Mountain spotted fever (104)															**									
Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074																								
(036-039, 041, 042, 049, 052-054, 061-074 081, 083, 086-093, 095, 096, 108, 120-138)	5	7.9	3	7.2	2	9.2													5	11.6	3	8.2	2	22
Malignant neoplasms (140-205)	98	155.2 1.6		157.0	33 1	151.7 4.6	34	162.4	32	162.9 5.1	2		29	160.0 11.0	26 1	162.6 6.5	3			155.8 2.2		152.5 2.7		160
Benign and unspec. neoplasms (210–239) Diabetes mellitus (280) Pellagra (281)	6	9.5	3	7.2		13.8	3	4.8 14.8	3	15.8			12	66.2	10	62.5	2		9			10.9		56
Pellagra (281) Avitaminosis and other deficiency states (280, 282-286) Anomic (200, 262)																			₂	4.4				22
(280, 282-286) Anemias (290-293) Vascular lesions affecting central nervous	156	247.0	89	214.9	67	\$08.0	18	86.0	14	71.5	4		27	149.0	23	145.8	4		75	104.6		147.1		237
system (330-334)	Į.																•••			4.4	1	2.7	1	11.
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416). Arterlosclerotic and degenerative hear disease (420-422) Other diseases of heart (430-434) Hyperfension with heart dis. (440-443)	285	1.6 451.2 6.8	192	2.4 463.7 7.2	93	427.5 4.6		377.4	71	361.5	8		87	480.0		487.7			149	327.6 6.6		310.5		395 11
Arteriosclerotic and degenerative hear disease (420–422)	248	392.6	178	429.9	70	321.8	60	286.6		290.3				375.2	64	400.2	4			254.6		253.3	23	250
		12.7 39.6	7	9.7 16.9	18 18	18.4 82.7	14	23.9 66.9		2 0.4 50.9				16.6 82.8	12	$\frac{6.8}{75.0}$	3		13	37.: 28.	5 7	32.7 19.1		5 5G. 5 67.
Hypertension without mention of hear (444-447). General arteriosclerosis (450)	14 - 10	22.2 15.8	9 8	21.7 19.5				14.8	3	15.5			8	44.1 22.1	7	45.8	1			26.	9 11	30.0	1 1	11. 11.
other dist of enediatory system (401–403).	7	11.1	5	12.1		9.2		4.8					4	22.1	4	25.0			'	17.	7	19.1	1	11.
Influenza (480–483) Pneumonia (490–493) Branchitis (500–502)	$\begin{bmatrix} 28 \\ 2 \end{bmatrix}$	1.6 44.5 3.2	17	41.1	11				7				4	22.1	3	18.8	1		2					3 67
Bronchitis (500-502) Other respiratory diseases (470-475 510-527)	15	23.7	13	31.4	2	9.2	4	19.1	1 .	20.4			6	33.1	6	57.5			11					2 22
Ulcer of stomach and duodenum (540, 541 Appendicitis (550-553)					$\frac{1}{2}$																			i ii
Hernia and intestinal obstruction (560 561, 570) Gastritis, enteritis, etc. (543, 571 572) Gastritis, etc. (543, 571 572)	[] 6					9.2	3	14.5	3	15.5			4	22.1	3	18.8	1	l		4.	4 2 4 1		ź i	i ii
Cirrhosis of liver (581)	. 3			4.8	3 1	4.6	1	4.8	1	5.1			3	16.6	3	18.8			. :	4.	4 2	2 ő	4	
Other diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587)Acute nephritis, nephritis with edema	- 9	14.2	4	9.7	5	25.6		9.6	2	10.2			1	ű. b	1	6.5			'	15.	2 5	5 13.	6 1	1 11
incl. nephrosis (590, 591) Chronic and unspec. nephritis and othe	_	1.6	"		. 1	4.6													-				-	
renal sclerosis (592-594) Hyperplasia of prostate (610)	1	1.6	3		ĩ	4.6	il i	4.8		5.1 5.1										2 4.	4	1 2.		1 11
Other diseases of genito-urinary system (600-609, 611-637)	8	12.7	7 4	9.7	4	18.4					.		. 2	11.0	1	θ . β	5	1	- -	5 11.	0 2	2 <i>5</i> .	4 3	3 3.
Complications of pregnancy, childbirth and the puerperium (640-689)				7.7.	:	10	, ; ;	167		10				11.0		10			t I	1 13.		ī 2.		1 <i>ő</i> i
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762)	đ) 14.2 5 7.8		i 12.1				9.6 3 28.1	1	2 10.3 6 5 0.6			11	: 11.0 : 11.0	1	? 12.; ? 12.;				1 2. 8 17.		1 2. 5 13.		 3 3,
Infections of the newborn (763-768) Other diseases peculiar to early infancy	1	1.0	5 1	2	٠		-							11.0	: الا	2 12.	5		-	1 2,	2		-	1 1
and immaturity unqualified (769-776).	- 7	7 11.1	1 2	4.8	8 5	25.0	1	2 9.6	5	2 10,1			1 8	3 16.6	j ;	3 18.	8		-	6 15.	2	3 8.	~ ·	3 3
Senility, ill-defined and unknown cause (780-795)	_{ 15		7 2	21.1	S 13			7 81.2 7 33		4 71. 7 35.			1 8	35	1	2 12.	5		. 1	5 11. 6 35.	1 1:	4 10. 5 40.	9	1 <i>1</i> .
All other accidents (800–802, 840–962) Suicide (963, 970–979)	17	7 26.1	9 1	21.	7 8	36.8	5 1		Ġ 1:		9 1		TII	55.	2 1	8 <i>50.</i> 4 1 <i>6</i> .	0 :	2	- 2	1 52. 8 17.	7 1	9 <i>št.</i> 6 <i>16.</i>	7	5 50 2 22
Homicide and operations of war (964, 965 980-999)	-1 1					3 13.		1 4.8 1 4.8	8	1 5,				2 11.0 5 27.0		1 6. 5 31.		1	11 1	8 17. 2 26.	$\begin{vmatrix} c \\ 3 \end{vmatrix}$	3 8. 7 19.		5 56 5 56
All other diseases	1 7	7 11	<u> </u>		<u>'</u>	4.0	ro not		<u> </u>	Ι δ.	1		11		1				<u>- </u> ,		1		1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR	COT	ľNU	YES	OF	'TE	NN	ESS	EE	INC	LUS	SIV	E O	F CI	TIE	S, F	ES	DE	ENT	DA'	ΓA,	1966	6		,
	(12	TAL	MEI		137					ROE	(N)				ONTGO				11		MOO			
Estimated Population, July 1, 1966		236		IITE 988 Rate	1 :	white 218 <i>Rate</i>	24.	TAL .086 Rale	23	ITE , 144 Rate	91	white 12 <i>Rate</i>	63,	TAL , 382 Rate	51,	1TE 119 Rate	11.	white , 933 Rate		TAL 582 Rate	3.2	ITE 243 Rate	3	white 139 Rate
LIVE BIRTHS*		21.0	105	21.1	5	20,2	485	20.1	462	20.0	23	24.4	923	14.6	710	13.8	213	17.8	43	12.0	40	12.5	3	8.8
In hospitals	105 1 3		100 1 3 1		5		449 32 2 2		428 30 2 2		21		891 10 22		700 6 4		191 4 18		43		40		3	
FETAL DEATHS†	. 2	18.2	2	19.0			13	26.8	11	25.8	2	87.0	21	22.8	14	19.7	7	32.9	2	46.5	1	25.0	1	
In hospitals			2				12		11		1		19 <u>2</u>		14		5 2		2		1		1	
TOTAL DEATHS*	47	9.6	46	9.2	1	4.0	247	10.5	232	10.0	15	15.9	411	0.5	287	5.6	124	10.4	20	5.6	18	5.6	2	5.9
Under 28 days of aget	3	18.2 27.5	2 2	19.0 19.0			5 11	10.3 22.7		10.8 21.6	₁	45.5	15 17	16. 3 18.4	7 9	9.9 1 2 .7							• •	
Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Genecoccal infection (030-035). Typhold fever (040). Undulant fever (041). Dysentery, all forms (015-048). Scarlet fe yer and streptococcal sore threat		19.1	1				4	16.6		13.0	1		3 3 1	4.7 4.7 1.6	2 2	\$.9 \$.9	1 1 1	8.4 8.4 8.4						
(050, 051) Diphtheria (055) Whooping cough (058) Meningococcal infections (057)							1 1	4.2		4.3														
Tularomia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 005, 096, 108, 120-138)																								
Malignant neoplasms (140-205). Benign and unspec. neoplasms (210-239). Dlabetes mellitus (260). Pellagra (281).	5	05.5	5					4.2 112.1 24.9		4.3 112.5 21.6	1 1			3.2 112.0 1.6 6.3	55 1 1	3.9 106.9 1.9 1.9	16	184.1	5 2	130.6 55.8	5 2			
Avitaminosis and other derictions states (280, 282–286) Anemias (290–293) Vascular Josions affecting central nervous system (330–334) Nonmoningococcal meningitis (340)		152.8	8				33	137.0	32	138.3	1		<u>i</u>	72.6	1 29	1.9 56.4	17	142.5	2	55.8	2			
Rhounatic fover (400-402). Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416). Artorloscierotic and degenerative heart disease (420-422). disease (420-422).		382.0	20				83	344.6	<u>7</u> 8	337.0	5		120	189.3 1.6	88 1	171.0	32	268.2	5	139.6	4		i	
Hypertonsion with heart dis. (440-443) Ilypertonsion without mention of heart	18 1 1		1 1				10	294.8 8.3 41.5 4.2	10 10	285.2 8.6 43.2 4.3	5		21 1	148.3 6.3 33.1 1.6	2 9 1	147.7 3.9 17.5	2	150.8 16.8 100.6	3 2	83.8 55.8	3 1		1	
(444-447) General arterioscierosis (450) Other dis. of circulatory system (451-468) Influenza (480-483)		38.2 19.1	1				2 5 6	8.3 20.8 24.9	2 5	8.6 21.6 25.9			12 3	18.9 4.7	11 3	21.4 5.8	1	8.4	1	27.9				
Bronchitis (500-502) Other respiratory diseases (470-475, 510-		38.2 38.2	1 2		1		19 3 4	78.9 12.5 16.6	17 3 4	73.5 13.0 17.5	2		11 2 12	17.4 3.2 18.9	6 2 10	11.7 3.9	5	10.8	1	27.9	1			
827) Stomach and duodenum (540, 541) Appendictis (550-553) Hernia and intestinal obstruction (560, 561, 570) onteritis, etc. (543, 571, 572) Gastritis,							1 1 1	4.2 4.2 4.2 4.2	1	4.3 4.3 4.3			1	1.6			1	8.4 8.4		27.9	 1			
Cirrhosis of liver (581). Other diseases of diseative system (530-530, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema,								12.5		13.0			4	6.3	3	5.8	1	8.4						
incl. nephrosis (39), 591). Incl. nephrosis (39), 591). Chronic arnd unspec. nephritis and other Chronic asciencis (592-591). Tenal sclerosis (592-591). Hyperplasia of prostato (610). Hyperplasia of prostato (610). Cher diseases of genito-urlnary system (600-609, 611-637).		19.1					1 1 2	4.2	1 1 2	4.3 4.3 8.6			4 3	1.6 6.3 	1 2	1.9	3	25.1 8.4	1	27.9			1	
Complications of pregnancy, childbirth and the puerperium (640-689) and the puerperium (640-689) Congenital malformations (750-759). Congenital malformations (750-759) atolectars of the newborn (763-768). Infections of the newborn (763-768) could be carly infancy, and immaturity unqualified (769-776).	1	19.1	1				1 1 1	4.2	1				2 1 3 2	21.7 1.6 4.7 3.2		14.1	1 2 1	46.9 16.8 8.4						
Senlilty, 11-defined and unknown causes (780-795) (for accidents (810-835) Motor vehicle accidents (800-802, 810-902) All other accidents (800-802, 810-902) Suicide (963, 970-979) Suicide and operations of war (964, 965, 980-909) diseases.	1 1 1		1 1 1				14 11 3	20.8 58.1 45.7 12.5 4.2 12.5	11 3	21.6 47.5 47.5 13.0 4.8 8.6	3		41 9 22 7	64.7 14.2 34.7 11.0 1.6 15.8	13 6 1		17 2 9 1	142.5 16.8 75.4	1	27.9 27.9				
net 1 000 population tRate po					·		<u></u>		<u> </u>				<u>. </u>					!	•		<u>' </u>			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

*Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES RESIDENT DATA 1966

BY RACE, FOR	COU	NT.	~		TE	NN	ESS	EE			SIV	E C	FC	ITI			SIL	EN	ΤD	AT				
	To	TAL I	MOR		Nonw	hite	Tor	AT.	OBI Wiii		Nonw	hite	Тот	AL I	OVER		Non	white	To:	ral	PER		Non	white
Estimated Population, July 1, 1966	No.	428 Rate	11.		31	1 1	28.		25.	292 Rate	3,2	244	15.		15.	809	7	Rate	5.		4.	914	2	02 Rate
LIVE BIRTHS*	217	15.0	217	15.4			448	15.7	384	15.2	64	19.7	269	16.9	268	17.0	1	13.0	68	13,3	65	13.2	3	14.9
In hospitals	194 22		194				428 12		371 12		57				$\frac{255}{4}$		1		54		51		3	
Attended by midwivesAttended by others or unspecified	1		22				8		í		7		4 6 3		6				14		14			
FETAL DEATHS†		23.0	5	23.0			12	26.8	8	20.8	4	62.5	5	18.6		18.7								
In hospitals Attended by physicians not in hospitals	5		5				11		7 1		4		5		5									
Attended by midwivesAttended by others or unspecified																								
TOTAL DEATHS*			1	8.6	1	3.2	339	11.9	300	11.9	39	12.0	189	11.9	189	12.6			60	11.7	59	12.0	1	5.0
Under 28 days of aget Under one year of aget	2 4	9.2 18.4	2	9.2 18.4			7 9	15.6 20.1		15.6 15.6	1 3	15.6 46.9	4 7	14.9 26.0	4 7	14.9 26.1			1 2	14.7 29.4	1 2	15.4 30.8		
CAUSE OF DEATH**												43.0								~	-	99,8		
Tuberculosis, all forms (001-019)of respiratory system (001-008) Syphilis and its sequelae (020-029)	1 1	6.9		7.1 7.1			3 2	7.0	2	11.9 7.9			$\frac{2}{2}$	$\begin{array}{c} 12.6 \\ 12.6 \end{array}$		12.7 12.7								
Gonococcal infection (030–035) Typhoid fever (040)																								
Undulant fever (044) Dysentery, all forms (045–048)																								
Scarlet fever and streptococcal sore throat																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																								
Tularemia (059)	1																							
Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085)																								
Measies (083) Rabies (094) Typhus fever (101, 102, 107)			Į.																					
Rocky Mountain spotted lever (104) Malaria (110-117)																								
Other infective and parasitic disease (036-039, 041, 042, 049, 052-054, 061-074																							1	
081, 083, 086-093, 035, 096, 108, 120-138) Malignant neoplasms (140-205)		124.8	10				19	147.2	20	150.0	4		97	6.3 170.0	97	6.3 170.8				102.0				
Benign and unspec. neoplasms (210–239 Diabetes mellitus (260))			127.5			6	21.0		150.2			1	6.3 31.5		6.3				175.9				
Pellagra (281)	; ;																		<u>-</u>			94		
(280, 282–286) Anemias (290–293) Vascular lesions affecting central nervous	·\						ii	3.5	1	4.0														
system (330-334) Nonmeningococcal meningitis (340)	- 15	104.6	14	99.2	1		63	220.8 3.5	55 1	217.5 4.6			11	69.2	11	69.6			3	58.6	3			
Rheumatic fever (400-402)	.													.5555	25									
Diseases of the heart (410-443)	-	325.8	47	332.9			133	406.1 3.5		486.3 4.0				516.2 6.3		518.7 6.5			25	488.7	25			
disease (420-422)	. 44	305.0 6.1	44	311.7			115	403.0 3.5	110	434.9 4.0			2	453.2 12.6	1 2	455.4 12.7	1.		21	410.8 39.1	21			
Other diseases of heart (430-434)) 2	2 13.8	2				16		11	43.5	5		7	44.1	7	44.5			2	39.	2			
(444-447) General arterlosclerosis (450) Other dis. of circulatory system(451-468)_		3 20.8	3	21.5			10	35.0 17.5	9	35.6 11.8	1 2		2	12.6 25.2	2	12.7 25.3				19.8	1		1	
Influenza (480–483)	í	2 13.8 I 6.8		7.1				17.0		11.6			1	29.2	1	20.0				19.8				
Pneumonia (490-493)		1 27.7	7 4	28.3			12	42.1 3.5					18	113.5	18	113.8								
Other respiratory diseases (470-475, 510 527) Ulcer of stomach and duodenum (540, 541	_} ;	3 20.8					3 3			7.5			3			19.6 6.8			∦ :	3 58.6	3			
Appendicitis (550-553) Hernia and intestinal obstruction (560			-												·									
561, 570) Gastritis, enteritis, etc. (543, 571, 572)	-						. 1	3.5	1	4.6			i	6.5	1	\tilde{g}								
Cirrhosis of liver (581)		1 6.	9 1	7.			.												.	19.	5 1		.	
Other diseases of digestive system (530 539, 542, 544, 545, 573-580, 582-587)	- -	3 20.8	8 3	21.	3		. 3	10.5	3	11.8			. 1	6.5		6.3	1		. :	2 39.	1 2			
incl. nephrosis (590, 591)	r													4.47.0	1	12.	1							
renal sclerosis (592-594)	-						1 2			4.0	3			6.3		6				2 <i>39</i> .	ī <u>2</u>			
Other diseases of genito-urinary system (600-609, 611-637)			-		-		- 6	21.0	1	19.	5 1		. 1	6.5	3 1	6.	3		.					
Complications of pregnancy, childbirt and the puerperium (640-689)			_					55					_ 1	37.5	e i	37.	9		.					
Congenital malformations (750-759) Birth injuries, postnatal asphyxia an	ď						- -	14.6	1	1 15.			·						-	 1 10	_	 1		
atelectasis (760–762)		1 6.	9	1 7.	-		<u>-</u> ∥ ;	3.4 3.4		4. 1 4.			-	6.3	٠	6.	-		:	1 19.				
and immaturity unqualified (769-776).		1 6.	9	1 7.	1		-∥ :	10.	5 :	2 7.	9 1		- -	3 18.		3 19.	0		-				-	
Senility, ill-defined and unknown cause (780-795)		2 13.		2 14.						1 4.			- :	12.		12.				1 19. 3 58.		1	_	
Motor vehicle accidents (810-835) All other accidents (800-802, 840-962) Suicide (963, 970-979)		0 69. 2 13. 1 6,	9	2 14.	8 2 1		_ 12		1 1	39. 0 39. 1 15.	5 2	2	- 1 1	3 31. 3 50. 1 25.	4	5 31. 8 50. 1 25.	6		-11	3 58. 3 58. 1 19.	6	3 3 1	-	
Homicide and operations of war (964, 96 980-999)	5,						. ∥.	3 10.	5	2 7.	9 1													
All other diseases		2 13.	9	2 14.	2			2 7.		2 7.			- -	2 12.	6	12.	7		-	2 39.	1	2	1	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY BACE FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

Table X (Continued)—BIF BY RACE, FOR	RTH COI	IS, I	ETA	AL OF	DE. TI	ATE ENN	$_{ m IESS}$	EE SEE	IN	CLU	JSIV	/E (OF (CITI	ES,	RE	SII	EN	TD	AT	A, 1	966		~ -≪-
BI MACE, FOR	1	J1\ 1	PICE				I		P0	LK					PUTI	WAN		vhite	Тот		RH Wir	LM	Nonw	(II) To
Estimated Population, July 1, 1966		TAL 238 Rate	Wii 1,2 No.	.00	Non No.	. (19	TAL 311 Rate	12	1TE 290 Rate	1	white 2 Rate	33.	333 Rate	32.	725 Rate	6	Ninte 11 Rate	17.		16	167	671 No.	Rate
LIVE BIRTHS*	53	12.5	53	12.5			195	15.8	195	15.8				16.6		16.7	6	9.8		17.9		18.2	7	10,4
In hospitals	9		9				194		1				549 4 1		2 1				306		299			
FETAL DEATHS†	2	37.7	2	37.7			3	15.4	3	15.4				12.6		12.8			2	6.5	2	6.7		~^~. <u>-</u>
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.							3		3				7						2		z			77\- 77\- 77\-
TOTAL DEATHS*	1			8.7			135	11.0	135	11.0			291	8.7	2 84	8.7	7	11.6	155	9.0	148	9.0	7 .	10.4
Under 28 days of age† Under one year of age†	1 1	18.9 18.9		18.9 18.9			9 10	46.2 51.3	9 10	46.2 51.3				10.8 14.4		10.9 14.6			4 6	13.0 19.5	4 6	13.3 20.0		2002 2002
CAUSE OF DEATH •• Tuberculosis, all forms (001-019) of respiratory system (001-008) Syphilis and its sequelae (020-029) Conococcal infection (030-035) Typhold fever (040)	1		1				4		4 1	32.5				15.0 15.0 3.0					2	11.7 11.7	2 2	12.1		2752 2752 2752 2752 2752
Undulant fever (044). Dysentery, all forms (045–048). Scarlet fever and streptococcal sore throat (050, 051).																								-1\- -1\- -1\-
Diphtheria (055). Whooping cough (056). Meningococcal infections (057).			Į.																					
Tularema (059) Acute poiomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rabies (094)																,			1	5.8	i	6.1		-
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104) Malaria (110-117) Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074,																								- (\
081, 083, 086-093, 095, 096, 108, 120-138)_ Mallgnant neoplasms (140-205)_ Benign and unspec. neoplasms (210-239)_ Diabetes mellitus (260)_	1	23.6						154.3 8.1 8.1	1				43 1 1	129.0 3.0 3.0	41 1 1	125.8 3.1 3.1	2			163.4 5.8		157.9	2	
Pellagra (281) Avitaminosis and other deficiency states (280, 282–286) Anemias (290–293)		23.6											1	3.0	1	3.1								
Vascular lesions affecting central nervous system (330-334). Nonmeningococcal meningitis (340)	6	141.6	6				17	138.1	17	138.2			28 1	84.0 3.0	27 1	82.5 3.1	1		12	70.0	12	72.9		
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative heart	1	353.9 23.6	1				1		1	8.1			3	\$90.0 9.0 \$12.0	3	301.1 9.2 811.7	2 2		1	373.4 5.8 338.4	1	864.4 6.1	3	
disease (420–422). Other diseases of heart (430–431). Hypertension with heart dis. (440–443) Hypertension without mention of heart (441–447).	$\frac{1}{2}$	259.6 23.6 47.2 23.6	11 1 2				4 5 2	324.9 32.5 40.6	4 5 2	40.7 16.3			4 19 3	12.0 57.0 9.0	4 19 2	12.2 58.1	1		1 4	5.8 23.3	1 3		<u>-</u> i	
General arteriosclerosis (450) Other dis. of circulatory system (451–468). Influenza (480–483)	3	70.8 23.6					2	16.2	2	16.3			3	9.0	3	27.5			1	5.8	1	6.1		
Pneumonia (490–493) Bronchitis (500–502) Other respiratory diseases (470–475, 510– 527)	4	94.4	4				7	16.2 56.9	7	16.3 56.9			3 3 6	9.0 9.0 18.0		9.2 9.2 18.3			7 1 1	5.8 5.8	6 1 1	86.4 6.1 6.1		
Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)	1	23.6	1				1	8.1					2	6.0	2	6.1				11.7		12.1		
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581) Other diseases of digestive system (530-													1	3.0	1	3.1 9.2			1	5.8	1	6.1		
539, 542, 544, 545, 573-580, 582-587). Acute nephritis, nephritis with edema, incl. nephrosis (590,591). Chronic and unspec. nephritis and other renal sclerosis (592-591)				•			2	16.2	2	16.3			4	12.0		12.2			1	5.8 5.8	1	6.1 6.1		
Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)							1		1				3	9.0	3	9.2			1	5.8	1	6.1		
Complications of pregnancy, childbirth and the puerperium (640-689)							1		<u>î</u>				1 3	18.1 9.0	1 3	18.2 9.2 3.1			<u>1</u>	5.8 17.5	<u>î</u>	6.1 18.2		
atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy, and immaturity unqualified (769-776).	1	23.6	1				1 4		1	16.8 8.1 32.6			4	3.0 12.0		12.2								
Senility, ill-defined and unknown causes (780-795)		23.6					1 6 4 2	32.5	6 4	32.			4 6 13 1	18.0 39.0	6 12	12.2 18.3 36.7 3.1				11.7 58.3 40.8 5.8	10	12.1 60.7 42.5 6.1		
Suicide (963, 970–979). Homicide and operations of war (964, 965, 980–999). All other diseases.							1	8.1 24.4	1	8.			3	12.0	4	12.2			1 3	5.8 17.5	1 3			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C	OUI	VTI.			TEI	INI	ESSE				IVE	C OI	CI					ENT	' DA	TA,				
	To	TAL	ROA	NE ITE	Non	white	- To	TAL	ROBER		Non	white	To		UTHE			white	To	PAT.	SCO Wii		Mona	white
Estimated Population, July 1, 1966	39 No.	, 112 Rate	37	. 612	No.	500	ll 30.	830 Rate	25	512	1 5.	318 Rate	59.	580 Rate	52.	096	7.	484 Rate	16.	271 Rate	l 16.	268		Rate
LIVE BIRTHS*	668	17.1	630	16.7	38	25.8	500	16.2	373	14.6	127	23.9	1,314	22.1	1,114	21.4	200	20.7	332	20.4	332	20.4		
In hospitals Attended by physicians not in hospitals Attended by midwigs	660		624		36 1		496 4		373		123		1,301				192 2		295 6		295 6			
Attended by midwives			1		i								5 2		<u>ī</u>				30 1		30 1			
FETAL DEATHS†	ĺ	13.5	9	14.3			15	30.0	6	16.1	9	70.9	22	16.7	18	16.2	-1	20.0	9	27.1	9	27.1		
In hospitals Attended by physicians not in hospitals.	9		9				15		6				21		17 1		4		9		9			
Attended by midwivesAttended by others or unspecified																								
TOTAL DEATHS*	349	8.9	321	8.5	28	18.7	311	10.1	244	9.6	67	12.6	457	7.7	382	7.3	75	10.0	139	8.5	139	8.5		
Under 28 days of agetUnder one year of aget	13 19	19.5 28.4	13 18	20.6 28.6		26.3	9 13	18.0 26.0	5 7	13.4 18.8	4 6	31.5 47.2	20 28	15.2 21.3	$\frac{16}{23}$	14.4 20.6	4 5	20.0 25.0		21.1 30.1		21.1 30.1		
CAUSE OF DEATH**				, ,			2	6.5	9	7.8			4	6,7	4	7.7			2	12.5	2	18.0		
Tuberculosis, all forms (001–019)	1	$\begin{array}{c} 5.1 \\ 2.6 \end{array}$	1				2	6.5					11 :	6.7	1	7.7			2	12.3	2			
of respiratory system (001–008). Syphilis and its sequelae (020–020). Concoccal infection (030–035). Typhold fever (040).																								
Undulant fever (044) Dysentery, all forms (045–048) Scarlet fever and streptococcal sore throat																								
(D5A 081)																								
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)	1	2.6	ī	2.7								-												
	1																							
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085)	i	2.6	1	2.7																				
Rables (094) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)																								
Molaria (110–117) Other infective and parasitic diseases																								
Malaria (110-117). Other infective and parasitic diseases (038-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108,120-138).	3	7.7	2	5.3	1		3	9.7	3	11.8			4	6.7	3	ő.8	1	13.4	1	6.1	1	6.1		
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239)	44	112.5	40	106.3	-4		41	133.0	33	129.4	8	150.4	74 1	124.2		117.1		173.7	14	80.0 6.1	14	86.1 6.1		
Diabetes mellitus (260)	7	17.9	7	18.6			6	19.5	6	23.5			2	8.4	2	5.8				18.4	3	18.4		
Pellagra (281) Avitaminosis and other deficiency states (280, 282-286)													<u>i</u>	1.7			<u>ī</u>	13.4						
Anemias (290–293) Vascular lesions affecting central nervous	40	102:5	38	101.0	2		42	136.2	36	141.1	6	112.8	53	89.0	46	88.3		93.5	15	92.2	15	92.2		
System (330-334)								3.2					2	3.4	2	3.8								
Rheumatic fever (400-402) Diseases of the heart (410-443) Chronic rheumatic heart dis. (410-416)		368.2 20.5		356.3 21.3			124	402.2 3.2		384.1	26	488.9	164	275.3 5.0	136	261.1		374.1	51	313.4	51	313.5		
disease (420, 422)	115	294.0		287.1			106	343.8	92	360.6	14	263.3	148	248.4		236,1		394.0		288.9		288.9		
Other diseases of heart (430–434). Hypertension with heart dis. (440–443). Hypertension without mention of heart	8 13	20.5 33.2	7 11	18.6 29.2	1 2			19.5 35.7	$\frac{3}{2}$	11.8 7.8	9	56.4 169.2	8	8.4 13.4		7.7 11.5		13.4 26.7	1 3	6.1 18.4	3	$\frac{6.1}{18.4}$		
General arteriosclerosis (450)	1	2.6 10.2	1	2.7 10.6			1 11	3.2 35.7	10	39.£		18.8 18.8	9	10.1 15.1	5 9	$\frac{9.6}{17.3}$		13.4		$\frac{6.1}{30.7}$	1 5	6.1 30.7		
Other dis. of circulatory system (451-468)		10.2		8.0			4	13.0	3	11.8	1	18.8	9	15.1	5	9.6	-4	53.4						
Influenza (480–483)	7 5	17.9 12.8	6 5	16.0 13.3	1		14	3.2 45.4 3.2	11 1	48.1 3.9	3	18.8 56.4	20		16 1	30.7		53.4	1 2	6.1	1 2	6.1		
Other respiratory diseases (470-475, 510-527)		12.8	5				2	6.5	1	3.9	1	18.8	ļļ	18.5	11	21.1			3	18.4	3	18.4		
Ulcer of stomach and duodenum (540, 541) Appendicitis (550-553)																				6.1	1	0.1		
Hernia and intestinal obstruction (560, 561, 570)	1	2.6	1	2.7			4	13.0	3	11.8	1	18.8	3 2	$\frac{5.0}{3.4}$	3 2	5.8 3.8			1	$\frac{6.1}{6.1}$	1	6.1 6.1		
Cirrhosis of liver (581)	4	10.2	4	10.6			2	6.5	2	7.8			1	1.7	1	1.9			ī	6.1	1	6.1		
Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587)	1	2.6	1	2.7			2	6.5	2	7.8			7	11.7	6	11.5	1	13.4	2	12.3	2	12.5		
Acute nephritis, nephritis with edema, incl. nephrosis (590, 591) Chronic and unspec. nephritis and other																							•	
renal sclerosis (592-594)	3 1		3	8.0 2.7			1	6.5 3.3	i	3.9		<i>57.6</i>	1	1.7	1	$\frac{1.9}{1.9}$				18.4	3	18.4		
Other diseases of genito-urinary system (600-609, 611-637)	3	7.7	2	5.3	1		7	22.7	5	19.6	2	57. <i>6</i>	8	13.4	6	11.5	2	26.7	1	6.1	1	6.1		
Complications of pregnancy, childbirth and the puerperium (640-689)											:	70.0	;	10.0		7277		26.7		24.6		01.0		
Congenital malformations (750-759) Birth injuries, postnatal asphyxia and	3	7.7 2.6	2	5.3 2.7	}		2	6.5	l I	8.9	1	18.8	6	16.8 10.1	5	15.4 9.6	1	20.7 13.4	1	24.6		£4.6 £4.6		
atelectasis (760-762)	1	2.6	1	2.7			1	3.2		3.9			1	1.7	1	1.9								
and immaturity unqualified (769-776)	8	20.5	8	21.3			6	19.5	3	11.8	3	56.4	11	18.5	8	15.4	3	40.1					•	
Senility, ill-defined and unknown causes (780-795)	5 16	12.8 40.9	4 15	10.6 39.9	1 1			35.7		27.4	4	75.2	20	33.6	₁₇		<u>-</u> 3	40.1	1 7		7	6.1 43.0		
All other accidents (800-802, 840-962) Suicide (963, 970-979)	18 14	46.0	16 -1	42.5	2		8	25.9 3.2	5	19.6 3.9	3				8	15.4	2	26.7	5 1	30.7	5	30.7		
Homicide and operations of war (964, 965, 980-999)	6		3	8.0	3		1 10	3.2 32.4	<u>-</u> 8	31.4	1 2	18.8 37.6		6.7 13.4		5.8 13.4		13.4 13.4	7	43.0		43.0		
*Rote per 1 000 population +Rate pe			6		· 	4							11				<u>'</u>		ļi .		<u> </u>			

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES. RESIDENT DATA, 1966

BY RACE, FOR O	COU	ITV	ES (OF	TE	INN	ESSI	Œ]	NC	LUS	IVI	E O	F CI	TIE	S, I	RES	DE	INT	DP	TA,				
	- (D -		EQUA						SEV		NT.				SHEL		[Onwr	hite	Тот	AT. 1	SMI		Von	vhite
Estimated Population, July 1, 1966	To1 6,4 No.		6.48	TE 85 Rate		1	Ton 26, No.		Wiii 26, No.	590	Nony 19 No.	vhite 90 Rate	To: 710, No.	234	Wm 454,7 No	98 Rate N	onwi 255, lo. 1	436 II	12.8	300 L	12.		50	79
IVE BIRTUS*	116	17.9	116	17.9			454	17.0	453	17.0	1	5.3	13,764	19.4	,091	15.66	673	26.1	177	13.8	164	13.4	13	22.5
n hospitals	112 2 2		112 2				440 12 2		439 12		1		320		53		267		177		164		13	
Attended by inidwives Attended by others or unspecified	2		2				2		2				1				1							
n hognitals		8.6	1	8.6			8	17.6	8	17.7			¶247 238	17.9	91 91		155 147	23.2	3	16.9		18.8		
in hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified													6				6							
TOTAL DEATHS*	1	8.6	56	8.6			249	9.5	249	9.4			¶ 3 6,086	8.6	3,415	7.5 2		10.5	151	11.8	143	11.7	8	13.8
Under 28 days of aget Under one year of aget	4 6	34.5 51.7		34.5 51.7			8 12	17.6 26.4	8 12	17.7 26.5				20.6 27.8	118 149	16.6 21.0	$\frac{165}{233}$	24.7 34.9		16.9 16.9	$\frac{3}{3}$	18.3 18.3		
CAUSE OF DEATH**							2	7.5	2	7.5			17	2.4	5	1.1	12	4.7						
Puberculosis, all forms (001-019)of respiratory system (001-008) Syphilis and its sequelae (020-029) Gonococcal infection (030-035)							1	3.7	1	3.8			12	1.7	5 3	1.1 0.7	7 6	2.7						
Agnococcal intection (030–033) Typhold fever (040) Indulant fever (044) Dysentery, all forms (045–048) Scarlet fever and streptococcal sore throa							1	3.7	1	3.8														
Oysentery, all forms (045-048) Scarlot fever and streptococcal sore throa (050, 051)	į												1	0.1			1	0.4						
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)														0.0	<u>-</u>	0.4	<u>2</u>	0.8						
-	1							3.7		3. 8				0.6										
Fularemia (050) Acute poliomyelitis (080) Acute Infectious encophalitis (082) Measles (086)	-												1	0.1	1 1	0.2								
Rabies (004) Typhus fever (101, 102, 107) Rocky Mountain spotted fever (104)	<u></u>		1																					
Malaria (110-117)	s																							
(036-039, 041, 042, 049, 052-054, 061-074 081, 083, 086-093, 095, 096, 108, 120-138)	- 1	15.4	1	15.4			2	7.5	2	7.5			24	3.4	8	1.8	16	6.3						
Malignant neoplasms (140-205) Benign and unspec. neoplasms (210-239) Diabetes mellitus (260)	- 1	15.4		46.3 15.4				149.4		150.4			954 15 82		612 5 36	134.6 1.1 7.9	10	133.9 3.9 18.0	12	93.8	12 1	98.2		
Pellagra (281)							1			3.8														
(280, 282-286)Anemias (200-203)Vascular lesions affecting central nervou	 is						l i	3.7		3.8			15	2.1	6	1.3	3 9	1.2 3.5						
System (330-334) Nonmoningococcal moningitis (340)	5	77.1	5	77.1			26	97.1	26	97.8			947	133.3 2.4	458 6	100.7	489 11	191.4' 4.3		226.6	20	212.7		
Rheumatic fover (400-402)	21	525.8	21	323.8			90	330.	90	338.8			$\begin{bmatrix} 2 \\ 2,060 \\ 26 \end{bmatrix}$		1,236		824 8	322.6 3.1		492.2		499.1		
Arteriosclerotic and degenerative hear	r t 21	323.8	21	323.8	3		8	\$15.3	84	315.1			1,704	239.9	1,093	240.3		239.2	58	453.1 23.4	56	3 458.2 3 24.5		
Other diseases of heart (430-434)	3)							14.5		1 15.4			264	9.3 37.2	84	18.5	180	70.5	1			8.8		
General arteriosclerosis (450)	::		1	15.2 15.2 30.8				7.6 1 14.5 1 3.	4 .	1 15.	9			7.7 15.1 15.8	72	15.8		16.8 13.7 25.1	[39.1 23.4		5 40.5 3 24.6		
Influenza (480-483) Pneumonia (490-493)					-		1:	1 3.	7	1 3.	8		20 223				10 112			39.1		4 32.		i
Bronchitis (500-502) Other respiratory diseases (470-47	5,	1 15.	1	15.	}		- :	2 7.	5 :	2 7.	5		22	3.1	12	2.6	10	3.9	1	 1 31,5		4 32.	,	
510-527) Ulcer of stomach and duodenum (540, 54 Appendicitis (550-553)	1)	1 15	4 1	15.	4		-11	2 7. 4 14. 1 3.	9	2 7. 1 15. 1 3.	0		122	4.1	20	4.4		3.5						
Hernia and intestinal obstruction (56 561, 570)			-		-			2 7. 1 5.		2 7. 1 3 .			24				6 10							
Cirrhosis of liver (581)			-		-		11	1 5.		1 3.			6.		1	11.0	14	5.6	5	1 7.	8	1 8.	!	
Other diseases of digestive system (53 539, 542, 544, 545, 573-580, 582-587)			-				-	1 3 .	1	1 3.			- 49		1	7 8.1	1		11	1 7.	8	1 8.	2	
incl. nephrosis (590, 591) Chronic and unspec. nephritis and other renal sclerosis (592-594)	ier				-		-	1 5.	7	1 3	8		3	3 0 4 4			20		s	3 23.		1 8.	2	2
Hyperplasia of prostate (610)Other diseases of genito-urinary syste (600-609, 611-637)	m	1 15.	4	1 15.	4		-	2 7		2 7			5	3 1.	8	5 1.5			.]}	2 15.	6	2 16.	4	
Complications of pregnancy, childbin	th												-			1 <i>1.</i>			1					
and the puerperlum (640-689)		1 15	4	1 15	4			4 14	. g	4 15	.o		9	2 13.	0 4	1 9.	7 48	8 18.	8	1 7.			2	
atelectasis (760–762) Infections of the newborn (763–768)	·	2 30	. 8	2 30	. 8			ĩ - 3	7	ī -3	.8		7	5 10. 1 1.		4 7.6 3 0.				1 7.	٥	1 8.	z	
Other diseases peculiar to early infan- and immaturity unqualified (769-776)	4 61	. 7	4 61	. 7			2 7	. 6	2 7	. 5		15	7 22.	1 6	4 14.	93	3 3 6.	4	2 15.	6	2 16.	4	
Senility, ill-defined and unknown cau (780-795)		1 15 4 61	. 4 . 7	1 15 4 61				3 11 14 52	. 3		.7		16		.8] 10	3 22 .	6 59	9 23.	1	1 7. 3 23.	4	3 24	8	
All other accidents (800-802, 840-962) Suicide (963, 970-979)		3 46		3 46				7 26 5 18	. 1		.8			37 <i>26</i> . 33 7.		3 22. 0 11.		1 <i>32.</i> 3 <i>1</i> .		6 46.			1	
Homicide and operations of war (964, 9 980-999) All other diseases. *Rate per 1.000 population. †Rat		2 30 1 15	. 4	2 30 1 15	.41			1 14 7 26	.11	7 20	.0		10	55 9. 99 15.	31 5	4 3. 6 12.	3 5	1 2 0. 3 2 0.		2 15	6	2 16	4	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.
¶Includes one Item with race not stated.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES,
BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR C	OUI	NTI			ren	INE	ESSE				IVE	OF	CI	ΓIE			DE	NT	DA	ľΑ,				
	Tor	'AL	STEW	TE	Nonw	hite	Тот	L I	SULLI Witi	TE	Nonw	hite	To	ra L	Wı	INER	Non	white	To	ral	TIPT		Nonv	white
Estimated Population, July 1, 1966	No. 8,1	Rate	7,8 No.	85 Rate	No.	lő Rate	No. 123, 4	22 Rate 1	120,	Rate	2,5 No.	Rate	47.	883 Rate	No.	,511 Rate	No.	Rate	30. No.	156 Rate	18.		11,5	822
LIVE BIRTHS*	117	14.4	115	14.6	2		2,258	1		18.3		17.6		18.1		18.0	103	19.3	642	21.3	329	17.9	313	26.5
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified.	97 19 1		96 18 1				6	2			1		818 19		760 4		88 15		437 116 89		295 31		142 82 89	
FETAL DEATHS†							41	18.2	40	18.1	1	22.2	17	19.6	16	20.5	1	9.7	13	20.2	3	9.1	10	31.9
In hospitals									40				16 1		15 1		. 1		11 1 1		3		8 1 1	
TOTAL DEATHS*		,		13.1		24.5	913	7.4	884	7.3	29	11.3	460	9.6	107	9.0	53	9.9	322	10.7	207	11.3	115	9.7
Under 28 days of aget	2	17.1 51.3	2				39	17.3 23.6	37	16.7 22.1		44.4 44.4	ļ		: 9) 11) 13.	8 1	9.7 19.4	11		5	Ì	6	19. 2 51.1
CAUSE OF DEATH**				0.0.1.2																-,		10.2	1	
Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029). Gonococcal infection (030-035). Typhoid fever (040). Undulant fever (044). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat	1	12.3	1	12.7			5 5 1	4.1 4.1 0.8	4 1					12.6		9.	4 2	37.5	1	3.5	1	5.5		
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)																				i 3.5			<u>ī</u>	8. ñ
Tularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (094) Typhus fever (101–102–107)	i	12.3			i		i	0.8	i	0.8										1 3.		5.5		
Typhus fever (101, 102, 107). Rocky Mountain spotted fever (104). Malaria (110-117). Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074 081, 083, 085, 093, 095, 108, 120-138).								2.4	2	1.7				1 2.	-	1 4				1 3.				
Malignant neoplasms (140–205) Benign and unspec. neoplasms (210–239). Diabetes meilitus (260) Pellagra (281)	14		14		3		142	2.4 115.1 9.8 11.3	142	117.4 117.4 0.8 10.8	3		5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 5	5 93.	7 4	1 3. $\frac{3}{3}$ 142. $\frac{7}{3}$ $\frac{7}{9}$.	6 30	1 5.6 0 163.6 1 5.6	6 13	3 110.0 2 16.9
Avitaminosis and other deficiency state: (280, 282–286) Anemias (290–293) Vascular lesions affecting central person	S -			. <u></u> .			1	0.8	1	i 0	1			2 4. 50 125	- 1		1	2 37.	5	1 3.				1 8.5
System (330–334) Nonmeningococcal meningitis (340)		5 184.		5 190.	-		. 1						`			52 122		8 149.		51 169.		185.	4	7 148.8
Rheumatic fever (400-402) Diseases of the heart (410-443). Chronic rheumatic heart dis. (410-416) Arterlosclerotic and degenerative hear disease (420-422). Other diseases of heart (430-434). Hypertension with heart dis. (440-443) Hypertension without mention of hear	- 42 t	1 12 2 516 0 492.	1	1 12. 507. 8 481.	-	2	1	284. 6.8	5 1	0 281. 8 6. 7 245.	6	i	-	1 2 07 432 3 6 89 394	. 3 . 3	86 437	.1	21 393. 19 355.	-	19 <i>394</i> 08 <i>35</i> 8		35 463. 80 436.		1 287.6 28 236.8
General arteriosclerosis (450)	:I .	2 24. 1 12. 2 24.	6	2 25. 1 12. 2 25.	4	 	- 13 24	10.	5 1: 4 2:	2 9. 3 19. 9 7. 0 16.	9 1	i i i	-	6 12 9 18	. 5 . 8	5 11 8 18	1.8 8.8 4.7	1 18. 1 18.	7	4 13 7 23 4 13 2 6	. 2	2 10. 3 16. 1 5. 1 5.	.5	2 16.9 4 33.8 3 25.4 1 8.5
Other dis. of circulatory system (451-46 Influenza (480-483)	8	1 12.	3	1 12.	7			13.	8 1	4 11. 3 2.	6 :	3		9 18		8 7		1 18	7	9 29	.8	5 27		4 55.8
Bronchitis (500-502) Other respiratory diseases (470-475.		4 49.	-	3 38.		1	35	2 25. 3 2.	$\begin{vmatrix} \dot{9} \\ 4 \end{vmatrix} = 2$	9 24. 3 2.	0 : 5	3	-		2.1	1	4.7 2.4	5 93	. 7		. 3		. 5	4 55.8
510-527) Ulcer of stomach and duodenum (540, 54 Appendicitis (550-553) Hernia and intestinal obstruction (56	()	3 36. 2 24.		2 25		1	2	1 19. 9 7.		9 7				5 10			9.4	1 18		5 16	. 6	5 27 2 10		
561, 570) Gastritis, enteritis, etc. (543, 571, 572)		1 12	3	1 12	7			3.	2	4 3	.3			5 10). 4 		7.1	2 37		5 10	i. i	ī ō	. 5	4 35.
Cirrhosis of liver (581) Other diseases of digestive system (536 539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edem		1 12 1 12		1 12 1 12				8 6. 6 4.	.1	8 <i>6</i> 6	. 6		 	2 .	4.2	2	4.7				3.6 3.3	2 10 1 5), y ; , ŏ	
incl. nephrosis (590, 591) Chronic and unspec. nephritis and oth renal sclerosis (592–594) Hyperplasia of prostate (610)	er	1 12	.3	1 12	.7			2 1	.6	2 1	. 7			1	2.1	t	2.4		·		9.9	1 6	5. ő	2 16. 2 16.
Other diseases of genito-urinary syste (600-609, 611-637)								1 0	.8	1 0	.8			1	2.1	1	2.4			1	8.3	1 6	5.6	
Complications of pregnancy, childbir and the puerperlum (840-689)	nd	ī 12 1 12		1 12 1 12			il.	1 17 15 12	.2	15 12					6.3 4.2	2 2	4.7	ī <i>ī</i>	8.7	1 2	6.7 3.3 6.6	1 .	0.4 5.5 5.5	2 63.
Infections of the newborn (763–768) Other diseases peculiar to early infanc and immaturity unqualified (769–776)	y, 								. 1		7.4	1	- []	6 1	(2, 5	5	11.8	1 1	8.7		6.6			2 16 2 16
Senfilty, Ill-defined and unknown cau: (780–795). Motor vehicle accidents (810–835). All other accidents (800–802, 840–962). Suicide (963, 970–979).		4 40 5 61 2 2. 1 12	. 5	$\begin{array}{ccc} 5 & 6i \\ 2 & 2i \end{array}$	9. 7 3. 4 5. 4 2. 7			5 4 21 17 30 23 15 12	1.1 1.0 1.3 3.2	20 1 30 2	4.1 6.5 4.8 1.6			2 16 15	4.2 33.4 31.3 8.4		4.7 35.3 32.9 9.4	1 1	8.7	11 -	39.8 36.5 26.5 6.6	7 3	10.9 18.2 21.8 10.9 .	10 84 4 33 4 38
Homicide and operations of war (964, 9 980–999) All other diseases		1 12 2 2	2.3 4.6	1 1. 2 2	2.7 5.4			5 18 1	4. 1 4. 6	5 18 1	4.1 4.9			6	12.5 10.4	5 4	11.8 9.4	1 1	18.7	2 5	6.6 16.6	1	5.5 21.8	1 8 1 8

^{*}Rate per 1,000 population. †Rate per 1,000 live births. This erates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR	COL) IN 1		USDAI		עעה	IES!	SEE		NICOL		VE (OF (OII.		NION	1211)EN	1 D	A1.		966 Bure		
		OTAL	/ W	HITE	Noi	nwhite		OTAL	T W	HITE		nwhit	ē T	OTAL	W	HITE	Nor	nwhite		TAL	Wh	TTE	Non	nwhite
Estimated Population, July 1, 1966	- No.	,326 Rat	e No.	, 466 Rat	e No.	Rate	No.	5,081 Ra	te No.	5,074 Ra	te No	7 . Rat	te No.),223 Ra	te No.	, 221 Rai	e No.	2 Rate	No.	610 Rat	No.	595 Rate	No.	15 Rate
LIVE BIRTHS*	- 70) 13.	1 5	5 12.	s 15	17.	21	8 14	5 21	8 14.	δ		- 17	6 19.	1 17	ß 19.	1		53	14.1	53	14.7		
In hospitals Attended by physicians not in hospitals	- 70		- 5	5			21	6	_ 21	6			_ 17	3					22 31		22 31			
Attended by midwivesAttended by others or unspecified	·													2		2								
FETAL DEATHS†	-	·			.		∦	3 13.	8	3 13.	8		-	1 22.	7	1 22.	7		1	18.5	1	18.9		
In hospitals Attended by physicians not in hospitals								3	-	3	- 1			1					1		1			
Attended by midwivesAttended by others or unspecified									-		-		-11											
TOTAL DEATHS*		12.0	1		1	15.1	15	5 10.	<i>s</i> 15	5 10.	s		_ 6	9 7.	69	7.	5		37	10.2	37	10.8		
Under 28 days of aget Under one year of aget	2	28.6 57.1		36.4 54.6		66.7	1:	7 <i>32.</i> 2 <i>55</i> .		7 <i>32</i> . 2 <i>55</i> .				5 28. 8 45.					1 2	18.9 37.7	1 2	18.9 37.7		
CAUSE OF DEATH** Tuberculosis, all forms (001-019)					ł		1						1			·							1	
of rooningtony exeton (001 000)	1						11 4	2 13. 2 13.	8	2 15. 2 15.														
Syphilis and its sequelae (020-029) Gonococcal infection (030-035) Typhold fover (040)									-,															
Undulant fever (044) Dysentery, all forms (045–048) Scarlet fever and streptococcal sore throat																								
(050, 051) Diphtheria (055)	-		1	-					.															
Whooping cough (056) Meningococcal infections (057)	l		l										1	10.8	Ĭ	10.8								
Pularemia (059)																								
Pularemia (059) Acute pollomyelitis (080) Acute infectious encephalitis (082) Measles (085) Rables (001)																					•			
Rables (094) L'yphus fover (101, 102, 107) Rocky Mountain spotted fever (104)																								
Maiala (110-117)																								
Other infective and parasitic diseases (036-039, 041, 042, 049, 052-054, 061-074, 081, 083, 086-093, 095, 096, 108, 120-138)																								
Malignant neoplasms (140-205)	9	169.0	7		2			132.6	20	132.7			7	75.9	7	75.9			1	27.7	1			
Benign and unspec. neoplasms (210–239) Diabetes mellitus (260) Pellagra (281)	1 2	18.8 37.6	<u>-</u> 2		1		2	13.5	2	13.5			2			21.7								
(280 282-288)							1	6.6	1	6.6							-							
Vascular lesions affecting central nervous																								
system (330–334) Nonmeningococcal meningitis (340)	6	112.7	6				32	212.2	32	212.5			13 1	141.0 10.8	13 1	141.0 10.8			6	166.2	6			
Theumatic fever (400–402)	20	375.5	16		<u>-</u>		52	344.8	52	\$45.0			21	227.7	21	227.7			16	443.2	<u>1</u> 6			
Chronic rheumatic heart dis. (410-416) Arteriosclerotic and degenerative heart disease (420-422)							3	19.9	3	19.9	-													
Other diseases of heart (430-434) Hypertension with heart dis, (440-443)		\$56.7 18.8	15 1					278.5 46.4		278.6 46.4			5	130.1 54.2	5	130.1 54.2				387.8	14			
Typertension without mention of heart (444-447)								49.4	,	40.4			4	43.4	4	43.4		[1	55.4 27.7	2			
Reneral arteriosclerosis (450) Other dis. of circulatory system (451-468)_	1 1	18.8 18.8	1				4	26.5	4	26.5			2	21.7	2	21.7			3	83.1				
nfluenza (480–483) neumonia (490–493)	<u>ž</u>	37.6	· 1		í		<u>-</u> 6	\$9.8	ĝ	\$9.8				70 1		, ä				27.7				
pronchitis (500-502) Other respiratory diseases (470-475.	·												4	43.4		48.4			1 					
510-527) Neer of stomach and duodenum (540, 541) ppendicitis (550-553)	1	18.8	1				4	26.5	4	26.5			1	10.8	1	10.8			<u>ī</u>	27.7	1			
Jernia and intestinal obstruction (560, 561, 570)	1	18.8	1				1	6.6	1	6.6														
astritis, enteritis, etc. (543, 571, 572)													ī	10.8	Ī	10.8								
ther diseases of digestive system (530-539, 542, 544, 545, 573-580, 582-587)	1	10 0	1				1	6.6	1	6.6			1	10.8	1	10.8			1	27.7	1			
cute nephritis, nephritis with edema, incl. nephrosis (590.591)		18.8	1				3	19.9	3	19.9														
hronic and unspec, nephritis and other renal scierosis (592-594). Typerplasia of prostate (610).							2	13.5	2	18.8			1	10.8	1	10.8								
ther diseases of genito-urinary system (600-609, 611-637)		37.6	2													- 1				27.7				
omplications of pregnancy, childbirth	1	18.8			1		1	6.6	1	6.6									1	27.7	1			
ongenital malformations (750-750)						-	<u>-</u>	26.5	<u>-</u>	20.5			3	32.5	<u>3</u>	32.5								
irth injuries, postnatal asphyxia and atelectasis (760-762)		18.8 18.8		-			1 2	6.6	1	6.6														
ther diseases peculiar to early infancy, and immaturity unqualified (769-776)		10.0						13.5 13.5	2	13.3			1	10.8	1	10.8			2	55.4	2			
enility, ill-defined and unknown causes				-			-		-							ŀ			-		-			
(780-795) otor vehicle accidents (810-835) ll other accidents (800-802, 840-962)	3	56.3 56.3				[]-	5	33.2	5	53.2				65.1		65.1		[27.7	1 2		:	
omicide and operations of war (964, 965)		56.3	$\frac{1}{2}$				8	53.0	8	53.1	·		2 1	21.7 10.8		21.7			z	55.4	Z .			
980-999) Il other diseases		18.8 75.1	1 3	-	<u>i</u> :		1 1	6.6	1	6.6 6.6				10.8	1							-		
		i		1		Ш				- 1		- 11		- 1				11.		- 1		J		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR O	500	14 1.	1119	Or	11	71/1/	E35					E ()F (ES,	RE	SII	EN	TI	AT.	A, 1	966		
	To	TAL	Wi	REN		white		FAL	WASHI I Wi	NGTO		white	- Tro	TAL		YNE	1 Non	white	-To	TAL		KLEY	Non	white
Estimated Population, July 1, 1966	No.	,066 Rate	No.	, 919 Rate	1, No.	147 Rate	II 66	810	64	,517	2	, 293 Rate	12	,984 Rate	12	759	1 :	225 - Rate	25	, 540	23 No.	,792	1.	748 Rate
LIVE BIRTHS*	488	18.7	459	18.4	29	25.8	1,178	17.6	1,122	17.4	56	24.4	210	16.2	208	10.8	2	8.9	368	14.4	331	13.9		21.2
In hospitals. Attended by physicians not in hospitals. Attended by midwives. Attended by others or unspecified.	9		9				1,169 6 2 1				53 2 1		207 1 2		205 1 2				356 10 1 1		321		35 1 1	
FETAL DEATHS†				21.8		84.5	18	15.5	17	15.2	ı	17.9	1	4.8	1	4.8			8		8	24.2		
In hospitals Attended by physicians not in hospitals Attended by midwives Attended by others or unspecified													1		1				7		7 1			
TOTAL DEATHS*	269	10.5	256	10.5	13	11.8	l	10.1	1	9.9	33	14.4	103	7.9	97	7.6	6	26.7	368	14.4	339	14.2	29	18.6
Under 28 days of age† Under one year of age† CAUSE OF DEAHT**	15	18.4 30.7	15				23	16.1 19.5	19 22	16.9 19.6	<u>i</u>	17.9	2 4	9.5 19.0	2 4	9.6 19.2			9 14	24.5 38.0	8 10	24.2 30.2		2 7.0 108.1
CAUSE OF DEATH Tuberculosis, all forms (001–019). of respiratory system (001–008). Syphilis and its sequelae (020–029). Gonococcal infection (030–035). Typhoid fever (040). Undulant fever (041). Dysentery, all forms (045–048). Scarlet fever and streptococcal sore throat (050, 051) Diphtheria (055).	2 2	7.7	1 1	4.0	1		2 2	3.0	2	S. 1 S. 1			.1	7.7	1 1				1	5.9 5.9	1 1	4.2		
Meningococcal infections (057)	1	3.8	<u>1</u>	4.0			<u>1</u>	1.5	1	1.5														
Other infective and parasitic diseases (036–039, 041, 042, 049, 052–054, 061–074,							1	1.5	1															
081, 083, 086-093, 095, 096, 108, 120-138)_ Malignant neoplasms (140-205)_ Benign and unspec. neoplasms (210-239)_ Diabetes mellitus (260)_ Pellagra (281)_ Avitaminosis and other deficiency states (280, 282-286)_ Anemias (290-293)_ Vascular lesions affecting central nervous system (330-334)	33 1 8 1	30.7	7 1	8.0 128.4 4.0 28.1 4.0 124.4	1		9 1	1.5 112.8 13.5 1.5	71 9 1	110.0			ī	7.7			ī		2 2	3.9 211.4 7.8 7.8	52 2 2 2	ĺ	2	
Nonmeningococcal meningitis (340)	1	3.8 429.7	<u>-</u>	4.0 441.4			1	1.5 404.1	1	153.4 3.1 1.5 390.6				100.1 \$77.4		94.1				187.9		197.5		
Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart disease (420–422). Other diseases of heart (430–434). Hypertension with heart dis. (440–443) Hypertension without mention of heart (444–447).	104	\$99.0 \$6.9 \$.8	102	409.8 28.1	2		237 . 10	4.5 854.7 15.0 29.9	220	4.6 341.0	17 17		42	7.7 323.5 38.5 7.7	1 12 5				133 2 4	520.8 7.8 15.7	120 d		13	
General arteriosclerosis (450) Other dis. of circulatory system (451–468)	2 3	7.7 11.5	2 2	8.0			15	4.5 22.5 13.5		21.7 13.9	1 		2	15.4		15.7			13	50.9 50.9 15.7	12	54.6 50.4 16.8	1	
Influenza (480–483). Pneumonia (490–493). Bronchitis (500–502). Other respiratory diseases (470–475, 510–	10 2	\$8.4 7.7	9 2	\$6.1 8.0	1		39 2	1.5 58.4 3.0	$\begin{array}{c} 1\\38\\2\end{array}$	1.5 58.9 3.1	i		2	15.4	2	15.7			16 3	62.6 11.7	14 2	58.8	2	
527) Ulcer or stomach and duodenum (540, 541) Appendicitis (550-553) Hernia and intestinal obstruction (560,	2 1 1	7.7 5.8 5.8	2 1 1	8.0 4.0 4.0				16.5 15.0	11 10	17.0 15.5			3	23.1	3	23.5			5 1	19.6	5 1	21.0		
561, 570) Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581)	2 1 1	7.7 3.8	1	8.0 4.0			2	13.5 3.0	9 2	13.9 3.1						~			1	3.9	1	4.2		
Other diseases of digestive system (530–539, 542, 544, 545, 573–580, 582–587)	2	7.7	2	8.0			3 3 1	4.6 4.5 1.5	3 2 1	3.1 1.5	1			7.7		7.8			3	3.9	3	10.0		
Chronic and unspec. nephritis and other renal sclerosis (592-594) Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637)	1 1 2	3.8 3.8 7.7	1 1 2	4.0 4.0 8.0			1 2 7	6.0 8.0 10.5	4 2 7	6.2 5.1 10.8			<u>3</u>	25.1 7.7		23 .5			$\frac{2}{2}$	7.8 7.8 7.8	2 2	8.4	2	
Complications of pregnancy, childbirth and the puerperium (640-689) Congenital malformations (750-759) Birth injuries, postnatal asphyxia and atelectasis (760-762) Infections of the newborn (763-768) Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1 5	7.7 3.8 19.2	1 5	8.0 4.0 20.1			*****	9.0 12.0 12.0		9.3 12.4 10.8			1	7.7	1	7.8				3.9 15.7 19.6	4	16.8	1	
Senility, ill-defined and unknown causes (780-705). Motor vehicle accidents (810-835). All other accidents (800-802, 810-962) Suicide (963, 970-979). Homicide and operations of war (964, 965, 980-999). All other diseases.	14 7 4	23.0 53.7 26.9 15.3	13 6 4	20.1 52.2 24.1 16.1	1			7.5 31.4 23.9 7.5 4.5 19.5	16 5 2	7.7 \$2.6 24.8 7.7 \$.1 18.6	1			7.7 \$0.8 \$8.5 7.7 7.7	1 4	7.8 51.4 31.4 7.8 7.8	1		8 16 9 3	\$1.5 62.6 \$5.2 11.7 11.7 23.5	7 16 7 3	29.4 67.2 29.4 12.6	1 2	

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE X (Continued)—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR COUNTIES OF TENNESSEE INCLUSIVE OF CITIES, RESIDENT DATA, 1966

BY RACE, FOR	COU	NT.			TE	INN	ESS					正 (ът. С	111.			211)	אוים	 A1.	A, 1	
	To		Witi		Nonv		Tor	AL	WILLIA With	ITE	Nonw		Тот		WILS	TE .		nite			
Estimated Population, July 1, 1966	16, 4 No.	18 Rate	15, No.	986 Rate	No.	62 Rate	No. 29,	278 Rate	23,5 No.	90 Rate	5,6 No.	688 Rate	34, No.	531 Rate	29, s No.	Rate	5,08 No.		 		
LIVE BIRTHS*	270	16.4	263	16.5	7	15.2	491	16.8	409	17.3	82	14.4	644	18.6	525	17.8	119	23.4			
In hospitals	. 1		260 2 1				489 2		408		81 1		638		524 1		114 5				
FETAL DEATHS†	. 8	29.6	8	30.4			3	6.1	3	7.8			14	21.7	10	19.0	4	33.6			
In hospitals			8				3		3				13 1		10		3 1				
TOTAL DEATHS*	171	10.4	155	9.7	16	34.6	286	9.8	230	9.7	56	9.8	320	9.3	273	9.3	47	9.2			
Under 28 days of aget Under one year of aget	4 8	14.8 29.6	3 7	11.4 26.6	1			20.4 22.4	7 8	17.1 19.6	3 3	36.6 36.6		12.4 21.7	8 12	15.2 22.9	<u>2</u>	16.8			
CAUSE OF DEAHT** Tuberculosis, all forms (001–019) of respiratory system (001–008) Syphilis and its sequelae (020–029) Gonococcal infection (030–035)	2 2	12.2	2 2	12.5			2 1	6.8		8.5			2 2	5.8 5.8	1 I	3.4 3.4	1 1	19.7			
Typhold fever (40) Undulant fever (041). Dysentery, all forms (045-048). Scarlet fever and streptococcal sore throat (050, 051). Diphtheria (055).																					
Whooping cough (056) Meningococcal infections (057)																					
Tularemia (059). Acute polimyelitis (080). Acute infectious encephalitis (082). Measles (085). Rables (094). Typhus fever (101, 102, 107).																					
Rocky Mountain spotted fever (104) Malaria (110–117)							1	3.4	ĺ		ļ										
Malignant neoplasms (140-205). Belgnand unspec. neoplasms (210-239). Diabetes mellitus (260). Pellagra (281). Avitaminosis and other deficiency states (280, 292-286).	2	12.2		93.8	l			183.2		135.7		123.1	1	115.8 2.9 11.6	1	105,3 3,4 10,2		177.0			
Acemias (200–203) Vascular lesions affecting central nervous system (330–334) Nonmeningococcal meningitis (340)		291.8	43	269.0	5		42	143.5	35	148.4	7	123.1	62	179.5	53	180.0	9	177.0			
Rheumatle fever (400-102). Diseases of the heart (410-413). Chronic rheumatle heart dis. (410-416). Arteriosclerotic and degenerative heart disease (420-422). Other diseases of heart (430-434).	46	316.1 279.7 12.2	42	294.0 262.7 12.5	4		1	368.9	84	\$90.0 4.2 \$56.1 29.7	24	492.8 421.9	3	359.1 8.7 301.2 5.8	2	303.4 6.8 312.4 6.8	1	334.4 19.7 236.0			
Hypertension with heart dis. (440–443) Hypertension without mention of heart (444–447). General arteriosclerosis (450). Other dis. of circulatory system (451–468)	2 10	24.3 12.2 60.8 6.1	3 2	18.8 12.5 62.6	1			13.7 20.5 13.7	5	21.2 12.7	<u>1</u>	70.8 17.6 17.6	15 3	43.4 8.7 5.8	3	37.4 10.2 6.8		78.7			
Influenza (480–483) Pneumonta (490–493) Bronchitis (500–502) Other respiratory diseases (470–475, 510–	1	6.1	1 1	6.3				13.7		17.0			13	2.9	10 1	3.4	<u>-</u> 3	59.0			
527). Ulcer or stomach and duodenum (540, 541). Appendicitis (550–553). Hernia and intestinal obstruction (550, 561, 570).	6	36.5	1	25.0			1	3.4		12.7			3 1	8.7 2.9	3 1 1	3.4					
Gastritis, enteritis, etc. (543, 571, 572) Cirrhosis of liver (581)	1	6.1		6.3	1		2 2 2	6.8 6.8	2	4.2 8.5 8.5		17.6	1 1 5	2.9 2.9 14.5	1 1 3	3.4 3.4 10.2	2	39.3			
Acute nephritis, nephritis with edema, incl. nephrosis (590, 591)		6.1	1	6.3			3	10.2	2	8.5	1	17.6	1	2.9	1	8.4					
Hyperplasia of prostate (610) Other diseases of genito-urinary system (600-609, 611-637) Complications of pregnancy, childbirth	2	12.2	2	12.6			5	17.1	5	21.2			4	11.6	4	13.6					
and the puerperium (640-689). Congenital malformations (750-759). Birth injuries, postnatal asphyxia and atelectasis (760-762). Infections of the newborn (763-768). Other diseases peculiar to early infancy,	1	6.1	1	6.3			1 2	6.8	2	4.2 8.5			1	2.9	1	3.4					
and immaturity unqualified (769-776) Senility, ill-defined and unknown causes (780-795)	1	6.1 24.3	3	6.8 18.8			1	23.9 3.4	1	17.0 4.2		52.7	5	20.8 14.5	5	23.8					
Motor vehicle accidents (810-835). All other accidents (800-802, 849-962) Suicide (963, 970-979) Homicide and operations of war (964, 965, 980-999)	8 4 2 2 1	48.6 24.3 12.2 12.2 6.1		50.0 25.0 12.5			13 8 4 5 5	44.4 27.3 13.7	12 7 4 3	50.9 29.7 17.0	1	17.6	14 11 5	40.5	13 10 5 2 2	44.1 34.0 17.0 6.8	1 1	19.7 19.7 19.7 39.3			
All other diseases	1	0.1	'	0.3			<u> </u> ,	****	<u> </u>				IJ	thala		0.0	.,		 		

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.

**Rate per 1,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. 'Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.

TABLE XI—BIRTHS, FETAL DEATHS AND DEATHS FROM IMPORTANT CAUSES WITH RATES, BY RACE, FOR THREE COUNTIES OF TENNESSEE EXCLUSIVE OF CITIES OF OVER 100,000 POPULATION#. RESIDENT DATA 1966

						110	111#,	RE	SID	EN.	ΓD.	ATA	A, 19	66					
	Tor	ΛL	HAMI Wii	LTON		white	To	TAL		IOX IITE	Nony	white	- _{To}	TAL		LBY	Non	white	
Estimated Population, July 1, 1966	115	9 , 627 Rate	No.	851 Rate	6	776		17.1	29	505	1 1	970	131,	255	86, No.	140	44.	815	łi
LIVE BIRTHS*	2,027	16.9	1,967	17.4	60	8.9	1,470	17.4	1,442	17.5	28	14.9	2,949		Ī		1		i i
In hospitals			1,961		59		1,463		1, 435		28		2,818		1,737		1081		
Attended by midwivesAttended by others or unspecified	1				1		6		6				127		21		106		
FETAL DEATHS†	İ	16.8	33	16.8	1	16.7	34	23.1	33	22.5	1	35.7	16	15.6	16	9.1	30	25.2	
In hospitals Attended by physicians not in hospitals	34						32		31		1		43		16		27		
Attended by midwives	l .						2		2				$\begin{vmatrix} 1 \\\frac{1}{2} \end{vmatrix}$				<u>1</u>		
TOTAL DEATHS*	į.		812	7.2		4.9	657	7.8	643	7.8	14	7.5	1	6.9	555	6.4	1	7.8	
Under 28 days of age† Under one year of age†	38	18.7 23.7		18.3 22.4			12	8.2 16.3	12	8.8			79	26.8	41	23.5	38	31.9	
CAUSE OF DEATH**			-1-1	22.4	1	66.7	2-1	10.5	23	16.0	1	35.7	103	34.9	47	26.7	56	47.0	
Tuberculosis, all forms (001-019) of respiratory system (001-008). Syphilis and its sequelae (020-029)	6	$\frac{5.0}{5.0}$	5 5	4.4 4.4	1	14.8 14.8	4		4 4	4.8									
Gonococcal infection (030-035) Typhoid fever (040)							2	2.4	2	2.4									
Undulant fever (044)																			
Scarlet fever and streptococcal sore throat (050, 051)																			
Diphtheria (055) Whooping cough (056) Meningococcal infections (057)															;				
Tularemia (059)													1	0.8		1.2			
Acute polimyelitis (080) Acute infectious encephalitis (082) Measles (085)																			
Rables (094) Typhus fever (101, 102, 107)	l												1	0.8		1.2			
Rocky Mountain spotted toyer (101)	ı																		
Malaria (110–117) Other infective and parasitic diseases (036–039, 041, 042, 049, 052–054, 061–074, 081, 083, 086–093, 095, 096, 108, 120–138)	,	2.5	2											•					
Malignant neoplasms (140-205)	130 <i>1</i>		3 125	$\frac{2.7}{110.8}$	5	73.8	2 85	2.4 100.6	81	2.4 101.7	1		151	8.8 115.0	107	4.6 12 3 .8	44	2.2 98.2	
Benign and unspec. neoplasms (210–239) Diabetes mellitus (260)	3	2.5 18.4	3	2.7 14.2			6	7.1	5	6.1			1	0.8 12.2	1			11.2	
Pellagra (281) Avitaminosis and other deficiency states (280, 282–286)	2	1.7		1.8															
Anemias (290–293) Vascular lesions affecting central nervous	2	1.7	$\frac{2}{2}$	1.8			1 1	1.2	i	1.2			5	3.8	4	4.6	1	2.£ 2.£	
system (330–334) Nonmeningococcal meningitis (340)	98	81.9	94	88.3	4	59.0	70	82.9	68	82.5	2			102.9 1.5	71 1	82.1 1.2		142.8 2.2	
Rheumatic fever (400–402) Diseases of the heart (410–143)	298 2	39 1	290	257.0	<u>-</u> 8	118.1	267	1.2 316.1	1 269	1.2 317.2	<u>-</u>			193.5	150	183.9	65	212.0	
Chronic rheumatic heart dis. (410–416). Arteriosclerotic and degenerative heart	4	3.8	4	3.5			3	3.6	3	s.6			3	2.3	2	2.8	1	2.2	
disease (420–422)	$\begin{array}{c} 245 & 2 \\ 23 \\ 26 & . \end{array}$	19.2 21.7	23	210.9 20.4		103.8	15	264.0 17.8	15	265.1 18.2			10	167.6 7.6	6	166.6, 6.9	4	8.9	
Hypertension without mention of heart (441–447)	6	5.0	6	22.2 5.3		14.8	20	30.8 2.4		30.3 2.4	i		9	16.0 6.9	7	8.1 3.5		31.2	
General arteriosclerosis (450) Other dis. of circulatory system (451–468)		15,9 9.2	19 11	16.8			20	23.7	20 8					16.0 9.1		17.4 5.8	6	13.4 15.6	
Influenza (480–483) Pneumonia (490–493)	23	19.2	$\tilde{2}$	19.5	<u>-</u>	14.8	18	21.3	<u>1</u> 6	ĩã. 4	\tilde{z}	-	2 27	1.5 20.6	1 14	1.2 16.2	1 13	2.2 23.0	
Bronchitis (500–502) Other respiratory diseases (470–475, 510–	5	4.2	5	4.4			1	1.2	10	13.4			6	4.6	4	4.6		4.5	
Ulcer or stomach and duodenum (540, 541)	10 5	8.4 4.2	10 5	8.9 4.4			9	10.7 4.7	9 4	10.9 4.8			19 4	14.5 3.0	12 3	13.9 3.5	7	15.6 2.2	
Appendicitis (550-553) Hernia and intestinal obstruction (560, 561, 570)	7	5.9	7	6,2			1 4	4.7	1	1.2			2	1.5	2	2.5			
Gastritis, enteritis, etc. (543, 571, 572)	$\dot{2}$	1.7	$\dot{2}$	1.8			1	4.7	4	4.8			-1	8.0	Ĩ	1.2	3	6.7	
Cirrhosis of liver (581)	5	4.2	5	4.4			4	4.7	4	4.8			7	5.8	3	3.5	4	8.9	
539, 542, 544, 545, 573-580, 582-587) Acute nephritis, nephritis with edema, incl. nephrosis (590, 591)	4	3.5	4	8.5			5	5.9	5	6.1			9	6.9	8	9.5	1	2.2	
!hronic and unspec. nephritis and other renal sclerosis (592-594)	4	3.3	-1	3.5			4	4.7	4	4.8			7	5.8	2	2.5	5	11.2	
Typerplasia of prostate (610) Other diseases of genito-urinary system (600–609, 611–637)	1 8	0.8			1	14.8	1	1.2	1	1.2			2	1.5	1	1,2	1 2	2.2	
Complications of pregnancy, childbirth	0	6.7	'	G.2	1	14.8	3	8.6	3	3.6			5	5.8	3	3.5	2	4.5	
and the puerperium (640–689)	1 11	4.9 9.2	11	9.7	1	166.7		13.0		13.8			1 21	3.4 16.0	15	17.4	1 6	8.4 15.4	
Birth injuries, postnatal asphyxla and atelectasis (760–762)	12		10	8.9	2	29.5	5	5.9	5	6.1			22 3	16.8		13.9	10 2	22.5	
other diseases peculiar to early infancy, and immaturity unqualified (769-776)	17	0.8	1 17	0.9 15.1			5	5.9	5	6.1			}	2.5 34.5	1 22	1.2 25.5		4.5 51.3	
Senility, ill-defined and unknown causes																			
(780-795)	50 .	18.4 41.8	49	16.0 43.4	4	14.8		32.0 37.9	26 32	31.5 38.7				5.5 29.0		1.2 35.9	7	13.4 15.6	
All other accidents (800–802, 840–962) Suicide (963, 970–979)	28 11	23.4	11	21.3 9.7		59.0	8	15.4 9.5	13 8	15.7 9.7			28 10	21.8 7.6		18.5 11.6		26.8	
980-999) All other diseases	5 19	4.2 15.9	5 19	4.4 16.8			6 23	7.1 27.2	4 23	4.8 27.8			9 12	$\frac{6.9}{9.1}$	3 7	3.5 8.1	6 5	13.4 11.2	
	1 000 11						<u> </u>		<u> </u>		l		l					[

^{*}Rate per 1,000 population. †Rate per 1,000 live births. These rates are not calculated when the number of births is less than 10.
**Rates from specific causes per 100,000 population with exception of maternal death rate which is per 10,000 live births. Death rates from specific causes are not calculated for white and nonwhite populations of less than 5,000. Title numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955.
†See explanation concerning Davidson County on page 7 of this Bulletin.